


NATIONAL LIBRARY OF MEDICINE

Bethesda, Maryland



Thomas Cadwalader Esq.

corner 7th. & arch^{ts}.

THE Public are informed that of the small edition published of this work, there remain one hundred and ten copies to be disposed of, all the rest being subscribed for.

The subscribers are respectfully requested to pay the amount of their subscriptions, either to Mr. Rhea Barton, House-surgeon to the Pennsylvania Hospital, or to the Author.

FLORÆ PHILADELPHICÆ

PRODROMUS;

Plantarum quæ hactenus exploratæ fuere, quæque in ipso opere
ulterius describentur,

EXHIBENS ENUMERATIONEM:

OR,

PRODROMUS OF THE FLORA PHILADELPHICA;

EXHIBITING

A LIST OF ALL THE PLANTS TO BE DESCRIBED IN THAT WORK,
WHICH HAVE AS YET BEEN COLLECTED.

SIMUL ET JUCUNDA ET IDONEA DICERE VITAE.—HORACE.

BY WILLIAM P. C. BARTON, M. D.


FELLOW OF THE COLLEGE OF PHYSICIANS OF PHILADELPHIA; MEMBER OF THE AMERICAN
PHILOSOPHICAL SOCIETY, &c.

PHILADELPHIA:

PRINTED FOR THE AUTHOR BY J. MAXWELL.

1815.

DISTRICT OF PENNSYLVANIA, TO WIT:



BE IT REMEMBERED, That on the second day of October, in the fortieth year of the Independence of the United States of America, A. D. 1815, William P. C. Barton, of the said district, hath deposited in this office, the title of a book, the right whereof he claims as author, in the words following to wit:

"*Floræ Philadelphicæ Prodromus; Plantarum quæ hactenus exploratæ fuere, quæque in ipso opere ulterius describentur, exhibens enumerationem: or, Prodromus of the Flora Philadelphica; exhibiting a list of all the plants to be described in that work, which have as yet been collected. Simul et jucunda et idonea dicere vitæ. Horace.* By William P. C. Barton, M. D. Fellow of the College of Physicians of Philadelphia; member of the American Philosophical Society, &c.

In conformity to the Act of the Congress of the United States, intituled "An Act for the encouragement of learning, by securing the copies of maps, charts, and books, to the authors and proprietors of such copies during the times therein mentioned." And also to the Act, entitled "An Act supplementary to an Act, entitled, "An Act for the encouragement of learning, by securing the copies of maps, charts, and books, to the authors and proprietors of such copies during the times therein mentioned," and extending the benefits thereof to the arts of designing, engraving, and etching historical and other prints."

J. CALDWELL, *Clerk of the District of Pennsylvania.*

Printed for the Author, and to be had only of him No. 222, Walnut-street, and at the Pennsylvania Hospital. Price \$1,50 cents.

65-5103
TO

JOSEPH CORRÊA DE SERRA, LL.D. F. R. S.

MEMBER OF THE NATIONAL INSTITUTE OF FRANCE, AND OF MANY OTHER LEARNED SOCIETIES IN DIFFERENT

PARTS OF THE WORLD:

A PHILOSOPHER

WHOSE FAME AND ERUDITION NEED NOT MY PEN TO MAKE THEM KNOWN,

BUT WHOSE ASSISTANCE AND INSTRUCTION IN THE PROSECUTION OF MY BOTANICAL PURSUITS, DEMAND

MY PUBLIC THANKS;

THIS SMALL WORK,

The germ of one that may be more worthy of his notice,

Is,

With veneration for his learning,

And with a grateful sense of his kindness,

Most respectfully inscribed.

WILLIAM P. C. BARTON.

PREFACE.

THE zeal for the cultivation of botany which is now so prevalent among the citizens of Philadelphia, as well as the medical class of the University,* renders a BOTANICAL VADE MECUM for those who attend to this pursuit, a *desideratum*. The following pages may serve that purpose. They are therefore given to the publick with a wish that they were better, and a belief that, even as they are, they will be useful. They contain a catalogue of about four hundred and fifty genera of plants, collected within ten miles around Philadelphia. Of this number four hundred are indigenous, and the rest are either naturalized or so commonly cultivated among us, that it has been deemed expedient to introduce them into this PRODROMUS. They will, of conse-

* While every votary of this delightful science must view with satisfaction, the augmented train which courts its charms, let it not be forgotten that in this great city, now the emporium of the sciences and arts of Northern America, scarce a quarter of a century has elapsed since botany may be said to have been known by name alone. To Professor Barton, who kept alive, cherished, and increased to a bright flame, a little spark of botanick fire, is certainly to be attributed the present conspicuous predilection for the study of this alluring science in Philadelphia. As early as the year 1789, Dr. Barton was appointed Professor of Natural History and Botany in the College of Philadelphia, and in 1791, on the union of the College with the University of Pennsylvania, the trustees of the united institution confirmed the former appointment. Some courses of lectures on botany had been delivered in the College of Philadelphia, prior to the year 1789, by Dr. Adam Kuhn, who in his youth enjoyed the peculiar felicity of having been a pupil of Linnæus. Hence the germ of that love for botany, which was nurtured and expanded by an unremitting zeal, continued in despite of obstacles of no trifling magnitude, by the present Professor of Botany in the University, for the space of six and twenty years. During this period Professor Barton delivered twenty-five* courses of lectures on botany, in which he inculcated a high sense of the real benefits of the pursuit, in a medical point of view, with an enthusiasm that gave unequivocal evidence of his attachment to the interests of the science and the honour of the University. Such was the success of these efforts, that during the period when the laws of the medical school rendered it obligatory upon the candidates for its honours to print their inaugural theses, not one commencement was held without a number of dissertations being published, detailing experiments on the medicinal properties and effects of indigenous vegetables; most of them undertaken at the instance and prosecuted under the auspices of the Professor. The authors of these tracts were scattered annually, through different sections of the United States; many of them cherished the love for botanick pursuits which they had imbibed here—they became botanists. And thus have the exertions of the Professor been seen and felt, beyond the precincts of the university. In addition to these facts it may be mentioned, that many years ago Dr. Barton successfully applied himself to the production of an elementary work on the principles of botany, of acknowledged excellence. Let not the name in the title page of this book lessen in the mind of any one the force or effect of these observations. The writer *knows himself* to be capable of impartiality on the subject of them, and in publishing them has taken advantage of the absence in Europe of the Professor, whose presence and desire would in all likelihood have caused their suppression. They were excited by perusing a paragraph in the review† of Clinton's Introductory Discourse before the New-York Literary and Philosophical Society—are conscientiously unbiassed, though made with an honest pride, and a desire to "*render unto Cæsar the things that are Cæsar's.*"

* The vacancy that occurred in the school during the absence of Dr. Barton last summer in Europe, was filled by a luminous course of elementary and philosophical lectures on Botany, by Mr. Corrêa.

† Review of Clinton's Discourse in The Port Folio for August 1815.

EXPLANATORY REMARKS.

FOR the abbreviated characters of the flowers and the fruit, the writer of this Prodrômus is indebted to Dr. Muhlenberg's Catalogue. The plants marked with an asterisk (*) have not been found by the author, but are inserted on the authority of others. All others not so marked, have been actually collected by him, and most of them preserved in his herbarium. The errors liable to be committed by the student in the examination of plants, owing to the perplexity of botanical synonyma, are obviated by adding both the generick and specifick synonymes, when they have been known.

C. stands for *cultus*, cultivated; and when placed opposite to the name of a plant denotes that it is *commonly* cultivated.

Cic. stands for *Cicur*, naturalized; and when placed opposite to the name of a plant, signifies that it was originally from foreign countries, and has become as it were, indigenous.

Hort. stands for *Hortis*, and signifies that the plants to which it is prefixed, though natives of the United States, are not indigenous in the vicinity of Philadelphia, but commonly found in gardens.

☉ placed opposite the name of a plant signifies that it is an annual.

♂ biennial.

⌘ perennial.

♂ frutescent.

THE HISTORY OF THE

... ..

... ..

... ..

... ..

... ..

... ..

**ABBREVIATED NAMES OF AUTHORS,
AND THE NAMES OF THEIR WORKS USED IN THIS
PRODROMUS.**

Ait. Aiton. Hortus Kewensis.

Bart. Barton. Flora Virginica.

Bartr. Bartram. Catalogue of Plants in Kingsess Gardens.

Curt. Curtis. Flora Londinensis.

Defs. Defontaines. Paper in the Annales du Museum, &c.

Don. Donn.

Gært. Gaertner.

l'Her. l'Heritier. Stirpes Novæ, descriptionibus et iconibus illustratæ.

Lam. Lambert.

L. Linnæus. Species Plantarum.

Muhl. Muhlenberg. Catalogus Plantarum Septentrionalis Americæ; and his manuscript communications to me.

Marsh. Marshall. Arbustum Americanum.

Mich. Michaux. Flora Boreali-Americana.

Mich. f. Michaux Filius. Histoire des Arbres Forestiers de l'Amerique Septentrionale.

Pers. Persoon. Synopsis Plantarum.

Pur. Pursh.

Sal. Salisbury.

Sm. Smith. Flora Brit.—English Botany—and papers in the Linnaean. Soc. Trans.

Swa. Swartz.

Walt. Walter. Flora Caroliniana.

Willd. Willdenow. Species Plantarum Linnaei.

With. Withering. Arrangement of British Plants.

CLASSIS I.—MONANDRIA.

ORDO II.—DIGYNIA.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
1 CALLITRICHÉ, aquatica, C. verna,	WATER-STAR WORT, spring, early,	Acotyledones. (Seed without any lobe.)	Najades. 2-phyllus.	O.	-	Sem. 4, in caps. 2-lo- cular.	-
2 BLITUM, virgatum, 3 CINNA*, arundinacea,	STRAWBERRY-BLITE, slender-stalked; Strawberry- spinach, CINNA, - reedy, reed-like,	Dicotyledones. (two lobes in the seed.) Monocotyledones. Gramineae (one single lobe in the seed.)	Atriplices. 3-fidus. gluma 2- valvis, uni- flora.	O. - - - - gluma 2- valvis.	foliis superioribus ovalibus, vel sub-spatulatis; inferioribus linearibus. - - fol. triangularibus, dentatis. - - panicula magna.	Capsula baccata 1- sperm. - Sem. 1, - -	florens A- prili. - flo. Junio. - flo. Augusto

CLASSIS II.—DIANDRIA.

ORDO I.—MONOGYNIA.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
4 LIGUSTRUM, vulgare,	PRIVET, or PRIM, common,	Dicotyledones. Jasmineae.	4-dentatus.	4-fid. alba.	-	bac. 4-sper. 2-loc.	-
5 SYRINGA, 1 vulgaris, C. 2 Persica, C.	LILAC, common: Pipe-tree, Persian,	Idem.	4-dentatus.	4-fid.	fol. lanceolatis, acutiusculis.	-	flo. Junio.
6 CIRCAEA, Canadensis, C. lutetiana,	ENCHANTERS-NIGHTSHADE, common,	Idem.	2-partitus.	2-petala.	fol. lanceolatis, integris, pin- natifidisque.	caps. 2-loc. 2-val.	flo. Maio.
7 VERONICA, 1 Virginica,	SPEEDWELL, Virginian,	Idem.	4-5-part.	4-part.	fol. ovalibus, rarius cordatis.	caps. 2-loc. hispida.	flo. Junio.
				alb. rubra.	fol. quaternis, quinisque, lato- lanceolatis, verticillatis, ar- gute serratis.	caps. obcor- data, 2-loc.	flo. Augusto

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
2 officinalis, - L. 24	officinal,	-	-	cær.	fol. oppositis omnibus, obovato-subrotundis	-	fl. Junio.
3 scryphillifolia, - L. 24	smooth; Paul's betony,	-	-	cær.	fol. ovatis, inferioribus crenatis, sub-integris.	-	fl. Maio.
4 becabunga, - L. 24	brooklime, -	-	-	cær.	fol. ovatis, planis.	-	fl. Junio.
5 scutellata, - L. 24	scullcap, narrow-leaved, -	-	-	cær.	fol. linearibus, integerrimis, acutissimis.	-	fl. Junio.
6 agrestis, - L. 24	field; Germaner; Forget-me-not,	-	-	cær.	fol. cordatis, incisis.	-	fl. Aprili.
7 peregrina, - L. 24 V. Caroliniana, Walt. V. Marilandica, Murr. Comp. Gort. 1792, p. 11, tab. 3. V. Romana, Allioni, Vide Trans. Linn. Soc. Vol. 1, p. 192.	strange; neckweed; knot-grass leaved,	-	-	alb.	fol. lanceolato-linearibus, glabris, obtusis, integerrimis; interdum obsolete denticulatis.	-	fl. Maio.
8 GRATIOLA, - - -	HEDGE-HYSSOP, - - -	Dicotyl.	Scrophulariæ.	5-part.	-	caps. 2-loc. 2-val.	fl. Junio.
1 Virginica, - - L. 24	Virginian, - - -	-	-	alb.	fol. lanceolatis, obtusis, subdentatis.	-	fl. Maio.
2 aurea, - Muhl. 24 G. officinalis L. et Mich.	golden, officinal,	-	-	lutea	fol. lanceolatis, sursum acutissimis, rariter denticulatis.	-	-
3 anagallidea, Mich. inequalis, - Walt. Vide Lindernia.	-	-	-	-	-	-	-
9 JUSTITIA, - - - 24 Americana, - Muhl. J. pedunculosa, Mich. J. pedunculata, Pers. Dianthera Americana, L.	JUSTITIA, - - - American, - - -	Idem.	Acanthi.	ring. alb. purpurea.	fol. erectis, linearilanceolatis, utrinque angustatis.	caps. 2-loc. 2-val.	fl. Julio.
10 UTRICULARIA, - - -	HOODED-MILFOIL, -	Idem.	Lisimachia.	2-phy.	-	caps. globosa 2-loc.	fl. Julio.
1 vulgaris, - - L. 24	common, - - -	-	-	lut.	fol. pinnato-multifidis.	-	-
2 ceratophylla, - Mich. 24	horn-wort leaved,	-	-	lut.	fol. ad superficiem aquae senno-verticillatis, pinnatifidis sub-arrrhiza, aphylla.	-	fl. Augusto
3 cornuta, - Mich. 24	long-horned, - - -	-	-	lut.	-	-	fl. Julio.
11 LYCOPODUS, - - -	WATER-HOREHOUND, -	Idem.	Labiatae.	5-fid.	-	sem. 4-puda, retusa.	-
1 Virginicus, - L. 24	Virginian, - - -	-	-	alb.	fol. lato-lanceolatis, serratis.	-	fl. Julio, et Augusto.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
2 Americanus, Muhl. 2/ L. Europæus, β. Mich. L. Europæus, L. L. Vulgaris, Pers. Obs. Mentis valde affinis, sed non odoratus.	American,	-	-	alb.	fol. sinuato-serratis, appendiculatis.	-	fl. Augusto
12 CUNILA, - - -	CUNILA,	Idem.	5-dent.	ring.	-	semina 4, nuda,	fl. Septembri.
1 mariana, - L. 2/ 2 pulegioides, L. et Mich. 2/ Vide <i>Hedeoma</i> pulegioides.	mint-leaved; Dittany,	-	-	cær.	fol. ovalibus, serratis, arcte sessilibus.	-	-
13 MONARDA, - - -	MOUNTAIN-MINT,	Idem.	5-dent.	ring.	-	semina 4, nuda,	fl. Julio.
1 fistulosa, - L. 2/ 2 didyma, - L. 2/ M. coccinea, Mich. M. Oswegoensis, Bart.	hollow, white; Robin-run-away, scarlet; Oswego-tea,	-	-	alb. carnea.	fol. cordato-lanceolatis, villosis.	-	fl. Julio.
3 aliophylla, - Mich. 2/ M. oblongata, Ait. M. mollis, - Willd.	soft, long-leaved,	-	-	coccinea.	fol. late sub-cordato-ovalibus.	-	fl. Julio.
4 punctata, - L. ♂ h } M. lutea, - Mich. }	dotted-horsemint,	-	-	lilac.	fol. variis oblongis, acute serratis.	-	fl. Augusto et Septembri.
14 ROSMARINUS, C. -	ROSEMARY,	-	-	lut.	fol. lanceolatis, leviter serratis	-	fl. Augusto et Septembri.
officinalis, - L. h	common, officinal; Herb-rosemary,	Labiatae.	2-labiatus.	ring.	fol. utrinque virentibus et subtus canis.	-	fl. variis temporibus.
15 SALVIA, - - -	SAGE,	Dicoty.	ring.	alb. purpurea.	-	semina 4, nuda,	fl. Junio.
1 lyrata, - L. 2/ 2 officinalis, C. - L. h	lyre-leaved,	-	-	ring.	fol. variis: radical. lyrato-sinuosis; caul. simpliciter, sub-diphyllis.	-	fl. Junio.
3 sclarea, C. - L. 2/ 16 COLLINSONIA, - - -	common,	-	-	cær.	fol. lanceolato-ovatis, crenulatis.	-	fl. Junio.
Canadensis, - L. 2/ C. serotina, - Walt. }	Clary,	Idem.	ring.	cær.	fol. rugosis, cordatis, oblongis, villosis, serratis.	semen 1, nudum.	fl. Julio.
	HORSE-WEED; RICH-WEED; HORSE-BALM, common,	-	-	lut.	fol. cordato-ovalibus.	-	fl. Augusto

ORDO II.—DIGYNIA.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
17 ANTHOXANTHUM, -	SPRING-GRASS; VERNAL-GRASS,	Monocotyledones.	2-val.	1-flo. 2-val.	-	semen l.	-
odoratum, - L. 2	common sweet-scented,	-	-	-	spica oblonga ovata.	-	flo. April.

CLASSIS III.—TRIANDRIA.

ORDO I.—MONOCYCNIA.

18 FEDIA, -	LAMB'S-LETTUCE,	Dipsaceae.	3-6-dent. sup.	5-part.	-	nux 2-3-loc.	-
radiata, - Mich. ☺	-	-	-	-	-	-	-
Valeriana locustar radiata, - L.	Corn-sallad,	-	-	car. et alb.	fol. sub-spatulato-oblongis, sub-integris.	-	flo. Maio.
19 Iris, -	FLAG; FLEUR-DE-LUCE,	Iridae.	spatha, 2-val.	6-part.	-	caps. 3 loc. 3-val.	-
Virginica, - L. 2	Virginian Iris; common blue flag,	-	-	car.	fol. ensiformibus.	-	flo. Maio ad Julium.
I. hexagona, Walt.	-	-	-	-	-	caps. 3-loc. 3 val.	-
20 HETERANTHERA, Beauvois, Trans. Am. Phil. Soc. vol 4 p. 173.	HETERANTHERA,	Narcissi.	spath. 3-4 fl.	6-pet.	-	-	-
reniformis, Beauv. 2	-	Monocoty.	-	-	-	-	-
H. Peruviana, - Pers.	-	-	-	alb.	fol. orbiculato-reniformibus. Spatha interdum uniflora, sed frequentiter tri, vel quad-riflora.	-	flo. Julio et Augusto.
H. Virginica, - Pers.	-	-	-	-	-	-	-
Leptanthus reniformis, - Mich.	kidney-form-leaved,	-	-	-	-	-	-
Bartonia clandestina, olim.	-	-	-	-	-	-	-
Obs. Non satis distincta ab H. Peruviana Pearsonii in qua specie spatha sub-quadriflora est. Vide iconem et descriptionem Florae Peruvianae et Prodrumi.	-	-	-	-	-	-	-
21 LEPTANTHUS, - Mich.	LEPTANTHUS,	Idem.	spath. 1-flo.	6-pet.	-	caps. 1-loc. poly. sper.	-
gramineus, - Mich. 2	-	-	-	-	-	-	-
graminea, - Pers.	-	-	-	-	-	-	-
Schollera graminifolia, [Muhl. et Willd.	grass-leaved; yellow star-grass,	-	-	lut.	fol. impetiolatis, angustol-linariis.	-	flo. Julio.
Comelina dubia, [Jacquin.	-	-	-	-	-	-	-
Obs. Potamogeton graminet habitus. [Mich.	-	-	-	-	-	-	-

Systematic Names.		English, Vulgar, and Vernacular Names.		Natural Families of Jussieu.		Calix.	Corolla.	Form of the Leaves, &c.		Fruit.	Time of Flowering.
22	Xyris, - - - Mich. 24 Jupicai, - - - Pers. X. anceps, - - - Walt. X. Caroliniana, Walt. [Lamb. et Poir.]	Xyris, - - -	two-edged,	-	-	2-val.	3-pet.	-	-	caps. 3-loc.	-
23	Schoenus, - - - 1 glomeratus, L. Willd. Swa. 2 albus, - - - L. 24 Rhynchospora alba, [Vahl. et Ait.]	Bog-rush, - - - round-headed, white-headed,	-	-	-	1-val. congest.	O.	-	-	sem. 1, basistretum.	fl. Aug. to fl. Julio.
24	Cyperus, - - - 1 flavescens, - Willd. 8 2 strigosus, - L. 24 3 phymatodes, Muhl. 24 4 parviflorus, Muhl. 24 5 spathaceus, Willd. 24 Scirpus spathaceus, [Mich.]	Galingale, - - - yellow, - - - bristle-spiked, tuberous, small-flowered, sheathed, - - -	-	-	-	1 val. spic. distich.	O.	-	-	sem. 1, triquetrum imberbe.	fl. Aug. to fl. Aug. to fl. Aug. to fl. Aug. to fl. Aug. to
25	Scirpus, - - - 1 ovatus, - Muhl. 24 capitatus, - L. obtusius, - Willd. 2 trichodes, - Muhl. S. capillaceus, Pers. et [Mich.] Obs. Affinis scirpi aciculari.	Club-rush, - - - blunt-head, hair-like,	-	-	-	1 val. imbr. ter.	O.	-	-	sem. 1, villosum aut imberbe.	fl. Aug. to fl. Aug. to fl. Maio.
3	planifolius - - - Muhl. 24	flat-leaved,	-	-	-	-	-	-	-	-	fl. Maio.
4	lacustris, - - - L. 24	Bull-rush.	-	-	-	-	-	-	-	-	fl. Junio.
5	capillaris, - - - L.	dwarf,	-	-	-	-	-	-	-	-	fl. Junio

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
6 echinatus, - L. 24	rough-spiked,	-	-	-	cul. triquetro nudo; spicis echinatis.	-	fl. Julio.
7 retrofractus, - L. 24	backward-bent,	-	-	-	cul. triquetro; spicis retrofractis.	-	fl. Augusto
8 acutus, - Muhl. 24 } sive, maculatus,	sharp-pointed or spotted bull-rush,	-	-	-	cul. tereti, maculato, mucrone abrupto desinente.	-	fl. Junio.
9 triquetrum, Mich. 24 } S. Americanus, Pers. }	-	-	-	-	cul. acute triquetro nudo; spiculis sessilibus, conglomeratis	-	fl. Julio
10 quadrangulatus, Mich. 24 } S. tenuis, - Willd. } S. quadrangulus, Pers. }	four-sided,	-	-	-	aphyllus, cul. tetraquetro nudo.	-	fl. Maio.
11 maritimus β , macrostachyus, Mich. } S. macrostachyos, Lam. } [et Muhl.] }	sea club-rush,	-	-	-	cul. acutissime triquetro folioso; spicis ferrugineis sessilibus pedunculatisque.	-	fl. Julio.
12 cyperiformis, Vide <i>Mariscus</i> .	-	-	-	-	-	-	-
13 palustris, L. et Sm. 24	marsh,	-	-	-	cul. tereti nudo, spica ovato-oblonga subterretri.	-	fl. Maio.
26 TRICHOPOHORUM, - Pers. (Genus intermedium inter Scirpus et Eriophorum.)	RED-COTTON-GRASS, -	Monocoty. Cyperoidae.	1-val.	O.	-	sem. setulae capilliformes, decem locis exsertae numero definito sex. Pers.	fl. Augusto
cyperinum, Pers. 24 } <i>Eriophorum</i> cyperinum, - L. } <i>Scirpus</i> eriophorum, Mich. } S. thyrsoiflorus, Willd. }	cluster-flowered,	-	-	-	cul. triquetro folioso, panicula decomposita.	-	-
27 ERIOPHORUM, -	COTTON-GRASS, -	Idem.	1-val. imbricat.	O.	fol. planis; mucrone triquetro.	-	fl. Junio.
vulgare, - Pers. 24 } E. polystachium, L. } E. polystachium, β . Mich. }	common, many-headed,	-	-	-	-	-	-
28 MARISCUS, -	MARISCUS, -	Idem.	-	-	cul. glabris, spicis globosis, imbricatis.	-	fl. Julio.
glomeratus, Muhl. mss. 24 } <i>Scirpus</i> cyperiformis, } [Muhl. Catalogue.] }	globe-headed,	-	-	-	-	-	-
S. lupulinus, Sprengel.	-	-	-	-	-	-	-

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of flowering.
29 <i>CENCHRUS</i> , tribuloides,	- L. ☉ HEDGE-HOG-GRASS, prickly-spiked; Thorn-grass,	Gramineae.	2-val. 2-flo. 2-val. involucr.	-	spica glomerata; glumis vil- losis et spinis longis rigi- disque horridis. M.	-	flo. Augusto.
CLASSIS III.—TRIANDRIA.							
ORDO II.—DIGYNIA.							
30 <i>MUHLENBERGIA</i> , Schreber	<i>MUHLENBERGIA</i> ,	<i>Monocotyledones</i> .	<i>Gramineae</i> minutissi- mus, 1-val. 1-flo.	2-val.	-	sem. 1, ob- longum a- cumina- tum.	-
1 diffusa, Reichard 4 [Schreber et Pers. <i>Dilepium</i> minutiflo- rum, - Mich.]	spreading,	-	-	-	fol. glabris; panicula coarcta.	-	flo. Augusto.
2 erecta, - Schreb 4 M. aristata, Reichard et [Pers. <i>Dilepium</i> aristosum, Mich.]	upright, awned, downy,	-	-	-	fol. pubescentibus; panicula laxa.	-	flo. Junio.
31 <i>LEERSIA</i> , - - -	<i>LEERSIA</i> ; SICKLE-GRASS,	<i>Idem.</i>	2-val. 1-flo.	O.	-	sem. 1, obo- vatum, tec- tum.	-
1 oryzoides, Willd. et 4 [Swa. <i>Phalaris</i> oryzoides, L. [et Schreb.]	cut-grass,	-	-	-	panicula effusa; glumis ob- longo-obalibus.	-	-
2 <i>Virginica</i> , Muhl. 24	Virginian,	-	-	-	panicula sparsa.	-	-
32 <i>PHALARIS</i> , - - -	<i>CANARY-GRASS</i> ,	<i>Idem.</i>	2-val. 1-flo. 2-val. inclu- carinat. sa.	-	-	sem. 1, gla- brum.	-
1 arundinacea, L. 4 <i>Arundo</i> colorata, Ait. [et Willd.]	reed; Bank-grass,	-	-	-	panicula oblonga ventricosa.	-	flo. Junio.
2 <i>β. picta</i> , Muhl. mss.	striped; Ribbon-grass; Paint- ed-grass,	-	-	-	fol. lineatis; linæ alb. virid.	-	flo. Junio.
33 <i>PASPALUM</i> , - - -	<i>PASPALUM</i> ,	<i>Idem.</i>	2-val. 1-flo. 2-val. subrotun- dum.	-	-	sem. 1, sub- rotundum.	-
laeve, - - - Mich.	smooth,	-	-	-	erectum, glaberrimum; foliis breviusculis.	-	flo. Augusto.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names</i>	<i>Natural Families of Jussiaeu.</i>	<i>Culm.</i>	<i>Corolla.</i>	<i>Part of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
34 PANICUM, - - -	PANIC-GRASS, - - -	<i>Monocotyledones. Gramineae</i>	3-val. 1-flo. 2-val. v. 2-flo.	-	- - -	sem. 1, sub-rotundum.	-
1 glaucum, - L. ☉	foxtail; glaucous, -	-	-	-	fol. rariter pilosis, spica oblonga, setosa.	-	flo. Augusto
2 B. lævigatum,* - Muhl.	smooth, - - -	-	-	-	-	-	-
3 crus galli, - L. ☉	cocksfoot, - - -	-	-	-	spicis alternis; spiculis subcævis; glumis aristatis, hispidis.	-	flo. Augusto
4 latifolium, - L. 24	broad-leaved, - - -	-	-	-	fol. ovali-lanceolatis, amplexicaulis; glumis glabris.	-	flo. Junio.
5 dichotomum, L. et 24 } [Cronov.]	forked, branched, - -	-	-	-	culmo ramoso dichotomo.	-	flo. Julio.
6 agrostoides, - Muhl. 24	bent-grass like, - - -	-	-	-	panicula laxa.	-	flo. Julio.
7 capillare, - - L. ☉	hair-panicled, - - -	-	-	-	panicula capillari, ramosissima.	-	flo. Septembri.
8 verticillatum, - L. ☉	whorled, - - -	-	-	-	spica verticillata.	-	flo. Julio.
9 viride, - - L. ☉	green-flowered, - - -	-	-	-	spica cylindrica.	-	flo. Julio.
35 DIGITARIA, - Mich.	CRAB-GRASS; CROP-GRASS, -	<i>Idem.</i>	2-val. 1-flo. 2-val. spic.	-	- - -	semen 1.	-
1 sanguinalis, Mich. ☉ Panicum sanguinalis, L. Syntherisma præcox, [Walt.]	bloody, purple, - - -	<i>Idem.</i>	-	-	culmis repentibus, patulis; floribus imbricatis.	-	flo. Julio.
2 filiformis, Muhl. ☉ D. pilosa, - Mich. D. villosa, - Pers. Panicum filiforme, L. P. debile, - Dels. Syntherisma, villosa, [Walt.]	thread-form, - - -	-	-	-	cul. erectis; foliis vaginque villosis.	-	flo. Augusto
36 PHILEUM, - - -	CATSTAIL-GRASS; HERDS-GRASS; Timothy-grass, - - -	<i>Idem.</i>	2-val. 1-flo. 2-val. trunc.	-	- - -	sem. 1, sub-rotundum.	-
pratense, - - L. 24	- - -	-	-	-	spica cylindrica, elongata.	-	flo. Junio.
37 ALOPECURUS, - -	FOXTAIL-GRASS, - - -	<i>Idem.</i>	2-val. 1-flo. 1-val.	-	- - -	sem. 1, ovatum, tectum.	-
pratensis,* - - L. 24	meadow, - - -	-	-	-	culmo erecto; glumis villosis.	-	flo. Junio.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit</i>	<i>Time of Flowering.</i>
38 <i>Holcus</i> , - - -	SOFT-GRASS, - - -	<i>Monocotyledones Gramineae.</i>	2-val. 2-3 flo.	2-val.	-	semen ovatum.	
1 <i>lanatus</i> , L. et Schreb. 2	woolly--(Salem-grass, in Jersey.)	-	-	-	glumis villosis; fol. vagina tumida villosa.	-	flo. Junio.
2 <i>odoratus</i> ,* - - L. 2	Seneca-grass. - - -	-	-	-	glaber; panicula parva; glumis turgidis.	-	flo. Maio.
39 <i>ANDROPOGON</i> , - - -	BEARD-GRASS, - - -	<i>Idem.</i>	2-val.	2-val.	-	sem. oblongum.	
1 <i>avenaceum</i> , Mich. 2	nodding, avena-like, - - -	-	-	-	foliis asperis, vaginisque glabris.	-	flo. Septembri.
2 <i>purpureascens</i> , Muhl. 2	purple-stalked, - - -	-	-	-	ramis ramosis, elongatis, purpuracentibus.	-	flo. Augusto
3 <i>macrourum</i> , Mich. 2	many-spiked; Indian-grass.	-	-	-	paniculis lateralibus, fasciculato-polystachyis.	-	flo. Septembri.
4 <i>dissitiflorum</i> , Mich. 2	Virginian; scattered-flowered	-	-	-	spicis dissite lateralibus.	-	flo. Septembri.
<i>A. Virginicum</i> , L.	forked-spiked, - - -	-	-	-	spicis furcatis.	-	flo. Augusto
<i>Cinna lateralis</i> , Walt.	BENT-GRASS, - - -	<i>Idem.</i>	2-val. 1-flo. 2-val. acut.	2-val.	-	sem. 1. subrotundum.	
5 <i>furcatus</i> , - Muhl. 2	Red-top; fine, - - -	-	-	-	panic. patente, ramulis divaricatis capillaribus.	-	flo. Junio.
41 <i>AGROSTIS</i> , - - -	Mexican, side-flowering,	-	-	-	panicula oblonga congesta.	-	flo. Septembri.
1 <i>vulgaris</i> , With. 2	decumbent, - - -	-	-	-	culmo decumbente.	-	flo. Junio.
<i>A. hispida</i> , Willd. }	Fiorin-grass. - - -	-	-	-	panicula coarcta; culmo ramoso repente, ramis stoloniferis.	-	
<i>A. capillaris</i> , auctorum, }	THIN-GRASS, - - -	<i>Idem.</i>	2-val. 1-flo. 1-val.	2-val.	-	sem. 1.	
2 <i>Mexicana</i> , - Pers. 2	loose-flowered; Silver-grass.	-	-	-	panicula laxa; foliis angustis, breviusculis.	-	flo. Maio.
<i>A. lateriflora</i> , Mich. }	MEADOW-GRASS, - - -	<i>Idem.</i>	2-val. pluriflor.	ov. 2-val.	-	sem. 1, obli. acuminatum.	
3 <i>decumbens</i> ? - Muhl. 2	annual, - - -	-	-	-	parvula; foliis margine subundulatis.	-	flo. Aprili.
4 <i>stolonifera</i> , C. Sm. 2							
41 <i>TRICHODIUM</i> , - Mich. }							
<i>laxiflorum</i> , Mich. 2							
<i>Cornucopiae hymenalis</i> , [Walt.] }							
42 <i>Poa</i> , - - -							
1 <i>annua</i> , - - - L. 2							

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
2 compressa, - L. 24	Blue-grass. - - -	- - -	- - -	- - -	culmis geniculatis, compressis.	- - -	fl. Junio.
3 reptans, - Mich. ☺	creeping, - - -	- - -	- - -	- - -	culmo reptante: foliis distichis subconvolutis, floribus dioicis.	- - -	fl. Julio.
4 capillaris, - L. ☺	hair-panicled, branched, - - -	- - -	- - -	- - -	panicula ampla capillari-ramosissima.	- - -	fl. Augusto
5 sesleroides, Mich. 24 } P. flava, - L. }	reed, broad-leaved, - - -	- - -	- - -	- - -	culmo firmo erecto; panicula majuscula erecta.	- - -	fl. Augusto
6 pectinacea, Mich. ☺ } P. pilosa, - Muhl. } an P. pilosa Linnaei? }	hairy, - - -	- - -	- - -	- - -	panicula laxa pyramidata.	- - -	fl. Julio.
7 pratensis, C. - L.	Common spear-grass. - - -	- - -	- - -	- - -	culmo tereti glabro; foliis planis, stipulis brevibus, obtusis.	- - -	fl. Junio.
8 trivialis, C. - L. } P. scabra, - Erhart. } P. palustris, quorundum }	Rough-stemmed spear-grass - - -	- - -	- - -	- - -	culmo sub-ancipite scabro; foliis subtus scabris; stipulis longioribus, acuminatis.	- - -	fl. Junio.
9 nervata, * - Willd. 24 } striata, - Mich. }	scored, - - -	- - -	- - -	- - -	spiculis glabris nervosis.	- - -	fl. Junio.
43 BRIZA, - - -	QUAKING-GRASS, - - -	Monocot.	2-val. pluri- flor.	cord. 2-val.	- - -	sem. 1, sub- rotundum.	fl. Julio.
eragrostis, - L. ☺	branched, - - -	- - -	- - -	- - -	culmo geniculato decumbente; spiculis erectis, compressis.	- - -	- - -
44 DACTYLIS, - - -	COCKSFOOT-GRASS, - - -	Idem.	2 val. pluri- flor.	2-val.	- - -	sem. 1, ob. sulcatum.	fl. Junio.
glomerata, - L. 24	rough; Orchard-grass. - - -	- - -	- - -	- - -	panicula secunda glomerata.	- - -	- - -
45 ELUSINE, - - Gaert.	DOGS-TAIL-GRASS, - - -	Idem.	2-val. pluri- flor. in re- ceptaculo.	2-val.	- - -	sem. 1, ob.	- - -
Indica, - Mich. ☺ } Cynosurus Indicus, L. }	Indian, - - -	- - -	- - -	- - -	foliis vaginis compressis.	- - -	fl. Julio.
46 FESTUCA, - - -	FESCUE-GRASS, - - -	Idem.	2 val. multi- flor.	obl. 2-val.	- - -	semen 1, utrinque a-cutiss.	fl. Junio.
1 elatior, - L. 24 } F. pratensis, Willd. }	tall, meadow, - - -	- - -	- - -	- - -	panicula secunda, sub-erecta.	- - -	- - -
2 fluitans, - L. 24 } Poa fluitans, - Sm. }	floating, - - -	- - -	- - -	- - -	panicula ramosa; spiculis teretibus, muticis.	- - -	fl. Junio.
47 BRONUS, - - -	BROME-GRASS, - - -	Idem.	2 val. multi- flor.	obl. 2-val.	- - -	sem. 1, ob. tectum.	- - -
secaliaus, - L. 24 } B. vitiosus, Weigel. }	Cheat. - - -	- - -	- - -	- - -	panicula nutante, spiculis ovatis, glabris.	- - -	fl. Junio.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
48 AVENA, - - - L. 2/	OAT-GRASS, - - -	Idem.	2-val. pluri-obl. 2-val. flor.	Gramineae.	- - -	semen 1, utrinque acum.	flo. Junio.
1 elatior, C. - - L. 2/	tall, - - -	- - -	- - -	- - -	panicula subcontracta, nutante.	- - -	- - -
2 sativa, C. - - L.	Common oat. - - -	- - -	- - -	- - -	calycibus dispermis; seminibus laevibus, altero aristato.	- - -	flo. Julio.
49 ARISTIDA, - - - Mich.	ARISTIDA, - - -	Idem.	2-val. 1-flo. 1-val. 3-arist.	Idem.	- - -	sem. 1, nudum.	flo. Septembri.
dichotoma, - - -	forked, - - -	- - -	- - -	- - -	culmo dichotomis, subspicatis.	- - -	- - -
50 LOLIUM, - - -	DARNEZ, - - -	Idem.	1-val. multi-2-val. flor. recept.	Idem.	- - -	sem. 1, compress. nud.	- - -
perenne, - - - L. 2/	red; Rye-grass; Ray-grass.	- - -	- - -	- - -	spica mutica, spiculis compressis.	- - -	flo. Maio.
51 ARUNDO,* - - -	REED-GRASS, - - -	Idem.	2-val. pluri-2-val. flor.	Idem.	- - -	sem. 1, bassis pappos.	- - -
cinnoides, - Muhl. 2/	- - -	- - -	- - -	- - -	habitus cinnæ. panicula oblonga, glumis puberulis.	- - -	flo. Augusto
A. confinis, Willd.	compact, - - -	- - -	- - -	- - -	- - -	sem. 1, obl. tectum.	- - -
A. Canadensis, Mich.	- - -	- - -	- - -	- - -	- - -	- - -	- - -
52 STIPA, - - -	FEATHER-GRASS, - - -	Idem.	2-val. 1-flo. 2-val. arist.	Idem.	- - -	- - -	- - -
Virginica, - Pers.	- - -	- - -	- - -	- - -	- - -	- - -	- - -
S. barbata, Mich. nec	- - -	- - -	- - -	- - -	- - -	- - -	- - -
[Defontaines.	Virginian, thick and long awned,	- - -	- - -	- - -	arista crassa longissima.	- - -	flo. Junio.
S. avenacea, Walt.	- - -	- - -	- - -	- - -	- - -	- - -	- - -
[nec Linnæi.	- - -	- - -	- - -	- - -	- - -	- - -	- - -
S. avenacea? Muhl.Cat.	- - -	- - -	- - -	- - -	- - -	- - -	- - -
53 TRITICUM, - - -	WHEAT, - - -	Idem.	2-val. recept.	Idem.	- - -	sem. 1, nudum.	- - -
1 æstivum, C. - L. ☺	spring, early, or summer,	- - -	- - -	- - -	spica aristata.	- - -	flo. Julio.
2 hybernum, C. - L. ☿	winter, late, - - -	- - -	- - -	- - -	spica mutica.	- - -	flo. Julio.
54 HORDEUM, - - -	BARLEY, - - -	Idem.	2-val. recept. multiflor.	Idem.	- - -	sem. 1, obl. tectum.	- - -
distichon, C. - L. ☺	common, - - -	- - -	- - -	- - -	flosculus lateralibus masculis muticis, seminibus angulatis imbricatis.	- - -	flo. Julio.
55 SECALE, - - -	RYE, - - -	Idem.	- - -	Idem.	- - -	sem. 1, obl.	- - -
1 cercale, hybernum, C. L. ☺	winter, - - -	- - -	- - -	- - -	secale hybernum, vel majus.	- - -	- - -
2 æ. vernum, - L. ☺	spring, - - -	- - -	- - -	- - -	secale vernum, sive minus.	- - -	- - -

ORDO III.—TRIGYNIA.

Spoken name, Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
56 MOLLUGO, - - - L. ☺	INDIAN-CHICKWEED, - - -	Dicoty.	Caryophyllaceae. 5-ph.	O.	- - -	semina reniformia.	-
verticillata, - - - L. ☺	Carpet-weed. - - -	-	-	alb.	foliis verticillatis.	-	fl. Julio.
57 QUERIA, - - -	QUERIA, - - -	Idem.	Idem.	O.	- - -	caps. subrotund. 1-loc. 3-val.	-
Canadensis, - L. 2 } Anychia dichotoma, } [Mich.]	Canadian, - - -	-	-	-	floribus solitariis, caule dichotomo.	-	fl. Julio.
58 LECHEA, - - -	LECHEA, - - -	Idem.	Idem.	3-ph.	- - -	caps. 3-loc. 3-val.	-
1 major, - Mich. h } L. villosa, Pers. } 2 minor, - L. h } L. thymifolia? Mich. }	large, hairy, - - - lesser, - - -	-	-	-	foliis ovato-lanceolatis.	-	fl. Augusto
		-	-	-	foliis linearilanceolatis.	-	fl. Augusto

CLASSIS IV.—TETRANDRIA.

ORDO I.—MONOGYNIA.

59 CEPHALANTHUS, -	GLOBE-FLOWER SHRUB,	Dicotyledones.	Rubiaceae. 4-fid.	1-pet.	- - -	semina solitaria lanosa.	fl. Julio.
occidentalis, - - L. h } G. aparinc? Clayton.	Pond Dogwood; American Buttonwood,	-	-	alb.	foliis oppositis ternisque.	-	-
60 DIPSACUS, - - -	TEASEL, - - -	Idem.	Dipsaceae.	4-fid.	- - -	semina solitaria.	-
sylvestris, - L. 8 }	wild, - - -	-	-	cær.	foliis sessilibus serratis.	-	fl. Augusto
61 HOUSTONIA, - - -	HOUSTONIA, - - -	Idem.	Rubiaceae. 4-dent.	4-part.	- - -	caps. 2-loc. 2-val.	-
cærulea, - L. 2 } H. Linnaei, Mich. }	blue; Bluets, - - -	-	-	cær.	foliis radicalibus ovatis, sive spatulatis.	-	fl. Aprili.
62 GALIUM, - - -	GOOSE-GRASS; LADIES-BED-STRAW.	Dicoty.	Rubiaceae. 4-dent.	4-part.	- - -	semina 2.	-
* fructu glabro. trifidum, L. Walt. et 2 } [Willd.] G. Claytoni, Mich. Obo. Affine G. uliginosae paulo majus; foliis obtusis, nunquam serratis. [Mich.]	trifid, three petalled; Least Galium,	-	-	trifid. alb.	foliis quaternis linearibus obtusis; caule scabro; fructu minutissimo.	-	fl. Augusto

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
2 aspretum, Mich. 24 G. cuspidatum, Muhl. }	spit pointed; Pointed cleavers,	-	-	alb.	foliis senis ovali-lanceolatis, acumine flaccido; caule retro aculeatis.	-	flo. Julio.
3 tinctorium, L. 24 * fructu hirsuto.	dyers,	-	-	alb.	foliis linearibus; caulibus senis; ramorum quaternis.	-	flo. Junio.
4 aparine, - L. ☉	common cleavers,	-	-	alb.	foliis octonis lanceolatis, carinis scabris retrorsum aculeatis.	-	flo. Maio.
5 circaezans, Mich. 24 G. brachiatum, Muhl. G. boreale, Walt. an G. boreale, Pers.?	cross-branched,	-	-	alb. purpur.	foliis quaternis, ovalibus planis, inermibus, margine ciliato.	-	flo. Junio.
6 punctulosum, Mich. 24 G. pilosum, Muhl. nec. [Pers. G. punctatum, Pers. G. purpureum, Walt. [nec. Pers. et Willd. G. cruciata, No. 313 [Clayton?	hairy; purple-flowered,	-	-	purpur.	foliis quaternis ovalibus obtusis, inermibus margine nervisque punctatis.	-	flo. Julio.
7 Pennsylvanicum, 24 [Muhl. G. triflorum? Mich.	Pennsylvanian,	-	-	alb.	foliis senis ovali-lanceolatis, mucronatis.	-	flo. Julio.
63 MITCHELLA, - L. 24 repens, - L. 24 Syringa bacifera, [Catesby.	MITCHELLA, - creeping, Partridge-berry; Chequer-berry;	Dicoty.	4-dent.	4-part.	-	bac. 2-part. 4-sperm.	flo. Junio.
64 CENTAURELLA, Mich. paniculata, - Mich. ☉ Bartonia tenella, Willd. [et Pers. B. paniculata, Muhl.	LITTLE-CENTAURY, - late Centaurella,	Idem.	4-part.	4-part.	-	cap. 1-loc. 2-val.	flo. Augusto
65 PLANTAGO, - - -	PLANTAIN, - - -	Idem.	4-fid.	4-fid.	-	caps. 2-loc. circumscissa.	flo. Junio.
1 major, C. L. 24	great,	-	-	alb.	foliis ovatis glabris.	-	flo. Junio.
2 Virginica, - L. ☉	Virginian,	-	-	alb.	foliis lanceolato-ovatis, pubescentibus, sub-denticulatis.	-	flo. Junio.
3 lanceolata, L. 24	ribwort,	-	-	alb.	foliis lanceolatis.	-	flo. Maio.

Obs. Novum genus *Bartonia* factum est; hoc itaque obsoletum fiet.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
4 <i>maritima</i> , - L. 2/	sea,	-	-	alb.	foliis subulatis.	-	flo. Junio.
Obs. Planta rarissima magnitudinis valde varians; vicinior Philadelphice humillima.							
66 <i>CORNUS</i> , - - -	CORNEL; Dogwood,	<i>Dicoty.</i>	Caprifolia. 4-dent.	4-pet.	-	drupa.	-
1 <i>Canadensis</i> , L. 2/	Canadian, smallest,	-	-	alb.	herbacea; foliis summis verticillatis; radix stolonifera.	-	flo. Maio.
Obs. Planta humillima, habitu Trientalis.							
2 <i>florida</i> , - L. 1/2	large-flowered,	-	-	lut.	arborea; involucrio maximo; foliis obcordatis.	-	flo. Maio.
3 <i>sericea</i> , - L. 1/2	silky-leaved; Red-willow; blue-berried; Swamp-Dog-wood,	-	-	alb.	foliis ovalis acuminatis subtus ferrugineo-sericeis; ramulis cymisque lanuginosis.	-	flo. Junio.
<i>C. lanuginosa</i> , Mich.		-	-	-	-	-	-
<i>C. sanguinea</i> , Walt. [nec Linnæi.]		-	-	-	-	-	-
<i>C. Amomum</i> , Vogel.		-	-	-	-	-	-
<i>C. cærulea</i> , L. m.	LUDWIGIA; BASTARD Loos-TRIFE,	<i>Idem.</i>	4-part.	4-pet.	-	caps. 4-loc. infer. polysper.	-
Obs. Folia iconæ Heriberti non satis retinodacta. Speculum observationem Michauxi, <i>C. lanuginosa</i> non quadrat iconæ <i>C. sericeæ</i> Heriberti: vitium in foliis est.							
67 <i>LUDWIGIA</i> , - - -	large-capsuled,	-	-	lut.	foliis longo-lanceolatis, acutis, alternis; capsula globosa, tetragona.	-	flo. Julio.
macrocarpa, Mich. ☉ } L. alternifolia, L. }	ISNARDIA,	<i>Idem.</i>	4-fid.	O.	-	caps. 4-loc.	-
68 <i>ISNARDIA</i> , - - -	marsh, shining, <i>Ditch-weed</i> ;	-	-	-	foliis ovatis, oppositis, intergris, interdum sub-acuminatis.	-	flo. Septembri.
palustris, - L. ☉ } <i>Ludwigia nitida</i> , Mich. }	POTHOS,	<i>Monocoty.</i>	spath.	4-pet.	-	bac. 2-sper.	-
69 <i>POTHOS</i> , - - -	Swamp-cabbage; Skunk-cabbage; Skunk-weed,	-	-	purp.	acaulis; foliis ovalibus concavis.	-	flo. Martio et Aprili.
fœtida, - Mich. 2/ } <i>Dracontium fœtidum</i> , L. }	ORDO II.—DIGYNIA.						
70 <i>HAMAMELIS</i> , - - -	HAMAMELIS,	<i>Dicotyledones.</i>	duplex, ext. 4-pet. 2-ph. int. 4-ph.	4-pet.	-	nux ovata 2-loc. 2-val.	-
Virginica, - L. 1/2	Virginian; Witch-hazel.	-	-	lut.	floret autumnno, insequente vere semina perfect.	-	flo. Octobrc.
[Pers.]							

ORDO II.—DIGYNIA.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
75 <i>ONOSMODIUM</i> , Mich. hispidum, - Mich. 2 <i>Lithospermum Virginianum</i> , [num, L.]	rough, - - -	<i>Dicotyledones</i> . <i>Borragineae</i> .	profunde 5-part.	semi. 5-fid.	- - -	sem. ut in Lithosperm. mo.	flo. Junio.
76 <i>CYNOGLOSSUM</i> , - - - 1 officinale,* - 2 8 2 amplexicaule, Mich. 2 <i>Virginianum</i> , L. <i>Virginicum</i> , Pers.	HOUNDS-TONGUE, - - - officinal, - - - Virginian, - - -	<i>Idem</i> . - - -	5-part. - - -	alb. - - - 5-fid. - - - purp. - - - alb. cær. - - -	passim hispidum; foliis ovali-lanceolatis, acutis. - - - foliis lato-lanceolatis, basi attenuatis, tomentosis, sessilibus. totum hirsutissimum; foliis ovali-oblongis; superioribus sub-amplexicaulibus.	semina 4, acuminat. - - - - - -	flo. Maio. - - - flo. Maio.
77 <i>SYMPHYTUM</i> , - - - officinale, Hort. L. 24	COMPHEX, - - - officinal. - - -	<i>Idem</i> . - - -	5-dent. - - -	5-dent. - - - alb. - - - 5-fid. - - - cær. - - -	foliis ovato-lanceolatis. - - - foliis omnibus ovalibus.	semina 4, acuminat. - - - sem. 4, obtusa.	flo. Junio. - - - flo. Maio.
78 <i>PULMONARIA</i> , - - - Virginica, - L. 24	LUNG-WORT, - - - Virginian. - - -	<i>Idem</i> . - - -	5-dent. - - -	5-fid. - - - cær. - - -	- - -	caps. ovat. 1-loc.	flo. Maio.
79 <i>MENYANTHES</i> , - - - trifoliata,* - L. 24	BUCK-BEAN, - - - three-leaved; Marsh-trefoil.	<i>Idem</i> . - - -	5-part. - - -	5-fid. - - - alb. rosea. - - -	- - - foliis ternatis.	caps. globo- sa, 1-loc. 2-val.	flo. Maio.
80 <i>HYDROPHYLLUM</i> , - - -	WATER-LEAF, - - -	<i>Idem</i> . - - -	5-part. - - -	5-fid. - - -	- - -	caps. globo- sa, 1-loc. 2-val.	flo. Maio.
1 <i>Virginicum</i> , - L. 24 2 <i>Canadense</i> ,* L. 24	Virginian. - - - Canadian, - - -	- - -	- - -	alb. - - - alb. - - -	foliis pinnatifidis, pinnatisque. foliis lobato-angulosis.	- - -	flo. Maio. flo. Maio.
81 <i>LYSIMACHIA</i> , - - -	LOOSESTREE, - - -	<i>Idem</i> . - - -	5-part. - - -	5-part. - - -	- - -	caps. globo- sa, 1-loc. 10-val.	flo. Julio.
1 ciliata, - L. 24 L. cordata, Muhl.	heart-leaved, - - -	- - -	- - -	lut. - - -	foliis subcordato-ovalibus; petiolo ciliato.	- - -	flo. Junio.
2 quadrifolia, - L. L. hirsuta? Mich. L. striata, Walt.	four-leaved, - - -	- - -	- - -	lut. - - -	foliis quaternis, interdum quinis, rarius senis verticillatis.	- - -	flo. Junio.
3 stricta, - Ait. 24 L. racemosa, Mich. L. bulbifera, Curt. <i>Fiscum terrestre</i> , L.	upright, - - -	- - -	- - -	lut. - - -	foliis ovali-lanceolatis, oppositis, punctatis.	- - -	flo. Junio.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
82 ANAGALIS, arvensis, - - L.	PIMPERNEL, - - - scarlet, field; Red-chickweed.	Dicotyledones. Lisimachiac.	5-part.	5-part.	- - - caule diffuso nudo.	caps. globo- sa, 1-loc.	fl. Junio.
83 AZALEA, 1 nudiflora, L. et Ait. h A. periclymenoides, [Mich. A. periclymena, Pers. }	ROSEBAY; WILD-HONEYSUCK- KLE. naked, red-flowered, clammy, white-flowered,	Idem. Rhododendra.	5-fid.	5-fid.	- - - foliis ovatis.	caps. 5-loc. 3-val.	fl. Maio.
2 viscosa, - L. h		- - -	-	ros.	- - -	-	fl. Junio.
84 PHLOX, - - -	LYCHNIDEA, or PHLOX,	Idem. Polemonia.	5-dent.	5-part.	- - - foliis ovato-lanceolatis, utrin- que viridibus.	caps. oval. 3-loc.	fl. Junio.
1 maculata, - L. 2	spotted-stalked, - - -	- - -	-	alb. purp.	- - - foliis lanceolatis, acuminatis; caule maculato.	-	fl. Maio.
2 suaveolens,* Ait. 2 P. maculata, β. candida, [Mich. }	sweet-scented, - - -	- - -	-	alb.	- - - foliis ovato-lanceolatis raco- mo paniculato.	-	fl. Maio.
3 subulata, - L. 2	awl-leaved; Wild Pink.	- - -	-	purp. stræ rosea.	- - - foliis subulatis.	-	fl. Aprili, et Maio.
4 paniculata,* L. 2	panicled. - - -	- - -	-	purpur.	- - - caule alto; foliis lanceolatis, marginè scabris; corymbis paniculatis.	-	fl. Julio.
85 CONVULVULUS, - - -	BINDWEED, - - -	Idem. Convolvuli.	5-part.	5-lob.	- - - caps. subro- tund. 3-loc.	-	fl. Augusto
1 arvensis, - L. 2	field, small, corn, - - -	- - -	-	alb.	- - - foliis sagittatis, utrinque acu- tis.	-	fl. Julio.
2 sepium, - L. 2	hedge; Great Bear-bind,	- - -	-	alb.	- - - foliis sagittatis, postice trun- catis.	-	fl. Augusto
3 sagittifolius, Mich. 2 C. speciosus, Walt. ? }	arrow-leaved, - - -	- - -	-	purp. car.	- - - foliis oblongo-sagittatis; sinu profundissimo, auriculis subacuminatis.	-	fl. Julio.
4 panduratus, L. 2	fiddle-leaved; Mechoacanna, and Mechemack of the Indians.	- - -	-	alb. pallid purp.	- - - foliis cordatis, integris pandu- riformibus.	-	-
5 batatas, C. - L. 2	Common Sweet-potatoe.	- - -	-	purp. alb.	- - - foliis cordatis, hastatis quin- quenervis; radice tuberosa esculenta.	-	fl. Septem- bri.
6 repens, - L. ☺	creeping, - - -	- - -	-	ros. alb.	- - - foliis sagittatis, postice obtu- sis.	-	fl. Augusto
7 nil, Hort. - L. 2	azure, blue, - - -	- - -	-	car.	- - - foliis ventricos-trilobis.	-	-

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
86 IPOMOEA, - - -	JASMINE BIND-WEED,	-	5-fid.	-	-	caps. subrotund. 3-loc.	
1 quamoclit, L. Hort. ☉ Convolvulus pennatus, [Lamarck]	Cypress-vine. - - -	-	-	cocc.	foliis pinnatifidis linearibus.	-	fl. Augusto
2 coccinea, L. Hort. ☉	scarlet, - - -	-	-	cocc.	foliis cordatis, acuminatis.	-	fl. Augusto
3 purpurea, L. Hort. ☉ Convolvulus purpureus, L.	purple, - - -	-	-	cær.	foliis cordatis.	-	fl. Septembri.
87 POLEMONIUM, - - -	JACOB'S-LADDER, - - -	Idem.	5-fid.	5-part.	-	caps. 3-loc. 3-val.	
reptans, - - L. 4	creeping-rooted; Creeping Greek Valerian.	-	-	cær.	radice repente, foliis pinnatis septenis.	-	fl. Maio.
88 CAMPANULA, - - -	BELL-FLOWER, - - -	Idem.	5-part.	5-fid.	-	caps. subrotund. 3-5-loc.	
1 acuminata, - Mich. 4 [Dodart et Willd.]	smooth-leaved, pointed-leaved, shining,	-	-	cær.	foliis lato-lanceolatis, in longum acumen desinentibus, subserratis.	-	fl. Julio.
C. nitida, - Muhl. Obs. Planta rarissima vicinitate Philadelphiae.		-	-	-	-	-	-
2 perfoliata, - L. ☉ amplexicaulis, Mich.	perfoliate, - - -	-	-	cær.	foliis sub-reniformi-cordatis, crenatis, concavo amplexicaulibus.	-	fl. Junio.
3 erinoides, - L. C. flexuosa, Mich. C. aspera, Donn. Obs. Affinis C. limboliz. Mich.	zigzag, rough. - - -	-	-	pallid. cær. vel. alb.	foliis lanceolatis, subremote serratis; caule flexuoso, triquetro, angulis retrorsis scabris.	-	fl. Junio.
89 LOBELIA, - - -	LOBELIA, - - -	Idem.	5-fid.	5-part.	-	caps. 2-3-loc. 2-3-val.	
1 Kalmii, - L. ☉	Kalm's, - - -	-	-	alb. cær.	foliis lanceolato-linearibus, alternis, integerrimis.	-	fl. Julio.
2 pallida, - Muhl. 4 L. goodenoides, Willd. L. spicata, Lamarck.	pale-flowered, - - -	-	-	cær.	caule erecto, foliis oblongo-spatulatis dentatis; floribus spicatis.	-	fl. Junio.
3 cardinalis, Mich. 4	scarlet; Cardinal-flower.	-	-	cocc.	foliis lato-lanceolatis, serratis.	-	fl. Augusto
4 siphilitica, L. 4	blue, - - -	-	-	cær.	foliis ovato-lanceolatis, subserratis.	-	fl. Septembri.
5 inflata, - L. 8	bladder-podded; Wild-tobacco.	-	-	cær.	foliis ovatis, sub-serratis; capsulis inflatis.	-	fl. Augusto

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
6 Claytoniana, - L.	Clayton's,	-	-	-	foliis oblongis, obtusis, subintegerrimis, imis spatulatis.	-	fl. Junio.
90 TRIOSTEUM, - - - L. 24 } perfoliatum, Mich. }	FEVER-WORT; FEVER-ROOT. red-flowered; Gentian; Bastard Ipécacuanha; Wild Coffee,	Dicotyledones. Caprifolia.	5-part.	5-part.	-	bac. 3-loc.	-
91 LONICERA, - - -	HONEYSUCKLE, - - -	Idem.	5-dent.	1-pet. subulosa lab.	-	bac. 2-loc. infra poly. sperm.	fl. Junio.
1 caprifolium, C. L. h	Italian; early, red,	-	-	alb. rubr.	foliis summis connato-perfoliatis.	-	fl. Maio et Junio.
2 periclymenum, L. Hort. h	Woodbine, - - -	-	-	rubr.	foliis omnibus distinctis ringentibus.	-	fl. Maio et Julio.
92 CAPRIFOLIUM, Jussieu et Mich. } sempervirens, Mich. h } [Hort. } Lonicera sempervirens, L. }	HONEYSUCKLE, - - - trumpet, coral,	Idem.	5-fid.	-	-	-	-
93 VERBASCUM, - - -	MULLEIN, - - -	Idem.	5-part.	5-part.	foliis summis connato-perfoliatis; corol. infundibuliformi.	-	fl. Maio et per totam æstatem.
1 thapsus, - - - 8	broad-leaved, common,	-	-	lut.	foliis decurrentibus utrinque tomentosis.	caps. subrotund. 2-loc. 2-val.	fl. Junio.
2 lychnitis? - - - 24. 8	- - -	-	-	rubr-lut.	-	-	fl. Julio.
3 blattaria, - - - 8	moth, - - -	-	-	lut.	foliis amplexicaulibus, oblongis, glabris.	-	fl. Junio.
α. lutea, - - -	yellow variety, - - -	-	-	alb.	-	-	-
β. alba, - - - } an V. Claytoni, Mich. }	white ditto, - - -	-	-	-	-	-	-
94 DATURA, - - -	THORN-APPLE, - - -	Idem.	5-dent.	5-dent.	-	caps. 2-loc. 4-val.	fl. Augusto.
stramonium, - L. ☹	common; Jamestown-weed,	-	-	æ. et alb.	foliis ovatis sinuatis, glabris, basi in petiolem attenuatis.	-	-
95 NICOTIANA, - - -	TOBACCO, - - -	Idem.	5-fid.	5-fid.	-	caps. 2-loc. 2-val.	fl. Julio.
tabacum, C. L. ☹	Virginian; sessile-leaved,	-	-	purp.	foliis lanceolatis sessilibus.	-	-
96 PHYSALIS, - - -	WINTER-CHERRY, - - -	Idem.	5-fid.	5-fid.	-	bac. 2-loc. subglobos.	-

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Cult.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
1 Pennsylvania, - 24	Pennsylvania,	-	-	lut.	foliis ovatis subrepandis, obtusis.	-	fl. Julio.
2 obscura, - Mich. ☉ } P. pubescens, Muhl. }	downy, - - -	-	-	lut.	foliis quasi cordato-suborbiculatis.	-	fl. Junio.
97 SOLANUM, - -	NIGHTSHADE, - -	<i>Dicotyledones. Solanace.</i>	5-fid.	5-fid.	-	bac. subrotund. 2-loc.	-
1 dulcamara, - L. h	Bitter-sweet; Woody-Nightshade,	-	-	car.	foliis cordatis glabris superioribus auriculatis.	-	fl. Julio.
2 tuberosum, C. L. 24	Common Potatoe (Irish.)	-	-	alb. car.	foliis interrupte pinnatis, integerrimis.	-	fl. Julio.
3 lycopersicon, C. L. ☉	Tamatas; Love-apple; Mad-apple.	-	-	lut.	foliis pinnatis, incis.	-	fl. Augusto
4 nigrum, - L. ☉ } S. exasperatum, Muhl. }	black, - - -	-	-	alb.	foliis ovatis, dentato-angulatis.	-	fl. Julio.
5 Carolinense, L. 24	Caroliniana; prickly,	-	-	car.	foliis ovali-oblongis, basi acutis, sublobato-sinuosis, utrinque aculeatis.	-	fl. Augusto
6 melongena, C. L. ☉	Egg-plant; Melongena, -	-	-	-	foliis ovatis, tomentosis.	-	fl. Junio.
7 pseudo-capsicum, C. L.	Jerusalem-cherry; Winter-cherry.	-	-	-	foliis lanceolatis, repandis.	-	-
98 CHIRONIA, - -	CHIRONIA, - -	<i>Idem.</i>	5-part.	5-part.	-	caps. 2-loc.	-
angularis, - L. ☉	angular-stalked; American C. natuy.	<i>Gentianae.</i>	-	purp.	foliis amplexicaulibus.	-	fl. Augusto
99 CEANOTHUS, - -	CEANOTHUS. - -	<i>Idem.</i>	5-part.	5-pet.	-	caps. 3-coc- ca, 3-loc.	-
Americanus, - L. h	New-Jersey Tea; Red-root.	-	-	alb.	foliis ovalibus, serratis, subtus tomentosis.	-	fl. Junio.
100 CAPSICUM, - -	CAPSICUM, - -	<i>Idem.</i>	5-fid.	5-fid.	-	bac. exsucca.	-
annuum, C. - L. ☉	long-podded; Red Guinea-pepper,	-	-	alb.	caule herbaceo, pedunculis solitariis.	-	-
101 CELASTRUS, - -	STAFF-TREE, - -	<i>Idem.</i>	5-fid.	5-pet.	-	caps. 3-loc. 3-val. sem. aristata.	-
scandens, - L. h	climbing; Waxwork.	-	-	alb. virid.	foliis oblongis, acuminatis, serratis.	-	fl. Junio.
102 EVONYMUS, - -	SPINDLE-TREE, - -	<i>Idem.</i>	5-part.	5-pet.	-	caps. 4-5- gonia. sem. arist.	-
1 atropurpureus, Hort. L. h	purple, - -	-	-	atro. purp.	foliis lanceolatis petiolatis.	-	fl. Junio.
2 Americanus, Hort. L. h } E. Virginianus Pluck- } [net.]	American Burning-bush; Strawberry-trec.	-	-	lut.	foliis elliptico-lanceolatis serratis.	-	fl. Junio.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
3 Europeus, C. - L. } (vulgans.)	European Burning-bush.		-	-	foliis glabris.	-	flo. Junio.
103 ITEA, - - -	ITEA, - - -	<i>Dicoty.</i>	5-fid.	5-pet.	-	caps. 1-loc. 2-val.	-
Virginica, - L. h	Virginian,	-	-	alb.	foliis serratis.	-	flo. Junio.
104 RIBES, - - - * <i>inermia.</i>	CURRENT, - - -	<i>Idem.</i>	5-fid.	4-pet.	-	bac. globos. 1-loc.	-
1 rubrum, C. - L.	common red,	-	-	virid. alb.	foliis obtuse quinquelobis.	-	flo. Aprili.
2 nigrum, C. - L.	common black,	-	-	virid. lut.	foliis subtus punctatis.	-	flo. Aprili.
3 grossularia, C. - L.	common Gooseberry,	-	-	virid. lut.	ramis aculeatis, petiolis pilosis.	-	flo. Aprili.
105 VIOLEA, - - -	VIOLET, - - -	<i>Idem.</i>	5-ph.	5-pet.	-	caps. 1-loc. 3-val.	-
1 palmata, - L. 24 V. heterophylla, - V. cordata, } ? Walt. V. villosa, }	palmated, various-leaved,	-	-	cær.	foliis hastato-lobatis palmatisve.	-	flo. Maio.
2 pedata, - L. 24	multifid,	-	-	cær.	foliis pedatis septempartitis.	-	flo. Maio.
3 sagittata, Ait. 24	arrow-leaved,	-	-	cær.	foliis oblongis, acutis cordato-sagittatis, serratis, basi incisis.	-	flo. Aprili.
4 lanceolata, L. 24	spear-leaved,	-	-	alb.	foliis lanceolatis, crenatis.	-	flo. Aprili.
5 primulæfolia, L. 24	primrose-leaved; spade-leaved,	-	-	alb.	foliis oblongis subcordatis.	-	flo. Maio.
6 cucullata, - Ait. 24	hollow-leaved,	-	-	cær.	foliis cordatis serratis, basi cucullatis.	-	flo. Maio.
7 odorata, C. - L. 24 ** <i>caulescentes.</i>	sweet-scented,	-	-	cær.	foliis cordatis.	-	flo. Aprili.
8 Pennsylvanica, Mich. 24 } V. pubescens, Ait. }	downy, yellow,	-	-	lut.	foliis lato-cordatis, pubescentibus.	-	flo. Aprili.
9 Canadensis,* Mich.	Canadian,	-	-	alb.	foliis lato-cordatis, acuminatis.	-	flo. Maio.
106 IMPATIENS, - - -	BALSAM, - - -	<i>Idem.</i>	2-ph.	5-pet.	-	caps. 1-loc. 5-val.	-
maculata, - Muhl. ☺ } I. noli-tangere, ß. Mich. }	spotted; Touch-me-not.	-	-	flav.	foliis ovatis.	-	flo. Augusto.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calic.	Covolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
107 AMPELOPSIS, Mich. } quinquefolia, Mich. h } Hedera quinquefolia, L. } Vitis quinquefolia, L. } [mark et Smith. } Vitis hederacea, Willd. } Cissus hederacea, Pers. }	AMERICAN-JOY, - five-leaved; Common-creep- er.	Vites.	5-dent.	5-pet.	-	bacca globo- sa.	-
108 HEDERA, -	IVY, -	Idem.	calyce.	5-pet.	-	bac. 5-sper.	fl. Auguste
Helix, C. - L.	common, -	-	cincta.	-	foliis tri-quinque lobis.	-	fl. Septem- bri.
109 VITIS, -	VINE, -	Idem.	5-dent.	5-pet.	-	bacca globo- sa, 1-loc.	fl. Junio.
1 labrusca, - L. h } V. taurina, - Walt. }	Common Wild-grape; Fox- grape,	-	-	alb. virid.	foliis cordatis subtrilobis, den- tatis, subtus tomentosis.	-	fl. Junio.
2 V. cordifolia, Mich. h } V. vulpina, L. }	heart-leaved; Winter-grape,	-	-	alb. virid.	foliis cordatis acuminatis.	-	fl. Junio.
3 odoratissima, -	Bermudian Grape, -	-	-	alb.	-	-	fl. Junio.
4 æstivalis, - Mich. h } V. intermedia, Muhl. } V. labrusca, Walt. }	Summer-grape; Chicken- grape,	-	-	alb.	foliis lato cordatis, 3-5-loba- tis, subtus rariuscule to- mentosis; bacca parvulis.	-	fl. Junio.
110 CLAYTONIA, -	CLAYTONIA, -	Idem.	2-ph.	5-pet.	-	caps. 3-loc. 3-val.	fl. Aprili.
Virginica, - L. 24	Virginian, -	-	-	alb. ros.	foliis lanceolatis.	-	-
111 THESIMUM, -	BASTARD TOAD-FLAX, -	Idem.	5-fid. alb.	O.	-	sem. 1, tec- tum.	fl. Maio.
umbellatum, - L. 24 } T. corymbosum, Mich. }	umbell'd, -	-	-	-	foliis oblongis.	-	-
112 GONOLOBUS, -	GONOLOBUS, -	Idem.	5-part.	5-part.	-	folliculi 2 semina pappos.	fl. Julio.
hirsutus, - Mich. } Cynanchum obliquum, } [Muhl. } Pinctoxicum acantho- [carpus, Walt. }	hairy, -	-	-	atro. purp.	foliis sensim acuminatis, u- trinque pubescentibus pe- tiolis hirsutissimis.	-	-
113 APOCYNUM, -	DOGSBANE, -	Idem.	5-part.	5-fid.	-	folic. 2-sem. pappos.	fl. Junio.
androsæmifolium, 24	tutsan-leaved, -	-	-	alb. purp.	foliis ovatis, utrinque glabris.	-	-
114 ASCLEPIAS, -	SWALLOW-WORT, -	Idem.	5-fid.	5-part.	-	folic. 2-sem. pappos.	-

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
1 <i>syriaca</i> , - L. 24 A. <i>syriaca</i> , β. Mich. A. <i>Illinoensis</i> , β. <i>syriacæ</i> , [Pers.]	Silk-plant; Virginian,	-	-	alb. purp.	foliis ovalibus, subtus tomentosis.	-	flo. Julio.
2 hybrida, - Mich. 24 A. <i>variegata</i> , Walt. 24 [nec Linnaei.]	variegated, -	-	-	alb. ros.	foliis petiolatis, ovalibus, puberulis.	-	flo. Junio.
3 incarnata, - L. 24 4 pulchra, - Muhl. 24 A. <i>incarnata</i> , β. <i>pulchræ</i> , [Willd.]	flesh-coloured, -	-	-	incar.	foliis lanceolatis, utrinque sub-lanuginosis.	-	flo. Augusto
5 amœna, - L. 24	hairy, -	-	-	incar. et alb.	foliis lato-lanceolatis, subtus pubescentibus.	-	flo. Augusto
6 quadrifolia, Muhl.? 24	oval-leaved, -	-	-	purp.	foliis ovatis, subtus pilosis-culis.	-	flo. Junio.
7 tuberosa, L. nec Walt. 24 decumbens, Walt. }	four-leaved, -	-	-	alb. ros.	foliis quaternis, verticillatis.	-	flo. Junio.
8 obtusifolia, - L.	Flux-root; Pleurisy-root; Butterfly-weed, obtuse, blunt-leaved, waved-leaved,	-	-	lut.	foliis alternis, lanceolatis, hirsutis.	-	flo. Augusto
9 exaltata, β. <i>syriacæ</i> , L. 24 } A. <i>acuminata</i> , Muhl. }	poke-leaved,	-	-	purp.	foliis oblongis, rotundato obtusis, undulosis, acute sessilibus, quasi amplexicaulibus.	-	flo. Junio.
115 ATRIPLEX, - -	ORACH, -	<i>Dicotyl.</i>	-	alb.	foliis ellipticis, acuminatis.	-	flo. Junio.
patula, - - - - - ☺ A. <i>hastata</i> , - Curt. }	spreading,	-	-	O.	-	scm. triangularibus acutis.	flo. Septembri.
116 CHENOPODIUM, - -	GOOSEFOOT, -	<i>Idem.</i>	Idem.	O.	-	semen l.	flo. Junio.
1 album, - - - ☺ lanceolatum, Willd. }	white, -	-	-	-	foliis rhomboideo-ovatis.	-	flo. Junio.
2 viride, - L. ☺	green, -	-	-	-	foliis lanceolato-rhomboidicis, dentato pinnatis.	-	flo. Septembri.
3 ambrosioides, L. ☺	Mexican, -	-	-	-	foliis lanceolatis, dentatis.	-	flo. Augusto
4 anthelminticum, L. 24 1/2	worm; Jerusalem-oak.	-	-	-	foliis ovato-oblongis, rariter dentatis.	-	flo. Septembri.
5 hybridum, L. (angulosum.) }	tall, -	-	-	-	foliis cordatis, angulato-acuminatis.	-	flo. Septembri.
6 botrys, - L. ☺	cut-leaved, -	-	-	-	foliis oblongis sinuatis.	-	flo. Augusto
117 SALSOLA, - -	SALT-WORT, -	<i>Idem.</i>	Idem.	O.	-	caps. ovata, 1-loc. l-sperm.	

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
Caroliniana, - Mich.	Carolinian, or American,	-	-	-	foliis dilatato-subulatis, spine-scentibus.	-	fl. Julio.
118 BETA, - - -	BEEF, - - -	Dicoty.	5-ph.	O.	-	sem. reniforme.	-
vulgaris, C. - L. ♂	common, - - -	-	-	-	foliis inferioribus ovatis,	-	-
119 ULMUS, - - -	ELM, - - -	Idem.	5-fid.	O.	-	samara 1-sperm.	-
1 Americana, - L. ♀	American; white, weeping,	-	-	-	foliis serratis, unciato-acuminatis.	-	fl. April.
2 fulva,* - Mich. ♀	slippery; red,	-	-	-	foliis ovali-oblongis.	-	fl. April.
aspera, - L.	-	-	-	-	-	-	-
120 HEUCHERA, - - -	HEUCHERA, - - -	Idem.	5-fid.	5-pet.	-	caps. 2-loc. 2-ros. tris.	-
Americana, - L. 2	-	-	-	-	-	-	-
H. cortusa, Mich. 2	American; Alum-root,	-	-	rub.	foliis radicalibus longe petiolatis, septemlobis.	-	fl. Maio.
Cortusa Americana, [Herm.]	-	-	-	-	-	-	-
121 GENTIANA, - - -	GENTIAN, - - -	Idem.	claus. 5-part.	5-fid.	-	caps. oblonga, 1-loc. 1-val.	-
saponaria, L. nec Mich. 2	soapwort, - - -	-	-	-	foliis ovali-lanceolatis.	-	fl. Septembri.
122 ERYNGIUM, - - -	ERYNGO; SEA-HOLLY, -	Idem.	Umbelliferae 5-ph.	5-pet. uniforn.	-	sem. oblonga, tectia.	-
aquaticum, - Mich. ♂	marsh, - - -	-	-	alb. cær.	foliis longissime lanceolatis linearibus, serratis.	-	fl. Augusto
E. Virginianum, Pers. ♂	-	-	-	-	-	-	-
ORDO II.—DICYNMLA.							
123 HYDROCOTYLE, - - -	PENNYWORT, - - -	Dicoty.	Umbelliferae. O.	5-pet. uniforn.	-	sem. 2, semi-orbicul. compress.	-
1 umbellata, - L. } H. umbellata, Mich. }	umbelliferous, - - -	-	-	alb.	foliis peltatis.	-	fl. Julio.
2 Americana, L. 2	American, - - -	-	-	alb.	foliis reniformibus sublobatis crenatis.	-	fl. Augusto
3 bipinnata,* Muhl. 2	bulbous, - - -	-	-	alb.	-	-	fl. April.
Sison bulbosum, Mich. }	-	-	-	-	-	-	-
124 SANIOULA, - - -	SANICLE, - - -	Idem.	O.	5-pet. uniforn.	-	sem. 2, muricata.	-
Marilandica, L. ♂	Maryland; Black Snake-root.	-	-	alb.	foliis sub-digitatis.	-	fl. Junio.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
125 DAUCUS, - - - L. ♂ carota, - - -	CARROT, wild,	- - -	O.	5-pet. radi- ata. alb.	- - - petiolis subtus nervosis.	sem. 2, his- pida. -	flo. Junio.
126 AMMI, - - - capillaceum, - Mich.	BISHOPSWEED, hair-leaved,	- - -	O.	5-pet. uni- form. alb.	- - - foliis omnibus composite ca- pillaceo-multipartitis.	sem. 2, stri- ata. -	flo. Julio.
127 COTUM, - - - maculatum,* L. Cicur? ♂	HEMLOCK, - - - spotted-stalked,	- - -	O.	5-pet. uni- form. alb.	- - - caule maculato; foliis tripli- cato-pinnatis.	sem. 2, stri- ata. -	flo. Julio.
128 HERACLEUM, - - - lanatum, - Mich. 24 } H. giganteum, Bart.	COW-PARSNIP, woolly, large;	- - -	O.	5-pet. radi- ata. alb.	- - - foliis trifoliatis; foliolis omni- bus petiolatis.	sem. 2, ova- ta, com- press. -	flo. Junio.
129 ANGELICA, - - - triquenata, - Mich. 24	ANGELICA, - - - downy, common,	- - -	5-dent.	5-pet. uni- form. alb.	- - - foliis decompositis; foliolis inciso-dentatis.	sem. 2, ova- ta 3-linca- ta. -	flo. Augusto
130 SIUM, - - - 1 latifolium, - L. 24 (sulcatum.) 2 rigidius, - L. 24 3 lineare, - - - 4 tenuifolium, Muhl. et [Pur.]	WATER-PARSNIP, broad-leaved, poisonous; stiff-leaved, linear-leaved, thin-leaved,	- - -	O.	5-pet. uni- form. alb.	- - - caule angulato sulcato; foliis pinnatis, foliolis lanceolatis, serratis. -	sem. 2, hinc convex striata. -	flo. Julio.
131 SISON, - - - Canadense, - L. 24 Cherophyllum Cana- dense, Pers. Myrrhis Canadensis, Riv. pentapet. 54.	HONEYWORT, Canadian,	- - -	O.	5-pet. uni- form. alb.	- - - foliis pinnatis, foliolis lanceo- latis. -	sem. 2, ova- ta hinc convex. -	flo. Septem- bri. flo. Julio. floc. Augusto

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
132 CROUTA, maculata, L. 24 <i>Ligusticum actaeolium</i> , [Mich.?	COWBANE, spotted; Water-hemlock; Snake-weed.	-	O.	5-pet. uni- form.	-	sem. 2, sub- ovata.	-
133 CORIANDRUM, sativum, C. - L. ☉	CORIANDER, common,	Idem.	5-dent.	5-pet. radi- ata. alb.	foliis pinnatis. - fructibus globosis.	sem. 2, he- mispher.	flo. Julio.
134 SCANDIX, procumbens, - L. ☉ Cherophyllum procum- bens, Pers.	CICELY, procumbent,	Idem.	O.	5-pet. radi- ata. alb.	-	sem. 2, sub- ulata.	flo. Junio.
135 PASTINACA, α. sativa, P. pratensis, Flor. Dan. β. noxia,	PARSNIP, common, esculent, poisonous, or wild,	Idem.	O.	5-pet. uni- form.	foliis decompositis.	-	flo. Maio.
136 SMYRNIUM, 1 trifoliatum, Muhl. 24 S. cordatum, Walt. et [Mich. <i>Thapsia trifoliata</i> , L. var. α. floribus luteis, β. floribus atropurpu- [reis; <i>forsitan</i> S. atropurpureum, [Lamark et Pers.? Obs. Cum precedente crescit, cujus vix varietas videtur.	ALEXANDERS, heart-leaved; three-leaved, yellow-flowered, purple-flowered,	Idem.	O.	lut. 5-pet. uni- form.	foliis pinnatis. - foliis radicalibus suborbicu- lato-cordatis; caulinis peti- olatis, trifoliatis.	sem. 2, lu- nulata.	flo. Junio.
2 aureum, - L. 24	golden,	-	-	lut.	foliis biternatis.	-	flo. Junio.
3 barbinode, <i>Ligusticum?</i> barbinode, [Mich.]	bearded,	-	-	lut.	foliis plerisque biternatis; fo- liorum nodis confertim barbulatis.	-	flo. Junio.
137 ANETHUM,	DILL,	Idem.	O.	5-pet. uni- form.	-	sem. 2, sub- ovata, mar- ginata.	-

Systematic Names.		English, Vulgar, and Vernacular Names.		Natural Families of Jussieu.		Calix.	Corolla.	Form of the Leaves, &c.		Fruit.	Time of Flowering.
1	fœniculum, C. L. 74	Fennel,	- - -	- - -	- - -	-	lut.	fructibus ovatis.	-	-	fl. Julio.
2	graveolens, C. L. 8	Common Dill,	- - -	- - -	- - -	-	lut.	fructibus compressis.	-	-	fl. Junio.
138	CARUM, - - -	CARAWAY,	- - -	Dicoty.	Umbelliferae.	-	-	-	-	-	-
	carui, - - L. 8	sweet,	- - -	- - -	- - -	-	alb.	vaginis foliorum ventricosis.	-	-	-
139	PIMPINELLA, - - -	PIMPERNEL,	- - -	Idem.	Idem.	-	-	-	-	-	-
	anisum, - L. 9	Anise; common Anise-seed,	- - -	- - -	- - -	-	alb.	foliis radicalibus trifidis, incis.	-	-	-
140	APIUM, - - -	PARSLEY,	- - -	Idem.	Idem.	O.	5-pet. unif.	-	-	sem. 2, ovata, hinc striata.	-
	1 petroselinum, C. L. 8	common,	- - -	- - -	- - -	-	alb.	foliis caulinis linearibus.	-	-	fl. Junio.
	2 graveolens, C. L. 8	Common Celery; Smallage,	- - -	- - -	- - -	-	alb.	foliis caulinis cuneiformibus.	-	-	fl. Junio.
ORDO III.—TRIGYNIA.											
141	Rhus, - - -	SUMACH,	- - -	Idem.	Terebintaceae.	5-part.	5-pet.	-	-	loc. 1-sperm.	-
	1 typhinum,* L. 12	Stag-horn,	- - -	- - -	- - -	-	virid. lut.	foliis pinnatis; foliolis lanceolatis, subtus pilosiusculis.	-	-	fl. Junio.
	2 glabrum, - L. 12	red, smooth,	- - -	- - -	- - -	-	virid. lut.	foliis pinnatis, lanceolatis, utrinque nudis; subtus albidis.	-	-	fl. Julio.
	3 toxiodendron, L. 12	Poison-ash; Poison-vine; Poison-ivy.	- - -	- - -	- - -	-	virid.	foliis ternatis; foliolis rariter petiolatis.	-	-	fl. Junio.
	var. α. radicans, - L. 12	mountain, dwarf,	- - -	- - -	- - -	-	virid. lut.	foliis pinnatis integerrimis, petiolo membranaceo articulato.	-	-	fl. Julio.
	4 copallinum, - L. 12	Swamp; Poisonous Elder.	- - -	- - -	- - -	-	virid. lut.	foliis pinnatis; foliolis ovalibus.	-	-	fl. Junio.
142	VERBURNUM, - - -	MEALY-TREE, - - -	- - -	Idem.	Caprifolia.	5-part.	5-fid.	-	-	loc. subrotund. 1-sperm.	-
	1 prunifolium, L. 12	Black-haw; plumb-leaved,	- - -	- - -	- - -	-	lut.	foliis ovatis, plerumque obtusis; rariter sub-acuminatis.	-	-	fl. Junio.
	2 dentatum, - L. 12	Arrow-wood; tooth-leaved,	- - -	- - -	- - -	-	lut.	foliis ovatis, plicatis, dentatis, serratis.	-	-	fl. Maio.
	var. α glabellum, Mich. 12	maple-leaved,	- - -	- - -	- - -	-	lut.	foliis lato-trilobis, acuminatis.	-	-	fl. Maio.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
4 opuloides, Muhl. h V. opulus, β. <i>Pimina</i> , [Mich.]	Shrub-cranberry.	-	-	rad. alb.	foliis angusto-trilobis, longe acuminatis.	-	flo. Maio.
5 lentago, - L. h	pear-leaved,	-	-	lab.	foliis ovatis, acuminatis.	-	flo. Maio.
6 nudum, - L. h Obs. Cynæ in hac non involucreta.	naked-cymed; swamp,	-	-	alb.	foliis ovatis, integerrimis, margine repandis.	-	flo. Junio.
143 SAMBUCUS, - -	ELDER,	<i>Dicoty.</i>	5-part.	5-fid.	-	bac. subrotund. 1-loc. 3-sperm.	
Canadensis, - L. 2 S. atropurpurea, -	black-berried,	-	-	alb.	foliis sub-bipinnatis.	-	flo. Junio.
144 ALSINE, - -	CHICKWEED,	<i>Idem.</i>	Caryophylleae. 5-ph.	5-pet.	-	caps. ovat. 1-loc. 3-val.	
media, - L. ☺ <i>Stellaria media</i> , Sm. <i>Holosteum alsine</i> , Swa.	common,	-	-	alb.	foliis ovato-cordatis; caule alterno piloso.	-	flo. Aprili, ad Octobr.
145 SARTHRA, - -	BASTARD GENTIAN,	<i>Idem.</i>	5-part.	5-pet.	-	caps. obl. 1-loc. 3-val.	
gentianoides, - L. <i>Hypericum sarothra</i> , [Mich.] <i>Hypericum nudicaule</i> , [Walt.]	Ground Pine.	-	-	lut.	foliis subulatis.	-	flo. Julio.
ORDO IV.—TETRAGYNIA.							
146 PARNASSIA, - -	GRASS OF PARNASSUS,	<i>Idem.</i>	5-part.	5-pet.	-	caps. 1-loc. 4-val.	
palustris,* L.	marsh,	-	-	alb.	foliis radicalibus cordatis.	-	flo. Septembri.
ORDO V.—PENTAGYNIA.							
147 ARALIA, - -	ARALIA,	<i>Idem.</i>	5-dent.	5-pet.	-	bac. subrotund. 5-loc.	
1 spinosa, - Hort. L. h	thorny; Shot-bush; Pigeon-weed; Angelica-tree.	-	-	alb.	arborescens; caule foliisque aculeatis.	-	flo. Augusto et Septembri.
2 racemosa,* - L. 2	berry-bearing; Spikenard; Wild Liquorice.	-	-	alb.	foliis glabris; caule herbaceo.	-	flo. Augusto

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jusseu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
3 nudicaulis, L. 2	Sarsaparilla.	-	-	alb.	foliis binis ternatis; caule quasi nullo.	-	flo. Maio.
148 LINUM, - - -	FLAX, - - -	Dicotyl.	5-ph.	5-pet.	-	caps. globosa, 5-val. 10-loc.	-
1 Virginianum, L. 2	Virginian, - - -	-	-	lut.	foliis lineari-lanceolatis, sparsis, rarius oppositis.	-	flo. Julio.
2 usitatissimum, C. L. ☉	common, - - -	-	-	cær.	foliis lanceolatis alternis.	-	-
149 DROSERA, - - -	SUNDEW, - - -	Idem.	5-fid.	5-pet.	-	caps. subov. 1-loc.	-
rotundifolia, - L. 2	round-leaved, - - -	-	-	alb.	foliis orbiculatis.	-	flo. Augusto

CLASSIS VI.—HEXANDRIA.

ORDO I.—MONOGYNIA.

150 TRADESCANTIA, -	SPIDERWORT, - - -	Monocoty.	Junci.	5-ph.	-	3-pet.	-	caps. 3-loc. 3-val.	flo. Maio.
Virginica, - L. 2	Virginian, - - -	-	-	-	foliis lanceolatis, glabris.	cær.	-	-	-
151 PONTEDERIA, - - -	PONTEDERIA, - - -	Idem.	Narcissi.	spath.	-	6-fid.	-	caps. 3-angul. 3-loc.	flo. Augusto
cordata, - L. 2	heart-leaved; Pickerel-weed.	-	-	-	foliis oblongo-cordatis.	cær.	-	-	-
152 ALLIUM, - - -	GARLICK, - - -	Idem.	Asphodeli.	spath.	-	6-pet.	-	caps. 3-loc. 3-val. 3-lob.	flo. Julio.
1 porrum, Hort. L. 2	Leak, - - -	-	-	-	foliis basi vaginantibus.	-	-	-	flo. Junio.
2 vineale, C. - L. 2	crow. s. field, - - -	-	-	-	caule teretifolio.	purp.	-	-	flo. Julio.
3 cernuum, - - -	Mountain Garlick.	-	-	-	-	ros.	-	-	-
4 sativum, C. L. 2	Common Garlick.	-	-	-	caule bulbifero.	alb.	-	-	-
5 schænoprasum. C. L. 2	Cives; Chive Garlick.	-	-	-	foliis crenulatis; caule bulbifero.	pallid. cær.	-	-	flo. Junio.
6 cepa, C. - L. 2	Strawburg-onion; common,	-	-	-	foliis teretibus.	-	-	-	-
7 ascalonicum, C. L.	Shallot. - - -	-	-	-	foliis subulatis.	-	-	-	-

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruct.	Time of Flowering.
153 LILIUM, - - L. 2	LILY, - - -	Monocoty.	O.	6-pet.	-	caps. obl. 3-loc. 3-val.	fl. Julio.
1 superbum, - L. 2	Golden Martagon,	-	-	lut.	foliis imis verticillatis, catenatis sparsis.	-	-
2 Canadense, L. 2	Canada, yellow,	-	-	lut.	foliis verticillatis, linearibus.	-	fl. Junio.
3 Philadelphicum,* L. 2	Philadelphian; red,	-	-	purp. lut.	foliis verticillatis, floribus erectis, petalis unguiculatis.	-	fl. Junio.
154 UVULARIA, - -	BELLWORT, - -	Idem.	O.	6-pet.	-	caps. vel. bac. 3-loc.	-
1 perfoliata, - L. 2	perfoliate, - -	-	-	lut.	foliis ovatis, perfoliatis.	-	fl. Maio.
Anonymos Erythronio, [affinis? Walt.]	-	-	-	-	-	-	-
2 sessilifolia, - L. 2	sessile-leaved,	-	-	lut.	foliis lanceolato-ovalibus, sessilibus.	-	fl. Maio.
155 ERYTHRONIUM, -	DOGS-TOOTH VIOLET, -	Idem.	O.	6-pet.	-	caps. 3-loc. 3-val.	-
(Americianum Curt. Bot. Mex.)	-	-	-	-	-	-	-
Americanum: luteum, [Muhl. Mich. Poir.]	yellow; American,	-	-	lut.	foliis lanceolato-oblongis maculatis.	-	fl. Aprili.
E. dens canis, Mich.	-	-	-	-	-	-	-
E. longifolium, Poir.	-	-	-	-	-	-	-
156 HYPOXIS, - -	BASTARD STAR-FLOWER,	Idem.	spath.	6-part.	-	caps. obl. 3-loc. 3-val.	-
erecta, - L. 2	-	-	-	lut.	foliis linearilanceolatis, pilosis.	-	fl. Maio.
H. Carolinensis, Mich.	upright; Yellow Bethlehem-Star,	-	-	-	-	-	-
Ornithogalum hirsutum olim, Linnæi.	-	-	-	-	-	-	-
157 ORNITHOGALUM, -	STAR OF BETHLEHEM, -	Idem.	O.	O.	-	caps. subrotund. 3-loc.	-
umbellatum, C. L. 2	umbell'd, - -	-	-	alb.	floribus corymbosis.	-	fl. Maio.
158 CAULOPHYLLUM, Mich.	CAULOPHYLLUM, - -	Dicoty.	6-ph.	6-pet.	-	drupa globos. 1-loc.	-
thalictroides, Mich. 2	blue-berried,	-	-	lut.	foliis ternis, lobato-pinnatis.	-	fl. Maio.
Leontice thalictroides, L. }	-	-	-	-	-	-	-
159 ASPARAGUS, - -	ASPARAGUS, - -	Monocoty.	O.	6-fid.	-	bac. globos. 1-loc.	fl. Maio.
officinalis, C. - L. 2	common; Spurge.	-	-	lut.	foliis setaceis.	-	fl. Maio.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
160 CONVALLARIA, -	CONVALLARY; SOLOMON'S SEAL.	Monocoty.	Asparagi.	O.	6-fid.	-	-
1 polygonatum, - 2	Solomon's Seal.	-	-	-	alb.	foliis alternis, amplexicaulibus; caule ancipiti.	flo. Junio.
2 multiflora, L. 2	many-flowered,	-	-	-	alb.	foliis oblongo-ovalibus, alternis, amplexicaulibus; caule tereti.	flo. Junio.
3 racemosa, - L. 2	cluster-flowered,	-	-	-	alb.	foliis oblongo-ovalibus, sub-petiolatis.	flo. Junio.
161 MAIANTHEMUM, Defs. (Annales du Muséum. vol. 9, p. 49.)	MAIANTHEMUM,	Idem.	Idem.	O.	profundissima, 4-fid.	-	-
Canadense, Defs. 2	Canadian,	-	-	-	-	scapo bifoliato, rarius trifoliato; foliis cordato-oblongis, subsessilibus, utrinque glabris.	flo. Maio.
162 HYACINTHUS, -	HYACINTH,	Idem.	Asphodeli.	O.	6-fid.	caps. triquetra, 3-loc. 3-val.	flo. Aprili.
muscaria, - Cicut. L. } Muscari moschatum, [Bot. Mag.] }	Musk; Blue-bells; Blue-bottles.	-	-	-	cær.	foliis teretibus.	-
163 ALETIS, -	STAR-ROOT,	Idem.	Idem.	O.	6-fid.	caps. oval. triq. acum. 3-loc.	flo. Junio.
farinosa, - L. 2 } A. alba, - Mich. }	white-flowered; Devil's Bit; Star-grass.	-	-	-	alb.	foliis lanceolatis, exciccis.	-
164 ACORUS, -	SWEET FLAG,	Idem.	Aroideae.	O.	6-pet.	caps. 3-ang. 3-loc.	flo. Junio.
calamus, - L. 2	common; Calmus.	-	-	-	lut.	scapi mucrone longissimo foliaceo.	-
165 ORONTIUM, -	ORONTIUM,	Idem.	Idem.	O.	6-pet.	folliculus, 1-sperm.	flo. Maio.
aquaticum, - L. 2	aquatic; Golden Club.	-	-	-	lut.	foliis lanceolato-ovatis.	-
166 JUNOUS, -	RUSH,	Idem.	Junci.	2-ph.	6-pet.	caps. 3-val. 1-3-loc.	flo. Junio.
1 effusus, - L. 2	soft; Bullrush.	-	-	-	-	culmo nudo; panicula laterali.	flo. Junio.
2 tenuis, - Willd. 2 } J. bicornis, Mich. }	slender,	-	-	-	-	foliis canaliculato-planis.	flo. Junio.
3 campestris, L. 2 } Luzula campestris, [Willd.] }	field, early-flowering,	-	-	-	-	foliis planis, pilosis.	flo. Aprili.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calice.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruct.</i>	<i>Time of Flowering.</i>
4 polycarpus, Mich. 2 J. cchinatus, Muhl. }	many-headed, rough-headed,	-	-	-	capitulis globosis, multifloris.	-	fl. Julio.
167 PRINOS, - - - verticillatus, - L. h P. Gronovii, Mich. }	WINTER-BERRY, - whorled; Black Alder.	Dicoty.	6-fid.	6-part.	-	bac. subrotund. 6-loc.	-
168 BERBERIS, - - - vulgaris, - L. Hort. h var. γ. Canadensis, secundum Ait. }	BARBERRY, - - - common red, - - -	Idem.	6-ph.	6-pet.	-	bac. cylindric. 1-loc.	fl. Junio.
		-	-	lut.	foliis obovatis, ciliato-dentatis.	-	fl. Maio.
ORDO III.—TRIGYNAL.							
169 RUMEX, - - - 1 crispus, L. Cicur. 2 2 acutus, L. Cicur. 2 3 acetocella, L. 2	DOCK, - - - curled, - - - sharp-pointed, - - - Sheep'-sorrel, - - -	Idem.	Polygonac. 3-ph.	3-pet.	-	sem. 1, triquetro.	fl. Junio.
170 MELANTHIUM, -	MELANTHIUM, - - -	Monocoty.	Junci.	6-pet.	-	caps. ovata trifida 3-loc.	fl. Julio.
Virginicum, - L. 2	Virginian, - - -	-	-	lut.	floribus pyramido-paniculatis.	-	fl. Julio.
171 MEDEOLA, - - -	MEDEOLA, - - -	Idem.	Asparagi.	6-pet.	-	bac. subrotund. 3-loc.	fl. Maio.
Virginica, - L. 2	Virginian; Indian Cucumber.	-	-	alb.	foliis verticillatis; caule lanuginosa.	-	-
172 HELONIAS, - - -	HELONIAS, - - -	Idem.	Junci.	6-part.	-	bac. subrotund. 3-loc.	-
1 Erythosperma,* Mich. H. lutea, - Ait. Melanthium lætum, Willd. M. muscactoxicum, [Walt.? 2 lutea, (Hort. Kew. 1811.) H. lutea, etiam Ker. (Bot. Mag. 1802.) Ferratrum luteum, L. Willd. et Muhl. Melanthium dioicum, [Walt.]	channel-leaved, - - - spike-flowering, nodding; Blazing-star.	-	-	alb.	foliis linearilongissimis.	-	fl. Junio.
		-	-	alb. vel. pallid. lut.	foliis radicalibus ob-ovato lanceolatis, caulibus linearilanceolatis.	-	fl. Maio.

Systematic Names.	English, Vulgar, and Vernacular Names	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
173 TRILLIUM, cernuum, - L.	THREE-LEAVED NIGHTSHADE, drooping, - - -	Asparagi. 3-ph.	-	3-pet.	-	bac. trilob.	-
ORDO IV.—HEXAGYNIA.							
174 ALISMA, plantago, - L. 2	WATER PLANTAIN, common, - - -	Monocoty. 3-ph.	-	3-pet.	-	caps. compress.	-
CLASSIS VII.—HEPTANDRIA.							
ORDO I.—MONOGYNIA.							
175 RESOULUS, 1 pavla, Pavia lutea, Hort. L. 2 Mich. f. 2 lutea, Hort. Mich. 2 Æ. flava, - Willd. 3 macrostachya, Hort. 2 [Mich. Æ. parviflora, Walt. et [Ait.]	HORSE-CHESNUT, red-flowered; Buck-eye, yellow; Buck-eye, white, large-spiked,	Dicoty. 4-5-dent.	Acera.	4-5-pet.	-	caps. coriacea, 3-loc. 3-val.	-
ORDO II.—TETRAGYNIA.							
176 SAURURUS, cernuus, - L. 2	LIZARD'S-TAIL, nodding; Water-lilies.	Acoty. 1-ph.	Najades.	O.	-	capsulæ 4, 1-loc.	-
CLASSIS VIII.—OCTANDRIA.							
ORDO I.—MONOGYNIA.							
177 TROPEOLUM, majus, - L. 2	NASTERTIUM; INDIAN-CRESS; large, - - -	Dicoty. 1-ph. 5-fid. 5-pet. calcar.	Gerania.	-	-	sem. 1, subrotund.	-

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
178 RHEXIA,	-	-	-	-	-	-	-
1 Virginica, L. 2	Virginian,	-	4-fid.	4-pet.	-	caps. subro- tund. 4-loc.	fl. Julio.
2 Mariana? - L.	Maryland,	-	-	purp.	caule alato-angulato, sub-pi- loso; foliis ovato-lanceola- tis sessilibus.	-	-
179 CENOTHERA, -	NIGHT WILLOW-HERB,	-	-	purp.	caule tereti hirsutissimo; fo- liis lanceolatis, sub-petio- latis.	-	fl. Augusto
1 biennis, - L. 2	Tree-primrose.	Idem.	4-fid.	4-pet.	-	caps. tetrag- 4-loc. 4-val.	-
2 sinuata, - L. 3	scollop-leaved,	-	-	lut.	foliis ovato-lanceolatis, planis.	-	fl. Augusto
3 fruticosa, Willd. 4	perennial,	-	-	lut.	decumbens; foliis lanceolatis, dentato-serratis.	-	fl. Junio.
4 pumila?* - L.	-	-	-	lut.	foliis lanceolatis, subdentatis, acutis.	-	fl. Junio, et Julio.
180 GAURA, -	GAURA, -	Idem.	4-fid.	4-pet.	-	drupa ovata, 4-gona.	fl. Augusto
biennis, - L. 2	biennial,	-	-	ros.	foliis lanceolatis, dentatis.	-	-
181 EPILOBIUM, -	WILLOW-HERB,	Idem.	4-part.	4-pet.	-	caps. longis. 4-loc. 4-val.	-
1 coloratum, Muhl. 2 } E. tetragonum, L. et [Mich. an E. tetragonum, β. [obscure Schreb.? Obs. Planta omnino interdictum colorata.	coloured,	-	-	-	-	-	fl. Augusto
2 lineare, - Muhl. 2 } E. oliganthum, Mich.	linear-leaved,	-	-	purp.	foliis lanceolatis, serrato-den- ticulatis, imis oppositis, supernis alternis; caule ra- mosissimo, lineis prominu- lis, quasi subquadrangula- to.	-	-
182 VACCINIUM, -	WHORTLE-BERRY,	Idem.	4-5-fid.	alb.	foliis linearibus, integerrimis.	-	fl. Julio.
1 stamineum, - L. 2	green-wooded,	-	-	4-5-fid.	-	bac. 4-loc. polysp.	fl. Maio.
2 resinum, - Ait. 2	clammy; Black Huckleberry.	-	-	purp.	foliis oblongo-ovatis, acutis, integerrimis.	-	fl. Maio.
3 macrocarpon,* Ait. } V. ocyrococos, β. ob- longifolius, Mich.	American Cranberry.	-	-	alb.	foliis tenuibus, oblongo-oval- ibus, integris, subtus resi- nosis.	-	fl. Maio.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
4 <i>asonorplum</i> , Mich. ^h <i>V. amœnum</i> , Ait. <i>V. corymbosum</i> , L. }	broad-leaved, corymbed,	-	-	alb. purp.	foliis oblongo-ovalibus acutis, sub-serratis.	-	fl. April.
5 <i>frondosum</i> , Mich. <i>nec</i> ^h [<i>Linnæi</i> . <i>V. dumosum</i> , Muhl. }	bushy, low,	-	-	alb.	foliis oblongo-ovalibus glandulato-puberulis.	-	fl. Junio.
ORDO II.—TRIGYNIA.							
183 POLYGONUM, - - -	KNOTWEED, - - -	Polygoneae.	O.	4-5-part.	-	sem. 1, triquetrum.	-
1 <i>Virginianum</i> , Mich. ² <i>P. rostratum</i> , Muhl. }	Virginian,	-	-	alb.	foliis ovalibus, spicis longissimis: floribus inequalibus	-	fl. Augusto
2 <i>hydropiper</i> , - L. ☉	Water-pepper; Biting Persicaria.	-	-	alb. purp.	5-andris digynis. foliis lanceolatis, undulatis; floribus hexandris, semidigynis.	-	fl. Augusto
3 <i>album</i> , - - Muhl. ☉	white,	-	-	alb.	foliis lanceolatis, acutis.	-	fl. Septembri.
4 <i>persicaria</i> , - L. ☉ <i>β. albidum</i> .	spotted,	-	-	alb. purp.	foliis lanceolatis; floribus hexandris digynis.	-	fl. Julio.
5 <i>barbatum</i> , - Willd.	bearded,	-	-	alb.	foliis oblongis, acutis, glabris; floribus hexandris, trigynis.	-	fl. Augusto
6 <i>orientale</i> , Cic. L. ☉	oriental; Tall Persicaria.	-	-	cocc.	foliis ovatis, stipulis hypocrateriformibus; floribus hexandris, digynis.	-	fl. Augusto
7 <i>Pennsylvanicum</i> , L. ☉	Pennsylvanian,	-	-	purp.	foliis lanceolatis, stipulis muticis; floribus octandris, digynis.	-	fl. Augusto
8 <i>aviculare</i> , Willd. ☉ <i>α. angustifolium</i> , Mich. }	common Knot-grass.	-	-	lutes.	foliis lanceolatis caule decumbente; floribus octandris trigynis.	-	fl. Julio.
9 <i>erectum</i> , - Willd. } <i>P. aviculare, β latifolium</i> , } [<i>Mich.</i> }	upright Knot-grass.	-	-	lutes.	foliis ovalibus; caule erecto; floribus octandris, trigynis.	-	fl. Septembri.
10 <i>linifolium</i> , Muhl. ☉ <i>P. tenue</i> , - Mich.?	flax-leaved,	-	-	alb.	ramosissimum; caulibus ramulisque angulato-flexuosis; foliis lineari-lanceolatis, subquasi subulatis; omnibus stricte erectis, rigidis, sub-	-	fl. Julio.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
11 sagittatum, - L. ③	arrow-leaved,	-	-	alb. purp.	mucronatis, sessilibus: floribus axillaribus, remote alternis, solitariis. [<i>Descriptio mihii.</i>]	-	flo. Septembri.
12 arifolium, - L. ③	halbert-leaved,	-	-	alb. purp.	foliis hastatis; floribus hexandris.	-	flo. Septembri.
13 fagopyrum, C. L. ③	common or cultivated Buck-wheat.	-	-	alb.	foliis cordato-sagittatis.	-	flo. Augusto
14 convolvulus, L. ③	Twining Bind-weed; Black-Bind-weed; Climbing Buck-wheat.	-	-	alb.	foliis cordato-hastatis, caule volubili; floribus obtusatis.	-	flo. Julio.
15 scandens, - L. ④	American climbing Buck-wheat.	-	-	alb.	foliis cordatis; caule volubili; floribus carinatis.	-	flo. Septembri.

CLASSIS IX.—ENNEANDRIA.

ORDO I.—MONOGYNIA.

	LAUREL; Bay.	Dicoty.	Lauri.	O.			
184 LAURUS, - - -					6-pet.	-	drupa, 1-sperm.
1 benzoin, - L. ② } L. pseudo-benzoin, [Mich.]	Wild-alspice; Fever-bush; Spice-wood.	-	-	-	alb. lut.	-	flo. Aprili.
2 sassafras. L. ②	Sassafras-tree.	-	-	-	lut.	-	flo. Aprili.

CLASSIS X.—DECANDRIA.

ORDO I.—MONOGYNIA.

	PODALYRIA, - - -	Idem.	Leguminosae.	5-fid.			
185 PODALYRIA, - - -					5-pet.	-	legumen 1-loc. polysperm.
tinctoria, Muhl. et 2/ } [Willd.] Sophora tinctoria, L. Baptisia tinctoria, Ait.	dyers; Wild Indigo.	-	-	-	lut.	-	flo. Augusto
186 CERCIS, - - -		Idem.	Idem.	5-dent.	5-pet.	-	legumen compress. 1-loc.
Canadensis, - L. ②	Sallad-tree; Red-bud; Judas-tree.	-	-	-	purp.	-	flo. Aprili.

Systematic Names.		English, Vulgar, and Vernacular Names		Natural Families of Jussieu.		Calix.	Corolla.	Form of the Leaves, &c.		Fruit.	Time of Flowering.
187	CASSIA,	-	-	-	-	-	5-pet.	-	-	legumen dissepimentis transversis.	-
1	Marilandica, L.	2	Maryland; Wild Senna.	-	-	-	lut.	foliis 8-jugis, sublanceolatis oblongis.	-	-	flo. Augusto
2	chamæchrista, L.	⊕	dwarf; Partridge-pea.	-	-	-	lut.	foliis multijugis.	-	-	flo. Augusto
188	MONOTROPA,	-	-	-	-	-	5-pet.	-	-	caps. 5-gonina, 5-val.	-
1	hipopithys,* L.	-	BIRDSNEST, -	Plantæ incertæ sedis.	5-ph.	-	alb.	caule spiciflora, floribus ex-tus glabris.	-	-	flo. Julio.
2	uniflora, - L.	-	bunch-flowered, white, one-flowered; Broom-rape.	-	-	-	alb.	caule uniflora, crassa.	-	-	flo. Julio.
3	lanuginosa, Mich.	-	woolly, downy, -	-	-	-	rub.	caule spiciflora; floribus lanuginosis.	-	-	flo. Septembri.
189	KALMIA,	-	LAUREL, -	Idem.	Rhododendra.	5-part.	5-fid.	-	-	caps. sub-globosa, 5-loc. 5-val.	-
1	latifolia, - L.	2	broad-leaved; Ivy-laurel; Ivy; Calico-tree; Mountain-laurel.	-	-	-	alb. rub.	foliis ovalibus, basi et apice acuminatis.	-	-	flo. Junio.
2	angustifolia, - L.	2	narrow-leaved, -	-	-	-	rub.	foliis sub-lanceolato-oblongis, obtusis, ternis.	-	-	flo. Junio.
190	ANDROMEDA,	-	ANDROMEDA, -	Idem.	Ericae.	5-part.	5-fid.	-	-	caps. subtund. 5-gonina, 5-loc.	-
1	Mariana, - L.	2	oval-leaved, -	-	-	-	alb.	foliis ovalibus, integerrimis.	-	-	flo. Junio.
2	racemosa, - L.	2	sweet-scented; Red-bud.	-	-	-	alb.	foliis ovali-lanceolatis, serratulis.	-	-	flo. Junio.
3	paniculata, Mich. nec 2	2	panicled, round capsuled,	-	-	-	alb.	racemis sub-paniculatis; corollis parvulis globosis.	-	-	flo. Junio.
191	EPIGÆA,	-	GROUND-LAUREL, -	Idem.	Idem.	duplex. 3-5-part.	5-pet.	-	-	caps. sub-globos. 5-loc. 5-val.	-
repens, - L.	2	creeping, -	-	-	-	-	alb.	foliis cordato-ovatis, integerrimis.	-	-	flo. Aprili.
192	GAULTHERIA,	-	GAULTHERIA. -	Idem.	Idem.	duplex. 2-5-fid.	5-fid.	-	-	bac. 5-loc. 5-val.	-
procumbens, L.	2	Mountain-tea; Winter-green; Tea-berries; Berried-tea; Grouse-berry; Deer-berries; Partridge-berry; Pol-lom, of the Canada Indians.	-	-	-	-	alb.	foliis oblongo-ovatis, mucronatis, denatis.	-	-	flo. Junio.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>		<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
193 CLETHRA, - - - L. h	CLETHRA, - - - alder-leaved, sweet-scented,	Dicotyl.	Ericae.	5-part.	5-pet.	-	caps. 3-loc. 3-val.	fl. Augusto
194 PYROLA, - - - L. 24	WINTER-GREEN, - - - round-leaved,	Idem.	Idem.	5-part.	5-pet.	-	caps. 5-loc. 5-val.	fl. Junio.
2 convoluta [mihl.] <small>Obs. Haecenus tantummodo varietas P. rotundifolia.</small>	twisted-stemmed, - - -	-	-	-	flaves.	-	-	fl. Maio.
3 umbellata, - L.	umbell'd; Pippisseva.	-	-	-	alb.	-	-	fl. Junio.
4 maculata, - L.	spotted-leaved, - - -	-	-	-	alb.	-	-	fl. Junio.
ORDO II.—DIGYNIA.								
195 CHRYSOSPLENIUM, - - - L. 24	GOLDEN-SAXIFRAGE, - - - opposite-leaved; Sengreen.	Idem.	Saxifragae.	4-5-fid.	O.	-	caps. 2-ros. 1-loc.	fl. Maio.
196 SAXIFRAGA, - - - L. 24	SAXIFRAGE, - - - Pennsylvanian,	Idem.	Idem.	5-part.	5-pet.	-	caps. 2-ros. 2-loc.	fl. Maio.
2 vernalis, Willd. et 24 [Muhl.] S. nivalis, - L. S. Virginicensis, Mich. S. Virginica, Pers.	early, spring, mountain,	-	-	-	alb.	-	-	fl. April.
197 MITELLA, - - - L. 24	BASTARD AMERICAN SANCICLE, - - - two-leaved, - - -	Idem.	Idem.	5-fid.	5-pet.	-	caps. ovata, 1-loc. 2-val.	fl. April.
198 SCLERANTHUS, - - - L. 24	KNAWEEL, - - - annual, common; German Knot-grass.	Idem.	Portulacae.	5-dent.	O.	-	caps. ovata, 2-sperm.	fl. Junio.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
199 SAPONARIA, 1 officinalis, L. ☐ 2 vaccaria, L. Cic. ☉	SOAPWORT, - official, Bruisewort. Corn,	<i>Idem.</i>	5-pet. alb. rubr.	- foliis ovato-lanceolatis. foliis ovatis, acuminatis, sessilibus.	caps. obl. 1-loc. -	flo. Augusto -
200 DIANTHUS, - Armeria, - L. ☉	PINK, - wild, Jersey, Deptford.	<i>Idem.</i>	5-pet. -	5-dent. -	caps. cylind. 1-loc. -	flo. Augusto -
ORDO III.—TRIGYNIA.						
201 CUCUBALUS, stellatus, - L. ☐ Silene stellata, Ait. }	CAMPION, four-leaved, -	<i>Idem.</i>	5-pet. alb.	- -	caps. acum. 3-loc. -	flo. Julio.
202 SILENE, - 1 Pennsylvanica, Mich. 2 Virginica,* - L. ☐ 3 Antirrhina, L. ☉	CATCHFLY, - Pennsylvanian; Ground-pink. Virginian, - Snap-dragon,	<i>Idem.</i>	5-pet. -	5-dent. -	caps. cylind. 1-3-loc. -	flo. Maio.
203 STELLARIA, - 1 pubera, - Mich. ☐ 2 gaminea, Sm. et With. S. longifolia, Muhl. S. arvensis, Hoffm. S. dilleniana, Moench. 3 alsine, Hoff. Willd. [Pers. et Muhl. S. uliginosa, Schreb. [Roth. Obs. Alsine mediae habitus.	STICKWORT, - oval-leaved, long-leaved, grass-leaved, bog; Fountain-chickweed.	<i>Idem.</i>	5-ph. -	- -	caps. 1-loc. polysp. -	flo. Maio.
204 ARENARIA, - serpyllifolia, - L. ☉	SANDWORT, - thyme-leaved; Least-chickweed.	<i>Idem.</i>	5-ph. -	- -	caps. ovate. 1-loc. 3-6-val. -	flo. Junio. -

CLASSIS XI.—DODECANDRIA,

ORDO I.—MONOGYNIA.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
214 ASARUM, - - - Willd. 24	ASARABACCA, - - - American; kidney-leaved,	<i>Dicoty.</i> Aristolochiaceae. 3-4-fid.	O.	-	-	caps. coriacea, 6-loc.	fl. Maio.
212 PORTULACA, - - - L. 24	PURSLANE, - - - common garden,	<i>Idem.</i> Portulacaceae. 2-fid.	5-pet.	-	foliis reniformibus mucronatis.	caps. 1-loc. circumsciss.	fl. Julio.
213 LYTHRUM, - - - L. 24	LYTHRUM, - - - whorled-flowered; Grass Polly.	<i>Idem.</i> Salicariaceae. 12-dent.	6-pet.	-	foliis cuneiformibus.	caps. 2-loc. tect.	fl. Augusto

ORDO II.—DIGYNIA.

214 AGRIMONIA, - - - L. 24 } 1 eupatoria, - - - var. α . hirsuta.	AGRIMONY, - - - hairy,	<i>Idem.</i> Rosaceae. 5-fid.	5-pet.	-	-	sem. 1-2-in-calice.	fl. Augusto
β . glabra, - 24	smooth,	-	lut.	-	caule hirsutissimo; foliis pinnatis, hirtis, foliolis oblongo-ovatis.	-	fl. Augusto
2 parviflora, Willd. 24	small-flowered, spotted,	-	lut.	-	caule glabro; foliis pinnatis glabris, foliolis oblongo-ovatis.	-	fl. Augusto

ORDO III.—TRIGYNIA.

215 EUPHORBIA, - - - L. ☉ 1 hypericifolia,	SPURGE, - - - hypericum-leaved; or, St. John's wort-leaved,	<i>Idem.</i> Euphorbiaceae. 4-5-dent.	4-5-pet.	-	-	caps. 3-cocc.	fl. Julio.
2 maculata, - L. ☉ Obs. Valde similia precedentes.	spotted,	-	alb.	-	foliis ovali-oblongis, serratis.	-	fl. Julio.
3 Ipecacuanha, L. 24	Ipecacuanha,	-	lut. rubr.	-	foliis oppositis, serratis, oblongis, pilosis, maculatis.	-	fl. Maio.
4 corollata, - L. 24	large-flowering,	-	alb.	-	foliis integerrimis lanceolatis.	-	fl. Junio.
5 lathyris, C. L. 8	Caper,	-	-	-	foliis oblongis, obtusis.	-	fl. Junio.

CLASSIS XII.—ICOSANDRIA.

ORDO I.—MONOGYNIA.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
216 PHILADELPHUS,	MOCK-ORANGE,	-	4-5-fid.	4-5-pet.	-	capsulæ 4-5-loc. polysp.	-
1 inodorous, Hort. Walt. h	scentless; Philadelphia.	-	-	-	foliis ovatis, integerrimis.	-	fl. Junio.
2 coronaria, C. L. h } Syringa, —, Lamark. }	fragrant; Syringa.	-	-	alb.	foliis subdentatis.	-	fl. Junio.
217 PRUNUS,	CHERRY-TREE,	Idem.	5-fid.	5-pet.	-	drupa.	-
1 cerasus, C. L. h	cultivated, sour,	-	-	alb.	foliis ovato-lanceolatis, glabris.	-	fl. Aprili.
2 avium, C. L. h	small-fruited, sweet,	-	-	alb.	foliis ovato-lanceolatis, subtus pubescentibus.	-	fl. Aprili.
3 domestica, C. L. h	cultivated Plumb-tree.	-	-	alb.	foliis lanceolato-ovatis, convolutis.	-	fl. Aprili.
4 Virginiana, L. et Willd. } P. rubra, — Ait. } Cerasus Virginiana, [Mich. et f.] }	Wild-cherry; Choke-cherry.	-	-	alb.	foliis deciduis, ovali-oblongis acuminatis, serratis, racemis compactis: costæ foliorum mediæ, non barbata.	-	fl. Maio.
5 serotina, — Willd. } Obs. Vix discrepans precedente, non tantum idem. }	late-flowering wild-cherry.	-	-	alb.	foliis deciduis, serratis, racemis laxis: costæ mediæ foliorum, subtus barbata.	-	fl. Junio.
218 AMYGDALUS, — h	PEACH-TREE; ALMOND.	Idem.	5-fid.	5-pet.	-	drupa.	-
Persica, C. L. h	common,	-	-	purp.	foliis serratis; serraturis omnibus acutis.	-	fl. Aprili.
219 CRATÆGUS,	HAWTHORN,	Idem.	5-fid.	5-pet.	-	drupa.	-
1 crus galli, — L. h } Mespilus lucida, Ehrhart. }	cockspur,	-	-	alb.	foliis ovato-cuneiformibus, nitidis.	-	fl. Maio.
2 oxycantha, L. Cic. h	common, quickset,	-	-	alb.	foliis obtusis, sub-trifidis.	-	fl. Maio.
3 * * * *	* * *	-	-	alb.	foliis subcuneato-ovalibus serratis, breviter petiolatis, pubescentibus: ramulis conspicue pubescentibus; floribus subsolitariis, calycibus villosis.	-	fl. Maio.

ORDO II.—DIGYNIA.

ORDO IV.—PENTAGYNIA.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
220 MESPILUS, - L.	MEDLAR, - - -	Dicotyl.	Rosaceae.	5-fid.	5-pet.	-	-
1 arbutifolia, - L. var. <i>α</i> . erythocarpa, Mich. <i>Pyrus</i> arbutifolia, [var. <i>α</i> . Willd. <i>P. arbutifolia</i> : <i>erytho-</i> [<i>carpa</i> , Muhl. <i>Aronia</i> pyrifolia, Pers. <i>Crataegus</i> Virginiana, [Lanark et Miller.]	red-fruited; Swamp-service.	-	-	alb.	foliis subtus tomentosis; fructibus rubris.	-	flo. Maio.
<i>β</i> . melanocarpa, Mich. <i>Pyrus</i> arbutifolia: <i>me-</i> [<i>lanocarpa</i> , Muhl. <i>Aronia</i> arbutifolia, [Pers.]	black-fruited,	-	-	alb.	foliis subtus glabriusculis fructibus nigris.	-	flo. Maio.
2 arborea, - Mich. f. Canadensis, <i>β</i> . <i>cordata</i> , [Mich. <i>Pyrus</i> Botryapium, [Willd. <i>Aronia</i> Botryapium, [Pers.]	snowy; June-berries; Wild Pear-tree; Wild-service.	-	-	alb.	foliis obovalibus, conspicue acuminatis; juvenis albotomentosis, adultis glabris.	-	flo. Aprili.
221 PYRUS, - - -	PEAR, - - -	Idem.	Idem.	5-fid.	-	pomum. 5-loc.	-
1 communis, C. L. h	common Pear.	-	-	alb.	foliis ovatis, serratis.	-	flo. Maio.
2 malus, C. - L. h	common Apple.	-	-	alb.	foliis ovato-oblongis, serratis, glabris.	-	flo. Aprili.
3 Cydonia, C. L. h } <i>Cydonia</i> cydonia, Pers. }	common Quince.	-	-	ros. alb.	foliis ovatis, integerrimis.	-	flo. Maio.
222 MALUS, - - -	CRAB-APPLE TREE, - -	Idem.	Idem.	5-fid.	-	pomum. 5-loc. 2-sperm.	-
coronaria, Miller. h } <i>Pyrus</i> coronaria, L. et [Mich.] }	sweet-scented,	-	-	ros. alb.	foliis cordatis, inciso-serratis, angulatis, glabris.	-	flo. Maio.
223 SPIRÆA, - - -	SPIRÆA, - - -	Idem.	Idem.	5-fid.	-	caps. polysperm.	-
1 opulifolia, - L. h	Nine-bark.	-	-	alb.	foliis lobatis, duplicato-dentatis.	-	flo. Junio.
2 trifoliata, - L. 2/	three-leaved; Indian-physick.	-	-	alb.	foliis trifoliatis; foliolis lanceolatis.	-	flo. Junio.

ORDO V.—POLYGYNIA.

Systematick Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
224 ROSA, Caroliniana, - L. h } R. parviflora, Muhl. }	ROSE, Carolinian, Pennsylvanian, wild, small-flowered wild,	-	-	5-pet.	-	sem. plura in germin.	flo. Junio.
225 RUBUS, - - - -	BRAMBLE, garden or cultivated Rasp- berry.	Idem.	5-fid.	5-pet.	-	bac. com- pos.	flo. Maio.
1 Idæus, C. - L. h	-	-	-	alb.	foliis quinato-pinnatis, ternatisque; subtus albo-tomentosis: foliolis subrhomboides.	-	-
2 occidentalis, L. h	wild or American Raspberry; black Raspberry; Thimble-berry.	-	-	alb.	foliis trifoliatis; foliolis ovalibus promisse acuminatis, subtus cano-tomentosis.	-	flo. Maio.
3 strigosus, - Mich. h	wild red Raspberry.	-	-	alb.	inermis, hispidissimus; foliolis 3 aut pinnato-quinatis, ovalibus, subtus candido-tomentosis.	-	flo. Maio.
4 villosus, Ait. h } R. hispida, Walt. ? }	high Blackberry.	-	-	alb.	pubens; foliolis digitatis; foliolis absque albedine pubentibus.	-	flo. Maio.
5 trivialis, Mich. h } R. procumbens, Muhl. } R. fruticosus, Walt. }	low Blackberry; Dewberry; running or creeping Blackberry.	-	-	alb.	procumbens, rariter sarmentosus; foliolis digitatis; foliolis oblongo-ovalibus, non acuminatis.	-	flo. Maio.
226 FRAGARIA, - - -	STRAWBERRY, - - -	Idem.	10-fid.	5-pet.	-	recept. bac.	-
1 Virginiana, Ehrhart. 2	wild, - - -	-	-	alb.	calyce fructus patente.	-	flo. Maio.
2 vesca, - L. Hort. 2	garden or cultivated,	-	-	alb.	calyce fructus reflexo.	-	flo. Maio.
227 POTENTILLA, - - -	CINQUEFOIL; FIVE-FINGER.	Idem.	10-fid.	5-pet.	-	sem. nud. recept. affix.	-
1 reptans, - L. 2 } sarmentosa, Willd. }	running, - - -	-	-	lut.	caule repente, sarmentoso; foliis quinatis.	-	flo. Maio.
2 Norwegica, L. 2	Norway, - - -	-	-	lut.	caule dichotomo: foliis ternatis.	-	flo. Julio.
3 Canadensis, L. 2	Canadian, - - -	-	-	lut.	caule adscendente: foliis quinodigitatis cuneato-ovalibus.	-	flo. Maio.
4 simplex, - Mich. 2	simple-stalked, - - -	-	-	lut.	caule erecto, simplice, hirsuto: foliis digitatis, oblongo-ovalibus; pedunculis solitariis elongatis unifloris.	-	flo. Maio.

Systematick Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Callos.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
228 GEUM, - - -	AVENS; BENNET.	Dicoty.	10-fid.	5-pet.	- - -	sem. barbat. arist.	-
1 Virginianum, L. 2 } G. Canadense, Jaquin, [nec Ait. et Murr.]	Virginian,	- - -	-	lutesc. alb.	foliis caulinis ternatis, superioribus lanceolatis.	-	fl. Julio.
2 hirsutum, Muhl. 2	hairy, rough,	- - -	-	alb. lut.	totum hirsutissimum.	-	fl. Junio.
229 CALYCANTHUS, -	SHRUB; CAROLINA ALSPICE.	Idem.	polyph.	O.	- - -	sem. intra cal. succulent.	-
floridus, - Hort. L. 2	sweet-scented, downy.	- - -	-	atropurp.	foliis ovalibus; floribus odoratissimis.	-	fl. Aprili.

CLASSIS XIII.—POLYANDRIA.

ORDO I.—MONOGYNIA.

230 ACTEA, - - - 2	BANE-BERRY.	Dicoty.	4-ph.	4-pet.	- - -	bac. v. caps.	fl. Julio.
racemosa, - L. 2 } A. monogyna, Walt. ? }	Black Snake-root; Squaw-root; Rich-weed; Rattle-weed; American Herb-Christopher.	- - -	-	alb.	racemis longissimis.	-	-
231 SANGUINARIA, - -	BLOODWORT; BLOODROOT.	Idem.	-	8-pet.	- - -	siliq. 1-loc.	-
Canadensis, - L. 2	Canadian; Puccoon; Indian-paint.	- - -	-	alb.	lactescens succo fulvo.	-	fl. Aprili.
232 PODOPHYLLUM, - -	MAY-APPLE.	Idem.	3-ph.	9-pet.	- - -	bac. 1-loc.	-
peltatum, - L. 2	Mandrake; Ipecacuanha; Wild-lemons.	- - -	-	alb.	foliis peltatis lobatis.	-	fl. Aprili.
233 CHELIDONIUM, - -	CELANDINE,	Idem.	2-ph.	4-pet.	- - -	siliq. 1-loc.	-
majus, - L. 2	great, common,	- - -	-	lut.	pedunculis umbellatis.	-	fl. Maio.
234 SARRACENIA, - -	SIDE-SADDLE FLOWER,	Plantæ incertæ sedis. duplex. sup. 5-ph. infr. 5-ph.	-	5-pet.	- - -	caps. 5-loc.	-
purpurea, - L. 2	purple; hollow-leaved Laverdier; Water-brash.	- - -	-	purp.	foliis cucullatis, ventricosis, patulis arcuatis.	-	fl. Junio.
235 NYMPHÆA, - -	WATER-LILY,	Monocoty.	4-5-ph.	pet. plurima; germ. sub. stam. inserta.	- - -	bac. multi-loc. polysp.	-
odorata, - Ait. 2	sweet-scented, fragrant,	- - -	-	alb.	foliis cordatis integerrimis.	-	fl. Julio.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
236 NUPHAR, - - Sm. (Prodr. Flo. Gene. 1, p. 361.)	NUPHAR,	Monocoty.	Hydrocarides, 5-6-ph.	pet. pluri- ma; recep- cum stam. insert.		bac. supera, multi-loc. polysp.	
1 lutea, Sm. et Ait. 24 <i>Nymphaea lutea</i> , L. [Willd. &c.]	yellow-flowered; Water-lily.	-	-	-	foliis cordatis; lobis approxi- matis.	-	fl. Julio.
2 Kalmiana, Sm. et Ait. 24 <i>Nymphaea Kalmiana</i> , [Bot. Mag. 1243. N. lutea β . <i>Kalmiana</i> , [Mich. N. minima, Muhl. <i>nec</i> N. lutea, var. minima, [Willd. N. microphylla, Pers.]	Canadian; least Water-lily. little yellow Water-lily.	-	-	lut.	foliis cordatis; lobis sub-ap- proximatis.	-	fl. Julio. et Augusto.
3 advena, Sm. et Ait. 24 <i>Nymphaea advena</i> , L. }	three-coloured Water-lily or Nuphar; common Splatter- dock.	-	-	lut. et rub.	foliis cordatis; lobis divarica- tis.	-	fl. Julio
237 TILIA, - - - American, Mich. f. β } T. Canadensis, Mich. } T. glabra, Muhl. }	LIME-TREE; LINDEN-TREE. American; Bass-wood.	Idem.	Tiliaceae. 5-part.	5-pet.	-	caps. coria- cea.	fl. Junio
238 HELIANTHEMUM, Jus- [sieu et Mich.]	Rock-rose, - - -	Idem.	Cisti. 5-ph. inæ- qual.	5-pet.	-	caps. 1-loc. 3-val.	fl. Junio.
Canadense, Mich. β } <i>Cistus Canadensis</i> , L. }	Canadian.	-	-	lut.	foliis erectis, lanceolatis, al- ternis, subtus minutum to- mentos. <i>Floribus</i> pauci- mentosis, pedicellis solitariis. [Mich.]	-	
239 AQUILEGIA, - - - Canadensis, - L. 24	COLUMBINE, - - - Canadian, common wild,	Idem.	Ranunculaceae O.	5-pet. rubel.	- florum cornibus rectis; stami- nibus exsertis.	caps. 5.	fl. April.

ORDO V.—PENTAGYNIA.

ORDO VI.—POLYGYNIA.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
240 LIRIODENDRON, tulipefera, - L. h	TULIP-TREE, POPLAR. White-wood; Canoe-wood; Yellow-wood (in Canada.)	Dicotyl.	3-ph.	6-pet.	-	samaræ imbricate.	fl. Junio.
241 MAGNOLIA, glauca, - L. h	MAGNOLIA, sweet, swamp, small; White-bay; Beaver-tree; Swamp-sassafras; Castor-wood; Beaver-wood; Elk-bark; Indian-bark.	Idem.	3-ph.	9-pet.	-	strobilus.	-
242 NELUMBium, speciosum, Willd. et 24 [Ait. Nymphaea nelumbo, L. Cyamus nelumbo, [Sm. Ex. Bot. Nelumbo Indica, Pers. Nelumbium luteum, [Mich. sed non. Nelumbo lutea, Personii. [quæ ille profecto fecit idem cum Nelumbio luteo Michauxi. Obs. Planta magnificentissima, a ferre vegetabilium Boreali Americana, Regina.	NELUMBium, yellow, shewy; Sacred Bean of India; Egyptian Bean.	Monocoty.	4-5-ph.	poly-petala.	-	fructus turbinatus.	fl. Julio.
243 ANNONA, triloba, - Hort. L. h Orchidocarpum arietinum, Mich. Porcellia triloba, Pers.	CUSTARD-APPLE, three-fruited; Papaw.	Dicotyl.	3-ph.	6-pet.	-	bac. polysp.	fl. Maio.
244 ANEMONE, 1 hepatica, - L. 24 A. hepatica, obtusa [Muhl. et Mich. 2 Virginiana, L. 24 3 quinquefolia, L. et 24 [Muhl. A. nemorosa, Mich. nec [Sm.	WIND-FLOWER; ANEMONE. obtuse; Hepatica. Virginian, five-leaved; Wood.	Idem.	O.	6-9-pet.	-	sem. plura.	-
			3-ph.	alb. car.	foliis trilobatis, integerrimis, lobis obtusis.	-	fl. Aprili.
			-	alb.	foliis tripartitis.	-	fl. Julio.
			-	ros.	caule uniflora; foliis caulinis ternis quinatis.	-	fl. Maio.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
4 thalioides, L. 2/ } <i>Thalictrum anemono-</i> [ides, Mich.]	Meadow-rue-leaved, -	-	-	alb.	foliis caulinis simplicibus verticillatis, radicalibus biter-natis.	-	flo. Aprili.
245 CLEMATIS, - -	VIRGINS'-FLOWER, -	Dicoty. Ranunculaceae.	O.	4-5-pet.	- sem. caudata.	-	-
Virginiana, - L. 1/2	Virginian; Travellers'-joy.	-	-	alb.	foliis ternatis, foliolis cordatis, subobato-angulatis, scandentibus.	-	flo. Augusto
246 THALICTRUM, - -	MEADOW-RUE; RUE-WEED.	Idem.	O.	4-5-pet.	- sem. ecaudat.	-	-
1 dioicum, - L. 2/	dioicous, early-flowering,	-	-	ros.	foliis subrotundis, cordatis lobatis.	-	flo. Aprili.
2 rugosum, Willd. 2/ } Obs. Varietas T. flavi, vel T. spect- osi, secundum Pers.	rough-leaved, -	-	-	alb.	foliis rugosis, venosis.	-	flo. Junio.
3 polygamum, Muhl. 2/	polygamous, smooth, -	-	-	alb.	foliis subcordatis, obtuse lobatis, non venosis.	-	flo. Julio.
247 RANUNCULUS, - -	CROWFOOT, -	Idem.	5-ph.	5-pet.	- sem. nuda.	-	-
1 flamula, - L. 2/	Small Spearwort.	-	-	lut.	foliis lanceolatis, subdentatis.	-	flo. Julio.
2 abortivus, L. 2/	kidneyform-leaved, barren-flowered,	-	-	lut.	foliis radicalibus, cordatis, caulinis ternis.	-	flo. Aprili.
3 hispidus, Mich. 2/ } R. hirtus,	hairy, hispid, -	-	-	lut.	hirsutissimus; foliis ternatis, foliolis lobatis.	-	flo. Maio.
4 scleratus, - L. 2/	celery-leaved, -	-	-	lut.	foliis inferioribus palmatis, summis digitatis.	-	flo. Junio.
5 repens, - L. 2/	creeping, -	-	-	lut.	foliis ternis, tenuibus, incisodentatis; pedunculis sulcatis, sarmentis repentibus.	-	flo. Maio.
6 aquatilis, - L. 2/	water, -	-	-	lut.	foliis capillaribus.	-	flo. Julio.
7 bulbosus, Cic. L. 2/	bulbous-rooted; common Butter-cups.	-	-	lut.	foliis compositis, pedunculis sulcatis, radix bulbosa.	-	flo. Maio.
8 Pennsylvanicus,* 2/ ☉ } R. Canadensis, Jaquin.	Pennsylvanian, -	-	-	lut.	hirsutus, foliis ternatis trifidis incisis, subtus pilosis; caulicibus reflexis.	-	flo. Junio.
9 fascicularis, Muhl. 2/	bundle-rooted, bunch-rooted,	-	-	lut.	foliis ternatis, subbipinnatis; radix perquam fasciculata.	-	flo. Aprili.
10 trifoliatum, Willd. mss. } [ad Muhl.]	early-flowering, three-leaved, -	-	-	lut.	foliis radicalibus trilobatis, cæteris trifoliatis, subtus hirsutissimis caule pilosis-simo.	-	flo. Maio.

Systematic Names.		English, Vagab., and Vernacular Names.		Natural Families of Jussieu.		Calix.	Corolla.	Form of the Leaves, &c.		Fruit.	Time of Flowering.
255	MENTHA,	-	MINT,	-	-	5-dent.	4-part.	-	-	sem. 4, parv.	-
1	viridis, L. 2	-	spear,	-	-	-	alb.	-	foliis lanceolatis, nudis, serratis, sessilibus.	-	flo. Augusto
2	piperita, - 2	-	pepper,	-	-	-	cær.	-	foliis subovatis, petiolatis.	-	flo. Augusto
3	Canadensis, L. 2 } M. Borealis, Mich. }	-	Canada; Horse-mint.	-	-	-	alb. cær.	-	foliis petiolatis, ovali-lanceolatis.	-	flo. Julio.
256	GLECHOMA,	-	GROUND-IVY; GILL.	-	-	5-fid.	ring.	-	-	sem. 4, ovat.	-
	hederacea, - L. 2	-	common; Alehoof.	-	-	-	cær.	-	foliis lato-reniformibus, cre-natis.	-	flo. Aprili.
257	LAMUM,	-	ARCHANGEL,	-	-	5-dent.	ring.	-	-	sem. 4, tri-quet.	-
	amplexicaule, L. 3	-	stem-clasping; Great Hen-bit; Henbit-Archangel.	-	-	-	purp.	-	foliis floralibus, amplexicaulibus.	-	flo. Aprili.
258	STACHYS,	-	WOUND-WORT; HEDGE-NETTLE,	-	-	5-fid.	ring.	-	-	sem. 4, ovat. angul.	-
	aspera, - Mich. 2	-	rough,	-	-	-	albopurp.	-	foliis subpetiolatis, lanceolatis, argute serratis.	-	flo. Julio.
259	MARRUBIUM,	-	HOARHOUND,	-	-	10-dent.	ring.	-	-	sem. 4, obl.	-
	vulgare, - L. 2	-	common,	-	-	-	alb.	-	foliis subrotundo-ovatis, dentatis.	-	flo. Junio.
260	LEONURUS,	-	MOTHER-WORT,	-	-	5-dent.	ring.	-	-	sem. 4, obl.	-
	cardiaca, - L. 2 8	-	common,	-	-	-	alb.	-	foliis cuneiformi-ovatis, trilobis, dentatis.	-	flo. Junio.
261	CLINOPODIUM,	-	BASIL-WEED; WILD-BASIL.	-	-	ring.	ring.	-	-	sem. 4, ovat.	-
	vulgare, - L. 2	-	common,	-	-	-	purp.	-	capitulis subrotundis, bracteis setaceis.	-	flo. Augusto
262	PCENANTHEMUM, Mich. 2 } incanum, Mich. 2 } Clinopodium incanum, [L. }	-	BASIL, -	-	-	tubulatus, striatus.	lab. suff. subintegr. infer. trifid	-	-	ut prece-dente.	-
	Brachystemum incanum, [L. }	-	hoary,	-	-	-	rubel.	-	foliis petiolatis, ovalibus, serratis, molliter incano-to-mentosus.	-	flo. Augusto
263	BRACHYSTEMUM,	-	BRACHYSTEMUM,	-	-	5-dent.	ring.	-	-	sem. 4, obl.	-
	1 verticillatum, Mich. 2	-	whorled,	-	-	-	alb.	-	foliis ovali-lanceolatis, integris; verticillis paucis, compactis.	-	flo. Augusto

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Cultiv.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
2 Virginicum, Mich. 24 B. linifolius, Willd. Thymus Virginicus, L. Pycnanthemum Virgini- cicum, Ait. [H. K. 1811.]	Virginian Thyme.	-	-	alb.	foliis linearibus, integerrimis.	-	flo. Augusto
3 lanceolatum, Muhl. 24	lance-leaved, or spear-leaved.	-	-	alb.	foliis lanceolatis.	-	flo. Augusto
4 muticum, - Mich.	tooth-leaved,	-	-	alb.	foliis lanceolatis, ovalibus, glabellis, rariter dentatis.	-	flo. Augusto
264 ORIGANUM, - -	MARJORAM, - -	Dicotyl.	5-dent.	ring.	- - - -	sem. 4, ovat.	
1 vulgare, - L. 24	common, wild, purple,	-	-	purp.	spicis subrotundis, panicula- tis conglomeratis; bracteis coloratis.	-	flo. Julio.
2 majorana, C. L. ☉	sweet, cultivated, or knotted,	-	-	alb.	foliis petiolatis ellipticis ob- tusis.	-	flo. Julio.
265 THYMUS, - -	THYME, - - -	Idem.	ring.	ring.	- - - -	sem. 4, sub- oval.	
1 serpyllum, C. L. ♀	Mother of, procumbent,	-	-	viol.	foliis planis obtusis, basi cili- atis: caulibus decumbenti- bus.	-	flo. Junio.
2 vulgaris, C. - L. ♀	common, erect,	-	-	viol.	foliis revolutis, ovatis linearibusque; caule erecto.	-	flo. Junio.
266 HEDROMA, Pers. pulegioides, - Pers. ☉ Cnicus pulegioides, L. }	HEDROMA, - - -	Idem.	bilabiat. basirig- gibb.	ring.	- - - -	sem. 4, nu- da.	
267 MELISSA, - -	common Pennyroyal.	-	-	car.	foliis oblongis, serratis.	-	flo. Augusto
officialis, C.? L. 24	BALM, - - -	Idem.	ring.	ring.	- - - -	sem. 4, ovat.	
268 OCYRUM, - -	official, common,	-	-	alb.	foliis ovatis, acutis, serratis.	-	flo. Augusto
basilicum, C. L. ☉	BASIL, - - -	Idem.	lab. sup. or- biculat. in- fer. 4-fid.	ring.	- - - -	-	
269 TRICHOSTEMA, -	common sweet,	-	-	-	foliis ovatis, glabris.	-	flo. Julio.
dichotoma, - L. ☉	TRICHOSTEMA, - -	Idem.	ring.	ring.	- - - -	sem. 4, sub- rotund.	
270 SCUTELLARIA, -	Marjoram-leaved, forked, an- nual,	-	-	car.	foliis lato-linearibus.	-	flo. Augusto
1 integrifolia, L. 24	SCULLCAP, - - -	Idem.	l-ph. integr. ring.	ring.	- - - -	sem. 4, sub- rotund.	
	entire-leaved,	-	-	alb. car.	foliis integris.	-	flo. Junio.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
2 ovalifolia, Muhl. 4 (<i>elliptica</i> .)	oval, or elliptic-leaved, -	-	-	car.	foliis ellipticis sessilibus, serratis; superioribus lanceolatis.	-	fl. Junio.
3 hyssopifolia, L. 4	hyssop-leaved, -	-	-	alb. car.	foliis lanceolatis obtusis, scabris.	-	fl. Junio.
4 lateriflora, L. 4	side-flowering; Virginian,	-	-	car.	foliis lævibus, carina scabris; racemis lateralibus.	-	fl. Augusto
271 PRUNELLA, -	SELF-HEAL, -	Dicotyl.	ring.	ring.	-	sem. 4, sub- ovat.	-
Pennsylvanica, Willd. 4 P. vulgaris, Walt. <i>Brunella vulgaris</i> , [Mich.]	Pennsylvanian. -	-	-	-	-	-	-
var. α . ovata, -	egg-shaped-leaved, -	-	-	car. vel. alb.	foliis ovatis.	-	fl. Junio.
β . lanceolata, - Obs. Smilionea P. vulgare Linnæi, non certe idem.	spear-leaved, -	-	-	ring.	foliis lanceolatis.	-	fl. Septem- bri.
272 PHRYMA, -	PHRYMA, -	Idem.	ring.	ring.	-	sem. 1, obl.	-
leptostachya, L. 4	slender-spiked, small-flowered, ed,	-	-	purp.	foliis ovalibus, serratis, petiolatis.	-	fl. Julio.
273 VERBENA, -	VERBAIN, -	Idem.	5-dent.	5-fid.	-	sem. 2-4, nuda.	-
1 hastata, - L. 4	halberd-leaved, common	-	-	car.	foliis lanceolatis, inciso-serratis.	-	fl. Julio.
2 urticifolia, - L. 4	blue, nettle-leaved, -	-	-	alb.	foliis ovalibus, vel ovali-lanceolatis, acutis.	-	fl. Julio.
3 spuria, - L. 4	spurious, -	-	-	alb. car.	caule ramosissimo, divaricato; foliis ovalibus incis.	-	fl. Junio.

ORDO II.—ANGIOSPERMII.

274 BARTSIA, -	BARTSIA, -	Idem.	Pediculares.	ring.	-	caps. 1 ovat. 2-loc. 2-val.	fl. Maio.
coccinea, - 4	scarlet, -	-	-	-	foliis alternis, linearibus; bracteis superne coccineis.	-	-
275 MELAMPYRUM, -	COW-WHEAT, -	Idem.	4-fid.	ring.	-	caps. 2-loc. 2-val.	fl. Junio.
Americanum, Mich. ☉ M. lineare, Muhl. }	American, linear-leaved, -	-	-	alb.	foliis linear-lanceolatis.	-	fl. Junio.
var. β . latifolium, -	broad-leaved, early-flowering	-	-	alb.	foliis lanceolatis.	-	fl. Maio.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
276 SCHWALBEA, - - - Americana,* L. 4	SCHWALBEA, American,	Idem.	Scrophulariaceae. 4-fid.	- ring- stria- tus.	- - - foliis alternis; floribus axilla- ribus.	caps. 2-loc. 2-val.	fl. Septem- bri.
277 PEDICULARIS, - - - Canadensis, - L. 2 } P. verna, Muhl. }	LOUSEWORT, spring, Canadian,	Idem.	Pediculariaceae. 5, vel. 2-fid.	ring.	- - - lutesc. pur- capitulo basi frondoso. purea.	caps. 2-loc. apice. de- trisc.	fl. Maio.
278 GERARDIA, - - - 1 purpurea, - L. ☺ Obs. Planta perquam facie et mag- nitudine variat.	GERARDIA, - - - purple; wild Foxglove.	Idem.	Scrophulariaceae. 5-fid.	- ring.	- - - foliis angusto-linearibus.	caps. 2-val. 2-loc. as- pice. detr.	fl. Augusto
2 flava, - L. (sive glauca.)	yellow, glaucous,	-	-	lut.	-	-	fl. Septem- bri.
3 villosa, - Willd. } G. heterophylla, Muhl. }	hairy, various-leaved,	-	-	lut.	-	-	fl. Augusto
4 pedicularia, - L. Obs. Hæc omnes Gerardie species, quando existunt, ingreſſunt classe G. purpureæ solummodo color penumbræ.	bushy, Lousewort-like.	-	-	lut.	-	-	fl. Septem- bri.
279 CHELONE, - - - glabra, - - L. 4	SNAKE-HEAD, smooth,	Idem.	Bignoniaceae. 5-ph.	ring.	- - - foliis ovalibus, vel lanceola- tis.	caps. ovat. 2-loc. 2-val.	fl. Augusto
280 PENSTEMON, - Mitch. } pubescens, - Ait. 4 } Chelone penstemon, [L. et Walt.] }	PENSTEMON, hairy, pubescent,	Idem.	Idem. 5-ph.	ring.	- - - foliis serratulis.	caps. ovat. 2-loc. 2-val.	fl. Junio.
281 ANTIRRHINUM, - - - 1 linaria, L. Cic. 4 } Linaria vulgaris, Willd. }	SNAPDRAGON; TOAD-FLAX. wild; Ranstead-weed; yellow- flowered,	Idem.	Scrophulariaceae. 5-part.	ring.	- - - foliis angusto-linearibus, c- rectis, obtusis, sparsis.	caps. 2-val. subrotund.	fl. Maio, et per totam aſiatem.
2 Canadense, L. 4	Canadian, blue-flowered,	-	-	lut.	-	-	fl. Junio.
282 SCROPHULARIA, - - - Marilandica, L. 4 } S. nodosa: 3. Americ- } [cana, Mich.] }	FIGWORT, Maryland,	Idem.	Idem. 5-fid.	5-part.	- - - foliis ovalibus, subcordatis, serratis, basi obtusis.	caps. 2-loc. 2-val. sub- rotund.	fl. Junio.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Cultiv.	Covella.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
283 BIGNONIA,	-	BIGNONIA; TRUMPET-FLOWER	Dicoty.	Bignoniace.	5-fid.	-	siliq. 2-loc. 2-val.
1 catalpa,	L. ^b	Catalpa-tree; Catawba-tree, (in southern states); Shaw- nes-wood, (in Louisiana); ash-leaved; Trumpet- creeper,	-	-	arborea: foliis ternis; cordatis.	-	fl. Julio.
2 radicans,	L. ^b	-	-	-	caule scandente: foliis pinna- tis,	-	fl. Julio.
284 LINDERNIA,	-	LINDERNIA, -	Idem.	Scrophulariace.	5-part.	caps. 1-loc. 2-val.	fl. Augusto
attenuata, - Muhl. } <i>Gratiola anagallidea.</i>	-	narrow-base-leaved,	-	-	foliis ovatis, basi attenuatis.	-	fl. Augusto
285 BUCHNERA,	-	BUCHNERA, -	Idem.	Pediculares.	5-dent.	caps. 2-loc. ovat. obl.	fl. Augusto
Americana,* - L. ^u	-	American,	-	-	foliis lanceolatis dentatis, tri- nervis.	-	fl. Augusto
286 OROBANCHE,	-	BROOM-RAPE, -	Idem.	Idem.	2-5-fid.	caps. 1-loc. 2-val. ova- to-oblong.	fl. Septem- bri.
1 Virginiana, L.	-	Virginian; Cancer-root.	-	-	caule ramoso; floribus parvu- lis, distanter alternis.	-	fl. Junio.
2 uniflora, Mich.	-	one-flowered,	-	-	scapis unifloris; corolla re- curvata.	caps. sub- ovat. 1-loc.	fl. April.
287 OBOLARIA,	-	OBOLARIA, -	Idem.	Idem.	2-ph.	caps. 2-loc. oval.	fl. Augusto
Virginica, - L. ^u } O. Caroliniana, Walt.	-	Virginian,	-	-	foliis ovatis, congregatis, gla- bris.	-	fl. Augusto
288 MIMULUS,	-	MONKEY-FLOWER, -	Idem.	Scrophulariace.	5-dent.	caps. 2-loc. oval.	fl. Augusto
1 ringens, - L. ^u	-	flower-gaping,	-	-	foliis ovatis petiolatis; caule tetragona alato.	-	fl. Augusto
2 alatus, - Ait. ^u	-	wing-stalked,	-	-	-	-	fl. Augusto

CLASSIS XV.—TERADYNAMIA.

ORDO I.—SILICULOSÆ.

289 DRABA,	-	WITLOW-GRASS, -	Idem.	Cruciferae.	4-ph. pa- tens.	4-pet.	siliq. ovali- obl. 2-loc.
verna, L. ☺	-	-	-	-	-	-	-
D. hispida, Mich.	-	-	-	-	-	-	-
D. Americana, Bart.	-	-	-	-	-	-	-
D. verna, β. Americana, [Pers.]	-	-	-	-	-	-	-
nec D. Caroliniana, Walt.	-	-	-	-	-	-	-

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jusieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
290 LEPIDIUM, - - -	PEPPER-WORT; PEPPER-GRASS	Cruciferae.	4-ph.	4-pet.	- - -	siliq. cordat. emarg. 2-loc.	-
1 Virginicum, L. 2 ♂	Virginian, wild,	- - -	-	alb.	foliis radicalibus pinnatifidis caulinis linearilanceolatis.	-	flo. Junio.
2 sativum, C. L. ☉	cultivated; Garden-grass.	- - -	-	alb.	foliis oblongis, multifidis.	-	-
291 COCHLEARIA, - - -	HORSE-RADISH, - - -	Idem.	4-ph. patens.	4-pet.	- - -	siliq. cordat. emarginat. 2-loc.	-
armoracia, C. L. 2	common table, - - -	- - -	-	alb.	foliis lanceolatis, crenatis.	-	-
292 THLASPI, - - -	SHEPHERD'S-PURSE, - - -	Idem.	4-ph. patens.	4-pet.	- - -	siliq. obcordat.	-
bursa pastoris, L. ☉	common, - - -	- - -	-	alb.	foliis radicalibus pinnatifidis.	-	flo. Aprili.
ORDO II.—SILICUOSÆ.							
293 DENTARIA, - - -	TOOTHWORT; CORALWORT.	Cruciferae.	4-ph. conniv.	4-pet.	- - -	siliq. long. teres. 2-loc. 2-val.	-
D. concatenata, Mich 2	jagged-leaved, bunch-rooted,	- - -	-	alb. purp.	foliis ternis ternatis, foliolis oblongis, incis.	-	flo. Aprili.
D. laciniata, Willd. }							
294 CARDAMINE, - - -	LADY'S-SMOCK, - - -	Idem.	4-ph. patens.	4-pet.	- - -	siliq. long. cylind. compress. 2-loc.	-
Pennsylvanica, Willd. 2	Pennsylvanian Water-cress.	- - -	-	alb.	foliis pinnatis: foliolis angulato-dentatis, obtusis.	-	flo. Maio.
Sisymbrium nasturtium, L. ?							
Cardamine fontana, [Lamarck?]							
295 SISYMBRIUM, - - -	WATER-CRESS, - - -	Idem.	4-ph. patens.	4-pet.	- - -	siliq. long. teres. 2-loc. 2-val.	-
amphibium, L. et Willd. 2	amphibious; Water-radish.	- - -	-	lut.	foliis pinnatifidis serratis.	-	flo. Junio
296 ERYSIMUM, - - -	HEDGE-MUSTARD, - - -	Idem.	4-ph. conniv.	4-ph.	- - -	siliq. 4-gona, stricta, 2-loc. 2-val.	-
1 officinale, L. ☉	official, - - -	- - -	-	lut.	foliis runcinatis.	-	flo. Junio.
2 barbarea, Cic. ? Sm. 2	Winter-cress.	- - -	-	lut.	foliis inferioribus lyratis, lobis terminali rotundato.	-	flo. Maio, et Junio.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
297 ARABIS, - - -	WALL-ORESS; TURKEY-POD.	Cruciferae.	4-ph. con-niv.	4-pet.	-	siliq. compress. linear. longiss.	
1 thaliana, Willd. et Curt. ☉	Mouse-ear, - - -	-	-	alb.	foliis radicalibus oblongis, petiolatis, caulinis lanceolatis sessilibus.	-	flo. Aprili.
2 lyrata, - L. ☉	lyre-leaved, - - -	-	-	alb.	foliis glabris: radicalibus lyratis, caulinis, subulcatis linearibus.	-	flo. Aprili.
3 falcata, Mich. 2/ } Canadensis, L.	sickle-podded. - - -	-	-	alb.	foliis lanceolatis, sessilibus, siliquis falcatis.	-	flo. Junio.
4 bulbosa, Muhl. 2/ } Cardamine rotundifolia, Mich.	tuberous, - - -	-	-	alb.	foliis suborbiculatis integerrimis.	-	flo. Maio.
298 TURRITIS, - - -	TOWER MUSTARD, - - -	Idem.	4-ph. con-niv.	4-pet.	-	siliq. long. giss. stricta 4-gona, 2-loc. 2-val.	flo. Maio.
laevigata, - Willd. 2/	American smooth, - - -	-	-	alb.	foliis glabris; radicalibus obovatis, serratis.	siliq. long. ter. depress.	
299 BRASSICA, - - -	CABBAGE, - - -	Idem.	4-pet. con-niv.	4-pet.	-	-	
1 oleracea, C. L. ♂	common, - - -	-	-	-	foliis laevibus, glaucis repandis.	-	
2 rapa, C. - L. ♂	common Dutch Turnip. - - -	-	-	-	foliis radicalibus lyratis, scabris.	-	
300 SINAPIS, - - -	MUSTARD, - - -	Idem.	4-ph. patens.	4-pet.	-	siliq. oblong inferne torosa.	flo. Junio.
nigra, - Cic. L. ☉	common, - - -	-	-	lut.	foliis summis, linearilanceolatis.	-	
301 RAPHANUS, - - -	RADISH, - - -	Idem.	clausus setosus.	-	-	siliq. torosa teres, ovalis, 1-2-loc.	
sativus, C. L. ☉ ♂	common, - - -	-	-	-	foliis lyratis.	-	

CLASSIS XVI.—MONADELPHIA.

ORDO I.—TRIANDRIA.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
302 SISYRINCHIUM, - - - Cavan. 24 S. gramineum, Curt. S. Bermudiana, Mich.?	- - - iris-leaved; Blue-eyed Grass. grass-leaved; pointed-leaved,	- - -	spath. 2-ph.	6-part.	- - - scapo simplici alato. - valva altera in mucronem longum desinente.	caps. obovat. 3-loc. - 3-val. - -	- - - flo. Junio. flo. Junio.

ORDO IV.—DECANDRIA.

303 GERANIUM, - - -	CRANE'S-BILL, - - -	Idem.	Gerania.	5-ph.	5-pet.	caps. 5-coccarostrata.	- - -
1 maculatum, L. 24	spotted Crow-foot.	- - -	- - -	- - -	car.	- - -	flo. Maio.
2 Columbinum? Willd. ☺	long-stalked,	- - -	- - -	- - -	car.	- - -	flo. Maio.
3 Carolinianum, L. ☺ [β. album.]	Carolina white-flowered,	- - -	- - -	- - -	alb.	- - -	flo. Maio.

ORDO V.—POLYANDRIA.

304 SIDA, - - -	INDIAN-MALLOW, - - -	Idem.	Malvaceae.	5-fid. simplex.	5-pet.	caps. plures 1-3-sperm.	- - -
1 spinosa, - - L. ☺	thorny, prickly, - - -	- - -	- - -	- - -	lut.	- - -	flo. Augusto
2 abutilon, - Willd. ☺	round-leaved, - - -	- - -	- - -	- - -	lut.	- - -	flo. Julio.
305 MALVA, - - -	MALLOW, - - -	Idem.	Idem.	duplex. 3 & 5.	5-pet.	caps. plures 2-val.	- - -
rotundifolia, - L. 24	round-leaved, - - -	- - -	- - -	- - -	car.	- - -	flo. Junio.
306 HIBISCUS, - - -	HIBISCUS, - - -	Idem.	Idem.	dupl.	5-pet.	caps. 5-loc. 5-val.	- - -
1 palustris, - L. 24 Obs. Habitat H. Moscheutos.	marsh, - - -	- - -	- - -	- - -	purp. et alb.	- - -	flo. Augusto
2 Syriacus, C. Willd. h Althæa frutex, L.	common Althæa. - - -	- - -	- - -	- - -	purp. et alb.	- - -	flo. Julio.
3 esculentus, C. L. ☺	Okra. - - -	- - -	- - -	- - -	alb.	- - -	flo. Augusto

CLASSIS XVII.—DIADELPHIA.

ORDO I.—HEXANDRIA.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
307 CORYDALIS, - Willd. } 1 cucullaria, Willd. 2/ } Fumaria cucullaris, [L. et Mich. Biscullata Canaden- } [sis, Marchant. Dicylra Canadensis, } [Bork.]	CORYDALIS, - - - - - naked-stalked, tuberous, hooded; Dutchman's- breeches.	Dicotyl. Papaveraceae, 2-ph.	-	ring.	- - - - -	silic. 1-loc. polysperm.	-
2 aurea, - Muhl. ☉	golden,	- - - - -	-	lut.	caule debile, foliis multifidis.	-	flo. Aprili.

ORDO II.—OCTANDRIA.

308 POLYGALA, - - -	MILKWORT; POLYGALA,	Idem. Pediculares. 5-ph.	-	papil.	- - - - -	caps. ob- cord. 2-loc.	-
1 sanguinea, L. ☉	blood-coloured, caducous,	- - - - -	-	ros.	foliis alternis, linearibus.	-	flo. Augusto
2 cruciata, - L. ☉	cross-shaped,	- - - - -	-	pallid. purp.	foliis quaterno-verticillatis.	-	flo. Augusto
3 verticillata, L. ☉	whorled, - - - - -	- - - - -	-	alb. ros.	foliis linearibus subverticilla- tis; caule ramosissimo.	-	flo. Julio.
4 lutea, - L. ☉	yellow-flowered, - - -	- - - - -	-	lut.	foliis radicalibus spatulatis, cæteris linearilanceolatis.	-	flo. Augusto

ORDO III.—DECANDRIA.

309 CROTALLARIA, - - -	RATTLE-BOX, - - - - -	Idem. Leguminosæ. 3-part.	-	papil.	- - - - -	legum. tur- gid. 1-loc.	-
sagittalis, - L. ☉ } C. sagittalis, β, oblon- } [ga, Mich.]	arrow, - - - - -	- - - - -	-	lut.	foliis ovali-oblongis.	2-val.	flo. Augusto
310 LUPINUS, - - -	LUPINE, - - - - -	Idem. Idem. 2-fld.	-	papil.	- - - - -	legum. cori- ac. 1-loc.	-
perennis, - L. 2/	perennial, common,	- - - - -	-	car.	caule foliisque glabresculis; radice perenne repente.	-	flo. Aprili.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
311 SPARTIUM, - - -	BROOM, - - -	Dicotyl.	Leguminosæ.	deorsum productus.	papil.	-	-
scoparium, C. L. 2	Spanish, - - -	-	-	-	lut.	foliis ternatis, solitariisque oblongis.	legum. obl. mono-aut. polysperm. flo. Julio.
312 PHASEOLUS, - - -	KIDNEY-BEAN, - - -	Idem.	Idem.	ring.	papil.	-	-
1 vulgaris, C. L. ☉	early, speckled, - - -	-	-	-	purp.	leguminibus pendulis.	-
2 perennis, Willd. 2/ }	perennial, - - -	-	-	-	purp.	foliolis lato-ovatis; leguminibus falcatis.	-
P. paniculatus, Mich. }	Carolina Lima Bean. -	-	-	-	virid.	leguminibus acinaciformibus.	legum. longum. cori. ac. flo. Julio.
3 lunatus, Hort. L. ☉	- - -	-	-	-	-	leguminibus pendulis, compressis, rugosis.	-
4 nanus, C. L. ☉	dwarf, - - -	-	-	-	-	-	legum. obl. longum. flo. Julio.
213 GLYCINE, - - -	GLYCINE, - - -	Idem.	Idem.	ring.	papil.	-	-
1 monoica, L. et Willd. ☉	monoicious, wild pea-vine, -	-	-	-	alb. car.	caule retrorsum piloso; foliis trifoliatis, membranaceis.	legum. obl. longum. flo. Augusto
var. æ. alba, - - -	white flowered, - - -	-	-	-	-	-	-
β. c.erulea, - - -	blue flowered, - - -	-	-	-	-	-	-
Obs. Flores sexu variant.—Mich.	- - -	-	-	-	-	-	-
2 angulosa, Willd. }	angular, three-lobe-leaved, -	-	-	-	purp.	foliis ternatis foliolis lateralibus bilobis, interdum rhomboideis ovalibus, terminali parabolico; superioribus trilobatis.	legum. obl. longum. flo. Augusto
Phaseolus trilobus, Mich. nec Willd. et Ait. qui Dolichos trilobus, Linnæi est. an P. angulosus, Pers.?	- - -	-	-	-	-	-	-
3 peduncularis, Muhl. 2/ }	long-stalked, - - -	-	-	-	purp.	foliis oblongo-ovalibus, subdeltoideo-oblongis, obtusiusculis: pedunculis longissimis.	legum. obl. longum. flo. Septembri.
Phaseolus helvolus, [L. et Mich.] }	- - -	-	-	-	-	-	-
4 β. parabolica, Muhl. mss. Obs. Cum precedente recensit forsitan altera species est.	- - -	-	-	-	pallid. purp.	foliis lanceolatis, subacuminatis; pedunculis longissimis.	legum. obl. longum. flo. Septembri.
5 apios, - L. 2/ }	tubercous; Wild Potatœe-vine. -	-	-	-	-	radice tuberosa esculenta; foliis pinnatis, foliolis ovalilanceolatis.	legum. obl. longum. flo. Augusto
314 Pisum, - - -	PEA, - - -	Idem.	Idem.	5-fid.	papil.	-	-
sativum, - L. }	common, - - -	-	-	-	-	petiolis teretibus; pedunculis multifloris.	legum. ven- tricos. -

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruct.	Time of Flowering.
315 Vicia, - - - - - Americana, Willd. 24	VETCH, - - - - - American, - - - - -	- - - - - - - - - -	5-fid.	papil.	- - - - - foliis elliptico-lanceolatis.	legum. long. 1-loc. 2-val.	flo. Maio.
316 STYLOSANTHES, Swa. relation, - - - - - Swa. S. hispida, ♂, hispidis- [sima, Mich. Trifolium biflorum, L. Arachis aprica, Walt.]	STYLOSANTHES, - - - - - tall, hispid, or hanging,	Idem. - - - - -	5-part.	papil.	- - - - -	legum. 2, articul. rotund.	-
317 GALEGA, - - - - - Virginiana, - L. 24 Obs. Formosissima planta culta in hortis nostris dignissima.	GOATS'-RUE, - - - - - Virginian, two-coloured,	Idem. - - - - -	5-fid.	papil.	- - - - - foliis lanceolatis acutis, gla- bris, ciliatis.	-	flo. Augusto
318 LESPEDEZA, Mich. 1 sessiliflora, Mich. 24 Hedysarum reticulatum, Muhl. H. junceum, Walt. Medicago Virginica, L.	LESPEDEZA, - - - - - netted-leaved,	Idem. - - - - -	5-part.	papil.	- - - - - foliis oblongis, leguminibus subfalcatis, molliter villo- sis.	legum. long. compress.	flo. Junio.
2 procumbens, Mich. 24 Hedysarum prostratum, Willd. nec H. divergens, Willd. (vide Pers.)	trailing, procumbent,	- - - - -	-	violac.	- - - - - foliolis oblongis, reticulatis.	legum. pu- sillum len- ticulat, monosper.	flo. Septem- bri.
3 capitata, - Mich. h L. fruticosa, Pers. Hedysarum frutescens, L. 4 polystachia, Mich. h Hedysarum hirtum, L.	shrubby, - - - - - many-spiked, hairy,	- - - - -	-	alb. purp.	- - - - - procumbens; foliolis ovalibus pedunculis setaceis.	-	flo. Augusto
319 HEDYSARUM, - - - - - * lomento 1-articulato. 1 violaceum, L. 24	HEDYSARUM, - - - - - violet-flowered, or Violet,	Idem. - - - - -	5-fid.	papil.	- - - - - foliis subsessilibus foliolis ob- longis.	leg. articulis 1-sperm.	flo. Septem- bri.
2 divergens, Willd. 24	spreading, - - - - -	- - - - -	-	viol.	- - - - - foliis ternatis, ellipticis obtu- sis.	-	flo. Augusto
3 repens, Willd. 24 ** lomento pluriaarticu- lato.	creeping, - - - - -	- - - - -	-	viol.	- - - - - ramis divergentibus.	-	flo. Augusto
4 paniculatum, L. 24	panicled, narrow-leaved,	- - - - -	-	purp.	- - - - - foliis ternatis, subrotundo-cl- ipticis, emarginatis, caule repente.	-	flo. Augusto
		- - - - -	-		- - - - - foliis ternatis, lineari-lanceo- latis floribus paniculatis.	-	flo. Augusto

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
5 viridiflorum, L. 4	green-flowered,	-	-	purp.	foliis trifoliatis, oblongo-ovalibus, sursum angustatis.	-	flo. Augusto
6 rotundifolium, Mich. 4 } H. canescens, Willd. }	round-leaved,	-	-	purp.	caule prostrato; foliis trifoliatis orbiculatis, utrinque pinnatis.	-	flo. Augusto
7 acuminatum, Mich. 4 } glutinosum, Muhl. }	clammy,	-	-	purp.	foliis trifoliatis, ovalibus, longe acuminatis.	-	flo. Julio.
8 nudiflorum, L. 4	naked-flowering,	-	-	violac.	ovali-trifoliatum: pedunculis subradicalibus.	-	flo. Augusto
9 Canadense, L. 4	Canadian,	-	-	purp.	foliis ternatis oblongo-lanceolatis.	-	flo. Julio.
10 bracteosum, Mich. ? } cuspidatum, Willd. }	sharp-pointed,	-	-	purp.	majusculum; foliis trifoliatis, oblongo-ovalibus, acuminatis; leguminibus articulatis subovalibus.	-	flo. Augusto
11 obtusum? - -	-	-	-	cær.	foliis ternatis ovatis obtusis, basi rotundatis seu subcordatis.	-	flo. Augusto
320 TRIFOLIUM, - -	TREFOIL.	<i>Dicotyl.</i>	Leguminosae. 5-dent.	papil.	-	leg. 1-val. decid.	-
1 reflexum, - L.	Buffaloe Clover.	-	-	rubr.	procumbens; floribus pedicellatis.	-	flo. Junio.
2 repens, - L. 4	white Clover.	-	-	alb.	caule repente.	-	flo. Junio.
3 pratense, Cic. L. 4	meadow red Clover.	-	-	rubr.	foliis ovalibus; stipulis aristatis.	-	flo. Junio.
4 arvense, - L. ☉	field; Hare's-foot; Bull's-clover.	-	-	alb.	spicis villosissimis, foliolis linearibus.	-	flo. Julio.
5 agrarium, L. ☉ } T. aureum, Pollich. }	large Hop-trefoil.	-	-	flav.	spicis ovalibus; stipulis lanceolatis.	-	flo. Junio.
6 procumbens, Schreb. ☉ } T. minus, Sm. }	small Hop-trefoil.	-	-	lut.	caule ramisque procumbentibus; stipulis brevi-ovatis.	-	flo. Junio.
7 campestre, Schreb. ☉ } T. procumbens, Sm. }	least Hop-trefoil.	-	-	lut.	caule subdifuso.	-	flo. Junio.

CLASSIS XVIII.—POLYADELPHIA.

ORDO II.—POLYANDRIA.

321 HYPERICUM, - -	St. John's-wort,	<i>Idem.</i>	Hyperica.	4-part.	5-pet.	-	caps. 1-5 loc. subrotund.
1 Virginicum, L. 4 } H. emarginatum, β. La- [mark?]	Virginian,	-	-	-	luteo-purp.	foliis ellipticis obtusis, subcordatis amplexicaulis.	flo. Augusto

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Russia.	Calix.	Coryolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
2 maculatum, Walt. et 24 [Michx.] H. corymbosum, Willd.	black-spotted,	-	-	lut.	foliis floribusque nigro-punctatis.	-	fl. Junio.
3 perforatum, Cic. L. 24	common,	-	-	lut.	foliis obtusis, pellucido-punctatis.	-	fl. Junio.
4 parviflorum, Willd. H. mutilum, L. H. quinquevium, [Walt. et Michx.] Obs. Omnino diversum ab H. Canadensi.	small-flowered,	-	-	lut.	foliis ellipticis obtusis, sessilibus.	-	fl. Julio.
5 Canadense, ^⑤ nec H. parviflorum, [Willd.]	Canadian,	-	-	lut.	foliis linearilanceolatis, caule quadrangulo.	-	fl. Julio.
6 * * *	angular,	-	-	lut.	caule quadrangulo erecto; foliis lanceolatis, obtusis, glabris stricte erectis; ramis oppositis.	-	fl. Julio.
322 ASYRUM, - h	ANDREW'S-CROSS; ST. PETER'S WORT.	Hyperica.	4-ph.	4-pet.	-	caps. 1-loc. 2-3-val.	-
1 hypericoides, Willd.	hypericum-like,	-	-	lut.	caule ancipite-erecto; foliis oblongis, rotundato-obtusis; ramis ancipitibus, floris; bus terminalibus sessilibus.	-	fl. Julio.
2 multicaule? -	many-stemmed,	-	-	lut.	foliis ovatis, basi attenuatis; caulibus procumbentibus.	-	fl. Junio.

CLASSIS XIX.—SYNGENESIA.

ORDO I.—POLYGAMIA ÆQUALIS.

323 TRAGOPOGON, -	GOAT'S-BEARD,	Idem.	Cichoraceae.	simpl.	ligul.	-	recep. nud. papp. plum. stipit.
porrifolius, C. L. 8	purple; Salsafi; Vegetable Oyster; Oyster-plant.	-	-	-	purp.	-	-
324 SONCHUS, -	SOW-THISTLE,	Idem.	Idem.	imbric.	ligul.	-	recep. nud. papp. ca- pill. sessil.
1 Floridanus, L. 5	blue-flowered,	-	-	-	cær.	-	fl. Augusto

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
2 oleraceus, - L. ☺	common yellow-flowered,	-	-	lut.	foliis oblongo-lanceolatis, amplexicaulibus sinuatis.	-	flo. Junio.
3 leucophaeus? 2/ [Willd. Lamark.]	white-flowered, -	-	-	ochrol.	foliis runcinatis, acuminatis.	-	flo. Augusto
S. spicatus, -	LETTUCE, -	Dicoty.	imbric.	ligul.	-	recep. nud. capill. stipitat.	-
1 elongata, Willd. et an L. longifolia, Muhl. Mich.?	tall; Fire-weed. -	-	-	lut.	foliis lævibus, inferioribus runcinatis, amplexicaulibus, superioribus lanceolatis, sessilibus.	-	flo. Julio.
2 sativa, C. - L. ☺	common, esculent, -	-	-	-	foliis rotundatis, caulinis cordatis.	-	-
326 PRENANTHES, -	WHITE-LETTUCE, IVY-LEAF.	Idem.	imbric. cal. ligul. cul.	-	-	recep. nud. papp. capill. sessil.	-
1 alba, - L. 2/	white-flowered, -	-	-	alb.	foliis subhastato-angulosis seu lobatis.	-	flo. Septembri.
2 cordata, Muhl. 2/	heart-leaved, various-leaved,	-	-	ochrol.	foliis variis, plerumque cordatis, sæpe obsolete cordatis, lobatis.	-	flo. Augusto
327 LEONTODON, -	DANDELION, -	Idem.	imbric.	ligul.	-	recep. nud. papp. pilos. stipit.	-
taraxacum, - L. 2/	common, -	-	-	lut.	foliis runcinatis.	-	April et per totam æstatem.
328 HIERACIUM, -	HAWK-WEED, -	Idem.	imbric.	ligul.	-	recep. nud. papp. capill. sessil.	-
1 venosum, - L. 2/	veiny-leaved, -	-	-	lut.	folia venis et punctis sanguineis picta.	-	flo. Junio.
2 Gronovii, - L. 2/	Gronovius' -	-	-	lut.	foliis radicalibus integerrimis obovatis, obtusis, ciliatis.	-	flo. Septembri.
3 paniculatum, L. 2/	panicled, -	-	-	lut.	foliis alternis lanceolatis nudis, dentatis.	-	flo. Julio, et Augusto.
4 scabrum, - Mich. 2/ H. marianum, Willd.	rough, -	-	-	lut.	foliis elliptico-obovatis strictis carina villosis.	-	flo. Augusto
529 HYOSCERIS, -	SWINE'S SUCCORY, -	Idem.	imbric. cal. ligul. cul.	-	-	recep. nud. papp. duplex. sessil.	flo. Junio.
1 amplexicaulis, Mich. H. prenanthoides, Muhl. H. biflora, - Walt.	stem-clasping, -	-	-	lut.	foliis radicalibus oblongo-ovatis, subintegris.	-	-
2 H? ramosissima, -	branching, -	-	-	lut.	caule ramosissimo furcato, foliis linearibus.	-	flo. Augusto

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruct.	Time of Flowering.
330 KRIGIA, - - - Virginia, Willd. ☉ Hyoecris Virginia, [Mich.]	KRIGIA, - - - Virginian, - - -	Dicoty.	simpl.	ligul.	- - -	recept. nud. papp. duplex.	fl. Maio.
331 CICHORIUM, - - -	ENDIVE, - - -	Idem.	calic.	ligul. 5-dent	- - -	recept. sub- paleac. papp. 5-dent.	fl. Junio.
1 intybus, - L. 24	Wild Succory, - - -	- - -	- - -	alb. vel. car.	foliis runcinatis. - - -	- - -	- - -
2 Endivia, C. L. β. crispum, } [& ☉]	common, - - -	- - -	- - -	- - -	foliis fimbriatis crispis.	- - -	- - -
332 ARCTIUM, - - -	BURDOCK, - - -	Idem.	imbric.	5-fid.	- - -	recept. pale- ac. papp. setosus. paleac.	fl. Septem- bri.
lappa, - - L. 24	common, - - -	- - -	- - -	purp.	foliis cordatis, petiolatis.	- - -	fl. Augusto
333 CINARA, - - -	CINARA, - - -	Idem.	imbric.	- - -	- - -	recept. setos. papp. ses- sil. plumos	fl. Septem- bri.
scolymus, C. L. 24	common Artichoke, - - -	- - -	- - -	- - -	foliis subspinosus, pinnatis.	- - -	fl. Augusto
334 CNICUS, - - -	THISTLE, - - -	Idem.	imbric.	5-fid.	- - -	recept. vil- los. papp. plumos.	fl. Julio.
1 lanceolatus, L. ♂	common, - - -	- - -	- - -	purp.	foliis decurrentibus hispidis pinnatifidis, lobis spinosis.	- - -	fl. Augusto
2 discolor, - Muhl. ♂	two-coloured, - - -	- - -	- - -	purp.	foliis sessilibus pinnatifidis hirtis, subtus tomentosis lobis spinosis.	- - -	fl. Septem- bri.
3 altissimus, Willd. ♂ 24	tall, - - -	- - -	- - -	albo purp.	foliis sessilibus oblongo-lan- ceolatis, scabris, subtus to- mentosis.	- - -	fl. Maio.
4 horridus, Mich. 24 C. lutescens, Gronovius. C. horridulus, Pers.	yellow-flowered, - - -	- - -	- - -	lutes.	foliis sessilibus pinnatifidis acute subdivisis spinosis	- - -	fl. Maio.
335 VERNONIA, Schreb. } CHRYSOCOMA, Walt. }	VERNONIA, - - -	Idem.	imbric.	5-fid.	- - -	recept. nud. papp. duplex.	fl. Augusto
1 Noveboracensis, Mich. 24 Serratula Noveboracensis, L. }	long, or narrow-leaved, - - -	- - -	- - -	incarnat.	foliis lanceolatis, scabris ser- ratulatis.	- - -	fl. Augusto

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
2 præalta, - Mich. 2 } Serratula præalta, L. Chrysocoma præalta, [H. P.]	tall, broad-leaved,	-	-	incarnat.	foliis ovato-lanceolatis serratis, subtus pubescentibus.	-	fl. Augusto
336 LIATRIS, Schreb. Anonymos, Walt.	LIATRIS, -	Dicoty.	imbric.	5-fid.	-	recep. nud. papp. plumos.	-
spicata, Willd. et Pers. 2 } L. macrostachya, Mich. Serratula spicata, L. Sutrago spicata, Gaert.	large-spiked: Blue Blazing-star,	-	-	purp.	foliis linearibus integerrimis, glabris, basi ciliatis, nervosis et punctatis.	-	fl. Augusto
337 BIDENS, - - -	BURR-MARIGOLD, -	Idem.	imbric.	5-fid. subrad.	-	recep. pale-ac. papp. 2-4-arist.	-
1 cernua, - L. ☉	nodding, -	-	-	lut.	foliis lanceolatis, sub-connatis, dentatis: floribus cernuis.	-	fl. Septembri.
2 chrysanthemoides, ☉ } [Mich. Coreopsis perfoliata, [Walt.]	large-flowered, -	-	-	lut.	foliis oblongis utrinque attenuatis dentatis, basi connatis.	-	fl. Septembri.
3 frondosa, L. ☉	leafy, -	-	-	lut.	foliis inferioribus pinnatis superioribus ternatis lanceolatis, serratis, cal. frondosa.	-	fl. Septembri.
4 bipinnata, - L. ☉	hemlock-leaved; common Spanish Needles.	-	-	lut.	foliis bipinnatis, foliolis lanceolatis pinnatifidis.	-	fl. Septembri.
338 CACALIA, - - - } atriplicifolia, L. 2 } C. glauca, Muhl. }	CACALIA, -	Idem.	calicul.	4-5-fid.	-	recep. nud. papp. pilos.	fl. Julio.
339 MIKANIA, - - - } scandens, - Willd. 2 } Eupatorium scandens, L. }	glaucous, orch-leaved,	-	-	alb.	foliis imis lato-cordatis sinuato-angulosis; caulibus subdeltoideis.	-	fl. Augusto
340 EUPATORIUM, - - -	MIKANIA, -	Idem.	simpl.	5-fid.	-	recep. nud. papp. pilos.	-
1 hyssopifolium, Willd. 2	smooth, climbing, -	-	-	alb.	foliis subhastato-cordatis, caule scandente.	-	fl. Augusto
2 sessilifolium, L. 2	HEMPWEED, -	Idem.	imbric.	5-fid.	-	recep. nud. papp. subplumos.	-
3 glandulosum, Mich. 2 } E. album, - L. }	hyssop-leaved,	-	-	alb.	foliis subverticillatis, linearibus.	-	fl. Augusto
4 lanceolatum, Willd. 2	sessile-leaved,	-	-	alb.	foliis ovato-lanceolatis, sessilibus.	-	fl. Augusto
	white, glandular,	-	-	alb.	foliis sessilibus, longo-lanceolatis.	-	fl. Julio.
	spear-leaved, -	-	-	alb.	foliis oblongo-lanceolatis, basi profunde serratis.	-	fl. Augusto

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruct.	Time of Flowering.
5 <i>teucriifolium</i> , Willd. 24	germander-leaved,	-	-	alb.	foliis sessilibus, ovatis, serratis.	-	flo. Augusto
6 <i>rotundifolium</i> , L. 24	round-leaved,	-	-	alb.	foliis sessilibus subrotundicordatis.	-	flo. Augusto
7 <i>mellisoides</i> , Willd. 24	balm-leaved,	-	-	alb.	foliis petiolatis ovatis, subserratis.	-	flo. Augusto
8 <i>ageratoides</i> , L. et 24 E. <i>urticæfolium</i> , Mich. } [Willd.]	nettle-leaved,	-	-	alb.	foliis ovatis, petiolatis, acuminatis trinerviis, serratis et glabris.	-	flo. Augusto
9 <i>trifoliatum</i> , Willd. 24	three-leaved,	-	-	alb. purp.	foliis terniis, quaternisve ovatis, utrinque attenuatis.	-	flo. Augusto
10 <i>purpureum</i> , L. 24 Obs. Diversum ab E. <i>purpureo</i> Mich. } clausi.	purple; Trumpet-weed.	-	-	alb. purp.	foliis lanceolato-ovatis, petiolatis, serratis, scabris; <i>caule fistuloso</i> .	-	flo. Augusto
11 <i>maculatum</i> , L. 24	spotted-stalked,	-	-	purp.	foliis ovato-lanceolatis, serratis subtus pubescentibus; caule solido sulcato.	-	flo. Julio.
12 <i>verticillatum</i> , Muhl. 24 E. <i>purpureum</i> , Mich. } an E. <i>trifoliatum</i> , L. ?	whorled,	-	-	alb. purp.	foliis ovato-lanceolatis, basi cuneiformibus, verticillatis.	-	flo. Julio.
13 <i>verbenæfolium</i> , Mich. 24 an E. <i>lanceolatum</i> ?	vervain-leaved,	-	-	alb.	foliis lanceolato-ovalibus, acutis, sessilibus.	-	flo. Julio.
14 <i>perfoliatum</i> , L. 24 E. <i>connatum</i> , Mich. }	perfoliate; Boneset; Thorough-wort; Thorough-wax; Cross-wort; Indian Sage.	-	-	alb.	foliis connato-perfoliatis.	-	flo. Augusto

ORDO II.—POLYGAMIA SUPERFLUA.

341 <i>TANAGETUM</i> , - - -	TANSEY,	-	-	-	-	-	recep. convex. nud.
vulgare, C. - L. 24	common,	-	-	lut.	foliis bipinnatis, incis, serratis.	-	-
342 <i>ARTEMESIA</i> , - - -	WORMWOOD,	-	-	discoid.	-	-	recep. plan. subnud.
1 <i>abrotanum</i> , C. L. 24	Southernwood; Old-man.	-	-	-	foliis inferioribus bipinnatis, superioribus pinnatis.	-	-
2 <i>absinthium</i> , C. L. 24	common,	-	-	-	foliis triplicato-pinnatifidis, subtus tomentosis.	-	-
3 <i>vulgaris</i> , - L. 24	Mugwort,	-	-	-	foliis pinnatifidis, subtus tomentosis	-	-

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
343 GNAPHALIUM, - - -	CUDWEED, - - -	Dicoty.	Corymbiferae, imbric.	discoid.	- - -	recep. nud. papp. pilos vel plumos	fl. Augusto
1 margaritaceum, L. ☿	pearly; common Life-ever-lasting; Deadman's-flow-er; Coffin-plant.	-	-	alb. <i>sive</i> lut.	foliis lineari-lanceolatis.	-	fl. Augusto
2 plantaginicum, Muhl. ☿ } G. plantaginifolium, L. }	plantain-leaved, - - -	-	-	alb.	foliis radicalibus obovatis.	-	fl. Aprili.
3 dioicum, - L. ☿	dioicous; Mouse-ear. -	-	-	alb.	foliis radicalibus spatulatis.	-	fl. Junio.
4 Pennsylvanicum, Willd.	Pennsylvanian, - - -	-	-	alb.	foliis subspatulatis.	-	fl. Maio.
5 purpureum, - L. ☿	purple-flowered, - - -	-	-	purp.	foliis lineari-spatulatis, sub-tus tomentos.	-	fl. Junio.
6 uliginosum, L. ☺	marsh, - - -	-	-	alb.	foliis lineari-lanceolatis, utrinque tomentos.	-	fl. Augusto
344 CONYZA, - - -	PLOWMAN'S-WORT, - - -	Idem.	Idem.	discoid. tubulos.	- - -	recep. nud. papp. capill.	fl. Julio.
asteroides, - L. ☺ } Aster Marilandicus, [Plucknet et Mich. A. conyzoides, Muhl.]	aster-like, - - -	-	-	alb.	foliis ovali-lanceolatis, superne sub-serratis.	-	fl. Julio.
345 ERIGERON, - - -	FLEA-BANE, - - -	Idem.	Idem.	radiat.	- - -	recep. nud. papp. capill.	fl. Augusto
1 Canadense, L. ☺	annual, - - -	-	-	alb.	foliis lanceolatis, imis serratis.	-	fl. Augusto
2 heterophyllum, Willd. ☿ } Aster annuus, L. }	various-leaved, - - -	-	-	alb. cær.	foliis radicalibus subrotundovatis, caulinis lanceolatis.	-	fl. Junio.
3 Philadelphicum, L. ☿	Philadelphian; Skevish; Scabish.	-	-	purp. cær.	foliis lanceolatis, subserratis.	-	fl. Junio.
4 pulchellum, Mich. } E. bellidifolium, Muhl. }	Robert's Plantain, - - -	-	-	alb. cær.	hirsutum: foliis radicalibus oblongo-ovalibus.	-	fl. Maio.
346 TUSSILAGO, - - -	COLTSFOOT, - - -	Idem.	Idem.	varia.	- - -	recep. nud. papp. capill.	fl. Maio.
farfara, C. - L. ☿	common, - - -	-	-	lut.	foliis subcordatis, angulatis, denticulatis.	-	fl. Aprili.
347 SENECIO, - - -	GROUNDSEL, - - -	Idem.	Idem.	radiat.	- - -	recep. nud. papp. capill.	fl. Aprili.
1 hieracifolius, Mich. ☺	hawkweed-leaved, - - -	-	-	O.	foliis amplexicaulibus, oblongis, acutis.	-	fl. Septembri.
2 vulgaris, - L. ☺	common, - - -	-	-	O.	foliis amplexicaulibus pinnatifidis dentatis.	-	fl. Junio.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
3 aureus, - L. 24	golden, heart-leaved,	-	-	lut.	foliis radicalibus cordatis rotundato-obtusis; caulinis petiolo pinnatifidis.	-	flo. Maio.
4 obovatus, Willd. 24	blunt-leaved,	-	-	lut.	foliis radicalibus obovatis serratis, petiolatis, caulinis pinnatifidis dentatis.	-	flo. Maio.
348 Aster, - - -	STAR-WORT,	Dicoty.	Corymbiferae. imbric.	radiat.	-	recep. nud. papp. capill.	-
1 solidagineus, Mich. 24 A. solidaginoides, Willd. A. dracunculoides, [Lamarck? Conyza linifolia, L. et [Walt.	white-topped, solidago-like, or, golden-rod-like,	-	-	alb.	foliis linearibus lanceolatis, obtusiusculis.	-	flo. Maio.
2 linariifolius, Willd. et 24 [Ait. an A. linariifolius, Mich.?	savory-leaved,	-	-	violac.	foliis linearibus, integerrimis, mucronatis, margine scabris.	-	flo. Octobre.
3 cricoites, - L. 24 var. β . A. tenuifolii, [secundum Muhl.	heath-leaved,	-	-	alb.	foliis linearibus, integerrimis.	-	flo. Septembri.
4 concolor, - L. 24 Oht. Species pulcherrima.	woolly, bunch-flowered,	-	-	car.	foliis ovali-lanceolatis integerrimis, sericeo-tomentosis.	-	flo. Septembri.
5 umbellatus, Ait. 24 A. amygdalinus, Mich. [et Lamarck.	umbell'd-flowered,	-	-	alb.	foliis lanceolatis, integerrimis.	-	flo. Augusto.
6 amplexicaulis, Willd. 24 [nec Mich. var. γ . A. cyanei, secundum Muhl.	stem-clasping,	-	-	car.	foliis ovato-oblongis, acutis, amplexicaulis, cordatis serratis.	-	flo. Septembri.
7 salicifolius, - Ait. 24	willow-leaved,	-	-	car.	foliis linearibus lanceolatis, integerrimis, glabris.	-	flo. Septembri.
8 spurius, - Willd. 24 var. β . Novæ Angliæ, [Muhl.	spurious,	-	-	car.	foliis lanceolatis, amplexicaulis, basi auriculatis; caule piloso.	-	flo. Septembri.
9 phlogifolius, Willd. 24 A. amplexicaulis, Mich.?	phlox-leaved,	-	-	car.	foliis lanceolatis integerrimis cordatis, amplexicaulis.	-	flo. Septembri.
10 undulatus, L. nec Ait. var. β . amplexicaulis, [Mich.	waving-stemmed,	-	-	car.	foliis oblongis, cordatis amplexicaulis.	-	flo. Septembri.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
11 patens, Willd. et Pers. 24 A. diversifolius, Michx. A. undulatus, β. Ait.	spreading-branched, or, various-leaved,	-	-	cær.	ramis patentibus; foliis inferioribus, alato-petiolatis, cordato ovatis superioribus sessilibus, ovali-lanceolatis, foliis lanceolatis, subserratis, caule ramosissimo glabro.	-	flo. Septembri.
12 paniculatus, Willd. 24	panicled, smooth-stalked,	-	-	cær.	foliis inferioribus petiolatis, cordatis, argute serratis acuminatis.	-	flo. Septembri.
13 cordifolius, L. et Michx. A. heterophyllus, Willd. 24	heart-leaved,	-	-	alb. cær.	foliis ovatis argute serratis, acuminatis, inferioribus cordatis petiolatis, nudis; caule corymboso-fastigiato	-	flo. Septembri.
14 corymbosus, Ait. 24	corymbed, heart-leaved,	-	-	alb.	foliis profunde et acuminatè serratis, longe acuminatis; petiolis alatis.	-	flo. Julio.
var. β. alatus, [Michx.]	wing-petioled,	-	-	alb.	foliis radicalibus imisque cordatis, petiolatis.	-	flo. Septembri.
15 macrophyllus, L. 24	large-leaved,	-	-	albo-cær.	foliis ellipticis, basi et apice subacuminatis.	-	flo. Julio.
16 cornifolius, Muhl. 24	dogwood-leaved, cornel-leaved,	-	-	alb.	-	-	flo. Julio.
17 puniceus, L. 24 A. hispidus, Lamark, [Dict. 35. A. amœnus, No. 29.]	red-stalked, hispid,	-	-	cær.	caule hispido, foliis subamplexicaulibus, lato-lanceolatis, variusculè serratis.	-	flo. Septembri.
18 laevis,* - Ait. 24	smooth,	-	-	cær.	foliis amplexicaulibus, oblongis integerrimis, lucidis; caule glabro.	-	flo. Octobre.
19 Philadelphicus, [Michx.] Obs. A. Tridescanti affinis.	Philadelphian,	-	-	alb.	ramis horizontalibus: foliis longiusculè linearibus.	-	flo. Augusto
20 miser, - L. et Ait. 24	small-flowered, little white,	-	-	alb.	foliis lanceolatis, subserratis, glabris, sessilibus.	-	flo. Septembri.
21 pendulus, - Ait. 24	pendulous,	-	-	alb.	foliis elliptico-lanceolatis, subserratis, glabris, reflexis; ramis pendulis.	-	flo. Septembri.
22 divergens, - Ait. 24	spreading, downy-stalked,	-	-	alb.	foliis elliptico-lanceolatis, serratis, glabris, caulibus linearilanceolatis, cion-gatis, ramis patentibus.	-	flo. fine Octobris.
23 diffusus, - Ait.	red-flowered,	-	-	alb.	foliis elliptico-lanceolatis, serratis, glebris.	-	flo. Septembri.
24 salsuginosus, Pur. Obs. Proximus A. subulato.	-	-	-	cær.	foliis lanceolatis argute subserratis; caule rubro.	-	flo. Septembri.
25 tenuiculus, - [Michx.] Obs. Nova species A. fragili affinis.	slender-branched,	-	-	-	foliis linearibus vel linearilanceolatis, medio obsolete et sparse serratis; ramulis debilibus.	-	flo. Septembri.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
449 SOLIDAGO,	GOLDEN-ROD,	-	-	-	-	recept. nud.	-
1 Canadensis, L. 2	Canadian,	-	-	radiat.	foliis lanceolatis, trinervis interdum serratis, sæpe integerrimis.	papp. capill.	fl. Augusto
2 gigantea, - Ait. 2	large,	-	-	lut.	foliis lanceolatis, serratis, margine scabris.	-	fl. Septembri.
3 aspera, - Ait. 2	rough-leaved,	-	-	lut.	foliis ovali-lanceolatis serratis rugosissimis.	-	fl. Septembri.
4 altissima, Ait. et Willd. 2	tall-stalked,	-	-	lut.	foliis lanceolatis, inferioribus profunde serratis, rugosis: caule hirsuto.	-	fl. Septembri.
5 scabra, - Willd. 2	rough,	-	-	lut.	foliis oblongis acuminatis supra glabris, subtus rugosis scabris.	-	fl. Augusto
6 patula, - Willd. 2	open-branched,	-	-	lut.	foliis ellipticis serratis, glabris, radicalibus oblongo-spathulatis: caule striato; racemis patentibus.	-	fl. Septembri.
7 ulmifolia, - Willd. 2	elm-leaved,	-	-	lut.	foliis ellipticis profunde serratis acuminatis, subtus villosis: pedunculis villosis.	-	fl. Augusto
8 arguta, - Ait. 2	sharp-notched, earliest flowering,	-	-	lut.	foliis glabris, argute serratis; caulibus ellipticis, radicalibus ovato-oblongis.	-	fl. Julio.
9 odora, - Ait. 2 Obs. Tota planta odoratissima.	sweet-scented, anise-scented,	-	-	lut.	foliis crebris lanceolatis, integris, margine nervoque asperimis.	-	fl. Julio.
10 bicolor, - L. 2	two-coloured,	-	-	alb.	foliis ovali-lanceolatis subalbicantibus.	-	fl. Augusto
11 petiolaris, - Ait. 2	late-flowering,	-	-	lut.	foliis ellipticis scabriusculis petiolatis: caule villosis.	-	fl. fine Octobris.
12 lanceolata, Ait. 2 S. lanceolata, var. æ. [Mich. Chrysochoma graminifolia, L.]	spear-leaved,	-	-	lut.	foliis lanceolato-linearibus integerrimis, trinervis, glabris.	-	fl. Augusto
13 cæsia, - Ait. 2 Obs. Valde affinis S. flexicauli, sed non idem.	blue-stemmed,	-	-	lut.	foliis lanceolatis, glabris, caule lævi subglaucis.	-	fl. Octobre.
14 rugosa? - Willd. 2	wrinkled,	-	-	lut.	foliis lanceolatis, scaberrimis, rugosis.	-	fl. Septembri.
15 flexicaulis, Ait. 2	crooked-stalked,	-	-	lut.	foliis petiolatis, ovatis acuminatis, serratis, glabris: caule flexuoso.	-	fl. Septembri.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
16 latifolia, Muhl. 4 var. β . flexicaulis, se- [cundum L.]	broad-leaved,	-	-	-	foliis ovatis, acuminatis, serratis.	-	flo. Septembri.
17 rigida, - Ait. 4	heart-leaved,	-	-	-	foliis ovato-oblongis, pilosis scabris, caulibus integerrimis, infirmis serratis.	-	flo. Septembri.
350 INULA, - - -	ELEGAMPANE, - - -	Dicotyl.	imbric.	radiat.	-	recep. nud. papp. capill.	-
1 helenium, C. L. 4	common,	-	-	-	foliis amplexicaulibus ovatis rugosis; subtus tomentosis.	-	flo. Julio.
2 mariana, Willd. 4	wild; Yellow-aster.	-	-	-	foliis sessilibus, oblongo-lanceolatis, basi attenuatis.	-	flo. Septembri.
351 HELENIUM, - - -	HELENIUM, - - -	Idem.	simpl.	radiat.	-	recep. nud. papp. 5-angul.	-
autumnale, - Willd. ☺	smooth; Sneezeweed.	-	-	-	foliis serratis, glaberrimis.	-	flo. Augusto.
352 CHRYSANTHEMUM, -	OX-EYE DAISY, - - -	Idem.	imbric.	radiat.	-	recep. nud. convex.	-
leucanthemum, L. 4	common; White-weed.	-	-	-	foliis amplexicaulibus lanceolatis serratis, basi incisedentatis.	-	flo. Maio.
353 ANTHEMIS, - - -	CHAMOMILE, - - -	Idem.	hæmisphe. subæqualis	radiat.	-	recep. paleac. papp. marginæ O.	-
1 cotula, - L. ☺	wild; May-weed.	-	-	-	foliis bipinnatis; foliolis subulatis tripartitis.	-	flo. Junio.
2 nobilis, C. - L. 4	common, or officinal,	-	-	-	foliis bipinnatis.	-	-
354 ACHILLEA, - - -	MILFOIL, - - -	Idem.	imbric.	radiat.	-	recep. paleac. papp. O.	-
millefolium, - L. 4	common; Yarrow.	-	-	-	foliis bipinnatis, hirtis.	-	flo. Junio.
355 HELIOPSIS, - Pers. 4	OX-EYE, - - -	Idem.	imbric.	radiat.	-	recep. paleac.	-
lævis, - Pers. 4 Bupthalmum helian- [thoides, L. Helianthus lævis, L. [et L'Her. Stirp. Rudbeckia oppositifolia, L. Silphium solidaginoides, L.]	smooth,	-	-	-	foliis oppositis ovatis, serratis, triplinerviis.	-	flo. Julio.

ORDO III.—POLYGAMIA FRUSTRANA.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
356 HELIANTHUS, -	SUN-FLOWER, -	Dicotyl.	Corymbiferae.	imbric.	radiat.	-	-
1 mollis, - Willd. 2 } H. tomentosus, Mich. }	soft-leaved, -	-	-	-	lut.	foliis ovatis acuminatis triplinerviis, supra scabris, subtus cano-pubescentibus, molissimis.	flo. Julio.
2 trachelifolius, Willd. 2	throatwort-leaved, -	-	-	-	lut.	foliis ovato-lanceolatis, acuminatis, serratis, triplicinerviis, utrinque scaberrimis.	flo. Augusto
3 divaricatus, L. 2	rough-leaved, -	-	-	-	lut.	foliis oppositis, sessilibus ovato-oblongis vel lanceolatis trinerviis, scabris.	flo. Augusto
4 annuus, C. - ☉	annual, common large,	-	-	-	lut.	foliis cordatis.	flo. Junio.
357 RUDBECKIA, -	RUDBECKIA, -	Idem.	Idem.	imbric.	radiat.	-	-
1 laciniata, - L. 2	jagged-leaved, -	-	-	-	lut.	foliis sub-pinnato-laciniatis, segmentis ovali-lanceolatis.	flo. Augusto
2 pinnata, - Mich. 2	pinnate, -	-	-	-	lut.	foliis laciniato-pinnatis, segmentis lanceolatis.	flo. Augusto
358 COREOPSIS, -	THICK-SEED-SUN-FLOWER, -	Idem.	Idem.	subimbric.	radiat.	-	-
alternifolia, - L. 2 } Verbena coreopsis, [Mich. }	alternate-leaved, -	-	-	-	lut. vel alb.	foliis lanceolatis, serratis, alternis; caule alato.	flo. Augusto
359 CENTAUREA, -	CENTAURY; KNAP-WEED, -	Idem.	Cinarocephalae.	imbric.	difform.	-	-
benedicta, L. Hort. ☉	Blessed Thistle, -	-	-	-	lut.	foliis semi-decurrentibus, denticulato-spinosis.	flo. Junio.
360 CALENDULA, -	CALENDULA, -	Idem.	Corymbiferae.	polyph.	-	recep. nud. papp. nullus.	-
officinalis, - L. ☉	official; common Soup-marigold.	-	-	-	lut.	seminibus cymbiformibus.	-

CLASSIS XX.—GYNANDRIA.

ORDO I.—MONANDRIA.

Systematic Names.		English, Vulgar, and Vernacular Names.		Natural Families of Jussieu.		Calix.	Corolla.	Form of the Leaves, &c.		Fruit.	Time of Flowering.
361	ORCHIS, - - -	ORCHIS, - - -	- - -	Monocoty.	Orchideae.	spath.	5-pet. et nect. calcar.	- - -	- - -	caps. oblong. 1-loc. 3-val.	-
1	ciliaris, - L. 24.	yellow-fringed,	- - -	-	-	-	-	labello tripartito, laciniis multipartitis.	-	-	fl. Augusto
2	O. ciliaris, α . lutea, Mich. }	white-fringed,	- - -	-	-	-	alb.	labello lanceolato, ciliato.	-	-	fl. Augusto
3	blephariglottis, Willd. }	purple-fringed,	purple-tattered, fimbriated,	-	-	-	purp.	labello tripartito, laciniis cuneiformibus ciliatis.	-	-	fl. Julio.
4	O. ciliaris, β . alba, Mich. }	pale, low, shewy,	- - -	-	-	-	rosea.	foliis radicalibus binis ovalibus.	-	-	fl. Maio.
5	fimbriata, - Ait. 24.	three-toothed, dentated,	- - -	-	-	-	alb.	labello lanceolato apice tri-dentato.	-	-	fl. Augusto
6	lacera, - Mich. 24.	ragged,	- - -	-	-	-	alb.	labello elongato tripartito calcare longitudine germinis.	-	-	fl. Julio.
362	NEOTTIA, - Swa. }	NEOTTIA, - - -	- - -	Idem.	Idem.	-	5-pet. ring. et nect. calcar.	- - -	-	caps. oblong. 1-loc. 3-val. anthera postica.	-
1	tortilis, - Swa. }	three-lobed, spiral,	- - -	-	-	-	alb.	labello trilobo; spica tortili.	-	-	fl. Augusto
	Satyrion spirale, Swa. }	- - -	- - -	-	-	-	-	- - -	-	-	-
	Ophrys æstivalis, L. }	- - -	- - -	-	-	-	-	- - -	-	-	-
	Limodorum præcox? }	- - -	- - -	-	-	-	-	- - -	-	-	-
	Orchis spiralis, L. et [Valliant.] }	- - -	- - -	-	-	-	-	- - -	-	-	-
2	cernua, - Swa. 24.	drooping; Ladies'-traces.	- - -	-	-	-	alb.	labello oblongo acuto, floribus cernuis.	-	-	fl. Augusto
	Ophrys cernua, L. et [Mich. }	- - -	- - -	-	-	-	-	- - -	-	-	-
	Limodorum? autumnale, Walt. }	- - -	- - -	-	-	-	-	- - -	-	-	-
3	pubescens, Willd. 24.	hairy, veiny-leaved; Rattlesnake-plantain.	- - -	-	-	-	alb.	foliis radicalibus ovatis petiolatis reticulatis; labello ovato acuminato.	-	-	fl. Julio.
	Satyrion repens, Mich. }	- - -	- - -	-	-	-	-	- - -	-	-	-

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
363 ARETHUSA,	-	-	-	-	-	caps. oblong, 1-loc. 3-val.	-
1 ophioglossoides, L.	Alder's-tongue,	-	-	5-pet. et nect. ecalcar. purp.	caule diste bifoliato subumbellato; foliis ovato-oblongis.	-	flo. Junio.
2 pendula,*	drooping,	-	-	albo purp.	-	-	flo. Augusto
3 verticillata,	whorled,	-	-	atropurp.	foliis verticillatis.	-	flo. Maio.
364 MALAXIS,	-	-	-	-	-	-	-
1 unifolia, - Mich. 24 M. ophioglossoides, [Willd.]	MALAXIS,	Idem.	Idem.	patens 5-pet. et nect. ecalcar. adscenden.	-	caps. pedicell. obl. theri opercularis.	flo. Julio.
2 liliifolia, - Pers. 24 Ophrys liliifolia, L.	one-leaved, lily-leaved,	-	-	alb. lut. virid.	scapo unifoliato, folio ovato-cordato, spica oblonga.	-	flo. Junio.
3 Correana, - [mili.]	Correan Malaxis.	-	-	virid. lut.	foliis binis ovato-lanceolatis; scapo triquetro; labello concavo obovato, apice acuto.	-	flo. Junio.
365 CYMBIDIUM, - Swa.	CYMBIDIUM,	Idem.	Idem.	5-pet. erect. et nect. ecalcar.	bulbo subrotundo, scapo bifoliato, foliis lato-lanceolatis; spica oblonga; labello cordato, concavo, canaliculato, petalis brevior.	caps. 3-6 carin. 1-loc. oblong. antheri opercularis decidua.	flo. Julio.
1 pulchellum, Swa. 24 Limodorum tuberosum, [L. et Mich.]	tuberous,	-	-	purp.	foliis radicalibus ensiformibus nervosis; labello erecto.	-	flo. Maio.
2 hyemale, Willd. Ophrys hyemalis, L. Obs. Planta rusticissima.	Winter-green; Adam & Eve.	-	-	viridi-lutes.	folio unico radicale ovato, et facie foliorum veratri; labello obovato. Secundum Willd. foliis radicalibus geminis.	-	flo. Septembri.
3 odontorhizon, Willd. Ophrys corallorhiza, [Mich. nec L.]	large tooth-rooted,	-	-	purp.	scapo vaginato aphyllis; labello ovato obtuso.	-	-

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
4 corallorhiza,* Wild. <i>Ophrys corallorhiza</i> . [L. nec Mich.]	small coral-rooted,	-	-	-	scapo vaginato aphyllō; labello oblongo acuto.	-	flō. Augusto
ORDO II.—DIANDRIA.							
366 CYPRIPEDIUM, -	LADIES'-SLIPPER; NOAH'S-ARK	-	-	4-5-pet. et nect. ven- tricos.	-	caps. obovat. 1-loc. 3-val.	-
1 acaule, - Ait. 24 C. humile, Swa. Salis. [et Willd.]	stemless, dwarf, low, purple,	-	-	nect. purp.	scapo aphyllō unifloro; foliis radicalibus geminis, oblongis, obrusis.	-	flō. Maio.
2 pubescens, Willd. 24 C. flavescens, Pl. liliac.	hairy, yellow,	-	-	nect. lut.	caule folioso; labell. petalis breviorē compresso.	-	flō. Maio.
ORDO III.—HEXANDRIA.							
367 ARISTOLOCHIA, -	BIRTHWORT,	Idem.	O.	1-pet.	-	caps. 6-an- gul. 6-loc.	flō. Junio.
serpentaria, Willd. 24	Snake-root,	-	-	purp.	foliis cordatis oblongis acuminatis; pedunculis radicalibus.	-	-
CLASSIS XXI.—MONOECIA.							
ORDO II.—DIANDRIA.							
368 LEMNA, -	DUCK-WEED,	Idem.	1-ph.	O.	-	caps. glo- bos. 1-loc. 2-sperm.	-
minor, - L. 24	small,	-	-	-	foliis ellipticis, basi cohaerentibus.	-	-
ORDO III.—TRIANDRIA.							
369 TYPHA, -	CATS'-TAIL,	Idem.	mascul. 3-ph.	O.	-	fructus cy- lindr. sem. ovat. 1.	flō. Junio.
latifolia, - L. 24	broad-leaved; Water-flag; Reed-mace.	-	-	-	foliis subensiformibus; spica mascula femineaque ap- proxinais. <i>Willd.</i>	-	-
370 SPARGANIUM, -	BUR-REED,	Idem.	3-ph.	O.	-	drup. exsusc. 1-sperm.	flō. Junio.
ramosum, - Sm. 24	branching,	-	-	-	foliis basi triquetris; pedun- culo communi ramoso.	-	-

<i>Systematisch. Nomen.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
371 ZEA, - - - Willd. ☉	INDIAN-CORN; MAIZE.	Monocoty.	2-val.	2-val.	-	recep. com- mun. sem. subrotund.	-
mays, - - - Willd. ☉	- - -	-	-	-	foliis integerrimis.	-	-
a. autumnalis, - - -	late, - - -	-	-	-	-	-	fl. August.
β. aestivalis, - - - Pers. }	early, - - -	-	-	-	-	-	fl. Junio.
β. præcox, - - - Pers. }	- - -	-	-	-	-	-	-
372 CAREX, - - -	SEDGE; SEG.	Idem.	val.	O.	-	sem. l, ovat. acut. tri- quet.	-
1 scoparia, - Willd. 4	broom-like, - - -	-	-	-	spiculis subquinis alternis, el- lipticis obtusis.	-	fl. Junio.
2 multiflora, Willd. 4	many-flowered, - - -	-	-	-	fructibus ovatis acuminatis bicuspidatis.	-	fl. Maio.
3 rostrata, - Mich.	beaked, - - -	-	-	-	spicis fem. duabus subsessi- libus, macula sessili.	-	fl. Maio.
4 folliculata, - L. 4	round-spiked, - - -	-	-	-	spiculis fem. 1-3. mascula unica.	-	fl. Junio.
373 COMPTONIA, - - -	COMPTONIA, - - -	Dicoty.	mas. 2-ph. fem. 6-ph. ament.	O.	-	nux ovalis, 1-loc. eval- vis.	-
asplenifolia, - Ait. 4	- - -	-	-	-	-	-	fl. Aprili.
Liquidambar aspleni- [folium, L.]	fem-leaved; Sweet-fem; Sweet-ferry; Fem-leav- ed-gale.	-	-	-	foliis lineari-lanceolatis pro- funde dentatis.	-	-
374 SERPICULA, Pers. et Muhl.	SERPICULA, - - -	Idem.	mas. 4-dent. mas. 4-pet. fem. 4-part fem. 3-pet.	-	-	nux cylindr. 1-loc.	-
verticillata, - Pers.	- - -	-	-	-	-	-	-
Eledia Canadensis, Mich.	- - -	-	-	-	-	-	-
Hottonia serrata, Willd. [Syn. 1, p. 171.]	whorled-leaved, - - -	-	-	alb.	foliis verticillatis lineari-ova- tis.	-	fl. Junio.
β. angustifolia, - - -	narrow-leaved, - - -	-	-	-	foliis linearibus.	-	fl. Junio.
ORDO IV.—TETRANDRIA.							
375 ALNUS, - - -	ALDER, - - -	Idem.	1-ph.	mas. 4-part. fem. O.	-	strobilus, sem. angul.	-
serrata, - Willd. 4	- - -	-	-	-	-	-	-
Betula serrata, Ait.	sawed-leaved, common; Ha- zel-alder.	-	-	-	foliis obovatis acuminatis.	-	-
B. rugosa, Ehrhart.	- - -	-	-	-	-	-	-

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
376 Buxus, - - - L. h sempervirens, C.	Box, - - - common,	Euphorbiae.	mas. 3-ph. fem. 4-ph.	mas. 2-pet. fem. 3-pet.	- - - foliis ovatis.	caps. subrotund. 3-loc.	
377 BOEHMERIA, - - - cylindrica, - Willd. 2 } Urtica cylindrica, L. }	BOEHMERIA, - - - cylindrical,	Urticaceae.	mas. 4-part. fem. O.	O.	- - -	sem. 1, subrotund. marginat.	flo. Augusto
378 URTICA, - - - 1 pumila, - L. ☺ 2 dioica, - L. 2	NETTLE, - - - pellucid; Rich-weed. common,	Idem.	mas. 4-ph. fem. 2-val.	4-pet.	- - - foliis oppositis ovatis acuminatis trinerviis serratis. foliis oppositis, cordatis, ovato-lanceolatis, grosse serratis.	sem. 1, ovat. nitid.	flo. Augusto
3 Canadensis, L. 2	Canadian, - - -	Idem.	- - -	- - -	foliis alternis cordato-ovatis.	- - -	flo. Septembri.
379 MORUS, - - - h 1 alba, C. - L. 2 rubra, - - L.	MULBERRY, - - - white, red,	Idem.	mas. 4-part.	fem. 4-ph.	foliis profunde cordatis. foliis cordatis ovatis acuminatis.	bacca. - - -	flo. Maio.

ORDO V.—PENTANDRIA.

380 XANTHIUM, - - - strumarium, - L. ☺	CLOTWEED. - - - Lesser Burdock.	Corymbiferae. squam.	5-fid.	- - -	caule inermi, foliis cordatis trinerviatis, asperis.	drupa sicca aculeata.	flo. Septembri.
381 AMBROSIA, - - - 1 trifida, - L. ☺ 2 artemesifolia, Willd. ☺ A. absinthifolia, Mich. }	AMBROSIA; HOGWEED. trifid-leaved, Wormwood-leaved,	Idem.	1-ph. 5-fid.	- - -	- - - foliis trilobis serratis.	nux subovat coronata dentibus 5.	flo. Septembri.
382 AMARANTHIUS, - - - 1 albus, - Willd. ☺	AMARANTH, - - - white,	Idem.	3-5-ph.	O.	foliis bipinnatifidis subtus cuneiscentibus. foliis obovatis.	caps. ovat. 1-loc. circumsciss. 1-sperm.	flo. Septembri.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
2 <i>hyaridus</i> , L. et Willd. ☉	cluster-flowered,	-	-	-	foliis ovato-lanceolatis.	-	flo. Augusto
3 <i>spinosus</i> , Willd. ☉	prickly,	-	-	-	racemis terminalibus compositis, axillis spinosis.	-	flo. Augusto
ORDO VI.—HEXANDRIA.							
383 <i>ZIZANIA</i> ,	AMERICAN-RICE,	Monocoty.	-	12-val.	-	sem. oblong. nuda.	-
<i>aquatica</i> , L. (sp. pl. 1408.)							
<i>Z. palustris</i> , L. (man- [issa, 2, 295.)							
<i>Z. palustris</i> , Schreber. (Gram. p. 54, tab. 29.)	Water-oats; Wild-oats; Wild- rice.	-	-	-	panicula inferne ramosa; su- perne spicata.	-	flo. Septem- bri.
<i>Z. clavulosa</i> ? Muhl.							
ORDO VII.—POLYANDRIA.							
384 <i>MYRIOPHYLLUM</i> ,	WATER-MILFOIL,	Acoty.	4-ph.	O.	-	sem. 4, ob- long. nud.	-
heterophyllum? Mich.							
<i>Potamogeton verticil-</i> [atum? Walt.]	various-leaved,	-	-	-	foliis inferioribus capillaceo- pinnatis; superioribus ova- libus, argute serratis.	-	-
385 <i>SAGITTARIA</i> ,	ARROW-HEAD,	Monocoty.	3-ph.	3-pet.	-	recep. glo- bos. sem. compress.	-
1 <i>sagittifolia</i> , Mich. 4	pointed,	-	-	alb.	foliis sagittatis, auribus de- pendentibus.	-	flo. Julio.
var. <i>β. latifolia</i> ,	broad-leaved,	-	-	alb.	foliis sagittatis lobis latis.	-	flo. Julio.
2 <i>obtus</i> ,	blunt-leaved,	-	-	alb.	foliis ovatis rotundato-obtu- sis sagittatis.	-	flo. Augusto
3 <i>acutifolia</i> , Pur. et Willd. } <i>S. graminifolia</i> , Muhl. } Ols. Species magnitudine perquam varians. Vili sub florations, VII ultra unciatam.	sharp-leaved,	-	-	alb.	foliis subulatis basi vaginanti- bus, dorso convexis; scapo simplici paucifloro, floribus monocicis bracteis dilatatis acuminatis. <i>Pursh.</i>	-	flo. Augusto
4 <i>lanceifolia</i> ,	-	-	-	alb.	foliis lato-lanceolatis, inferne angustatis.	-	flo. Julio.
386 <i>FAGUS</i> ,	BEECH,	Dicoty.	mas. 6-fid. fem. 4-fid.	O.	-	nucis 2, tri- quet.	-
ferruginea?	rusty-leaved,	-	-	-	foliis ovatis acuminatis, sub- tus pubescentibus serratis.	-	flo. Maio.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
387 CASTANEA, Tourn. Gaert.	CHESNUT,	-	-	-	-	-	-
vesca: <i>Americana</i> , Mich. h	common,	-	-	-	foliis lanceolatis, acuminatis serratis.	nucis 2, 3, hinc con-	flo. Junio.
388 QUERCUS, - h	OAK,	-	-	-	-	nux.	-
1 phellos, - L.	willow-oak,	-	-	-	foliis linearilanceolatis, integerrimis, glabris.	-	flo. Maio.
3 alba, - L.	white,	-	-	-	foliis subæqualiter pinnatifidis; lacinis oblongis obtusis, plerumque integerrimis.	-	flo. Maio.
3 Banisteri, Mich. et f. }	bear, barren; Black-scrub;	-	-	-	foliis longe petiolatis, acutangulo-quinquelobis, marginè integris.	-	flo. Maio.
Q. illicifolia, Willd. }	Dwarf-red; running,	-	-	-	foliis obovatis acutis, grosse dentatis, dentibus subæqualibus.	-	flo. Maio.
4 prinus monticola, Mich. f. }	Rock-chesnut,	-	-	-	foliis oblongo-ovalibus, acuminatis acutisve, subimbricatis dentatis.	-	flo. Maio.
Q. montana, Willd. }	-	-	-	-	foliis profunde sinuosis.	-	flo. Maio.
5 prinus palustris, Mich. f. }	Chesnut-white; Swamp-ches-	-	-	-	foliis oblongo-ovatis; subtus albo-tomentosis.	-	flo. Maio.
Q. prinus, Willd. }	nut; White-oak, (in Georgia.)	-	-	-	-	-	-
6 tinctoria? - Bart.	black, dyers,	-	-	-	-	-	-
7 prinus discolor, Mich. f. }	swamp-white,	-	-	-	-	-	-
[nec Willd. }	-	-	-	-	-	-	-
Q. prinus tomentosa, [Mich. }	-	-	-	-	-	-	-
Q. bicolor, Willd. }	-	-	-	-	-	-	-
8 palustris, Du Roi, Mich. }	swamp; Pin; Swamp-Spanish;	-	-	-	foliis profunde sinuatis, glabris, sinubus latis.	-	flo. Maio.
[et allie. }	Dwarf-swamp,	-	-	-	-	-	-
389 CARPINUS, - -	HORN-BEAM,	-	-	-	foliis oblongo-ovalibus.	nux ovata sulcata.	flo. Aprili.
Americana, - Mich. h	American,	-	-	-	-	-	-
Obs. Habitus Bauli.	-	-	-	-	-	-	-
390 PLATANUS, - -	PLANE-TREE,	-	-	-	pluripetal.	fructus globos. scm. subrotund	flo. Maio.
occidentalis, - L. h	lobed, Button-wood; Sycamore; Water-beech; Cotton-tree.	-	-	-	-	-	-
391 JUGLANS, - - h	WALNUT,	-	-	-	foliis lobato-angulosis.	-	-
- - -	-	-	-	-	-	drupa sicca, nux maxima.	-
1 regia, Cic. - L.	common,	-	-	-	foliis subovatis ovatis, glabris, subserratis.	-	flo. Maio.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
2 nigra, - L.	black round-fruited,	-	-	-	foliolis subcordatis, superne angustatis, serratis.	-	flo. Maio.
3 cathartica, Cutler et [Mich. f. L.]	white; Butter-nut; Oil-nut.	-	-	-	foliolis lanceolatis basi rotundato-obtusis.	-	flo. Maio.
4 squamosa, Mich. f. Gaert. [et Willd.]	Shell-bark Hickory; Shag-bark Hickory; Sealy-bark Hickory.	-	-	-	foliolis longe petiolatis, ovato-acuminatis, serratis subtus villosis.	-	flo. Maio.
5 laciniosa, Mich. f. J. compressa, β. macrocarpa, }	thick Shell-bark Hickory.	-	-	-	foliolis ovato-acuminatis, serratis, subtomentosis.	-	flo. Maio.
6 tomentosa, Mich. et f. J. alba, Willd. }	common Hickory; Mockernut Hickory; White-heart Hickory.	-	-	-	foliolis leviter serratis, subtus conspicue villosis.	-	flo. Maio.
7 porcina, Mich. f. J. glabra, Muhl. }	smooth Hickory; red Hickory; Pig-nut; Hog-nut; Broom Hickory.	-	-	-	foliolis ovato-acuminatis, serratis, glabris.	-	flo. Maio.
392 BETULA, - -	BIRCH, - -	Dicotyl.	squama.	squama.	- - - -	ament. semi-alat.	-
populifolia? - Ait. h	poplar-leaved; Broom,	-	-	-	- - - -	-	-
393 CORYLUS, - -	HAZEL, - -	Idem.	squama.	O.	- - - -	nux. ovat.	-
1 avellana,* C. - L.	common, - -	-	-	-	foliis subrotundis cordatis, acuminatis.	-	flo. April.
2 Americana, - Walt.	American, - -	-	-	-	foliis lato-cordatis.	-	flo. April.
394 LIQUIDAMBAR, - -	SWEET-GUM, - -	Idem.	4-ph.	O.	- - - -	caps. ovat. 1-loc.	-
styraciflua, - L. h	maple-leaved; Bilstead.	-	-	-	foliis palmatis, lobis acuminatis.	-	flo. Maio.
395 POTERIUM, - -	BURNET, - -	Idem.	4-ph.	mas. 4-part. fem. 5-part	- - - -	bacca ex-succa angulata.	-
sanguisorba, C. L. 74	garden, common, - -	-	-	-	caulibus subangulosis.	-	flo. Junio.
396 ARUM, - -	WAKE-ROBIN. - -	Monocoty.	spatha.	O.	- - - -	bacca globosa 1-loc. polysperm.	-
1 dracontium, Willd. 74	Green-dragon; Dragon-root.	-	-	-	foliis pedatis; spadice subulato.	-	flo. Junio.

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
2 triphyllum, L. 2 var. α . virens, - β . atropurpurea, Pers. } [atrorubens, Muhl. }	three-leaved; Indian-turnip. - - - - -	- - - - -	- - - - -	- - - - -	foliis tematis integerrimis. spatha virescente. - spatha atropurpurea. -	- - - - - - - - -	fl. Maio. - fl. Maio.
397 CALLA, - - - Virginia, Mich. 2 } Arum Virginicum, L. }	CALLA, - - - Virginian, - - -	Monocoty. - - - - - -	spath. - - - - - -	O. - - - - - -	- - - foliis hastato-cordatis acutis, angulis obtusis.	bacca pul- posa 1-loc. polysperm. - - -	- - fl. Junio.
ORDO VIII.—MONADELPHIA.							
398 PINUS, - - - 1 inops, - L. et Ait. 2 mitis, - Mich. 3 rupestris, Mich. f. } P. Banksiana, Lam. }	PINE, - - - Jersey, scrub, - - short-leaved, yellow, spruce, grey, - - - - -	- - - - - - - - - - - - - - - - - - - -	Coniferae. - - - - - - - - - - - - - - -	squam. - - - - - - - - - - - - - - - -	- - - - - foliis binis crassiusculis stro- bilis fuscis. foliis binis tenuiusculis stro- bilis sub-rubris. foliis binis rigidis, uncialibus strobilis cinereis.	strobilus, sem. nux. - - - - - - - - -	fl. Maio. - fl. Maio. - fl. Maio.
399 THUJA, - - - occidentalis, Hort. L.	ARBOR-VITÆ; TREE OF LIFE. American, White Cedar.	Idem. - - - - -	Idem. - - - - -	squam. - - - - - -	- - - - - foliationis articulis suborbi- culatis.	strobilus, sem. obl. - - -	fl. Maio.
400 CUPRESSUS, - - - 1 disticha, - Hort. L. 2 thyoides, - L.	CYPRESS, - - - deciduous, American, bald, White Cedar; Juniper.	Idem. - - - - -	Idem. - - - - -	squam. - - - - - -	- - - - - foliis planis, quasi pinnatim distichis. foliis squamulatum imbrica- tis.	strobilus, sem. obl. - - - - - -	fl. Maio. - fl. Aprili.
401 ACALYPHA, - - -	THREE-SEEDED-MERcury,	Idem.	Euphorbiac.	3-4-ph.	- - - - -	caps. sub- rotund. 3-loc.	fl. Maio.
1 Virginica, - L. ☉ 2 Caroliniana? Walt. ☉	Virginian, Carolinian,	- - - - -	- - - - -	- - - - -	foliis ovato-lanceolatis, petio- lo longioribus. foliis longe petiolatis, sub- rhomboideo-ovalibus, ser- ratis.	- - - - - - - - -	fl. Augusto - fl. Augusto
402 RHOINUS, - - - communis, Hort. L. ☉	PALMA-CHRISTI, common,	Idem.	Idem.	mas. 5-part. fem. 3-part	- - - - - foliis peltatis, palmatis, lobis lanceolatis, serratis.	caps. acule- at. 3-loc. 3-val. - - -	- - fl. Junio.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Cultiv.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
403 CUCURBITA,	Gourd, - - -	Dicotyl.	Cucurbitaceae	5-dent.	-	pomum 3-loc. sem. obtus.	
1 lagenaria, Hort. L. ☉	Bottle; common Calabash.	-	-	-	foliis cordatis, rotundato-obtusis, pubescentibus.	-	flor. Augusto
2 pepo, C. L. ☉	Pumpkin.	-	-	alb.	foliis cordatis obtusis sub-quinquelobis, denticulatis.	-	flor. Augusto
3 verrucosa, C. L. ☉	Warted Squash.	-	-	lut.	foliis cordatis profunde quinquelobis.	-	flor. Julio.
4 melopepo, C. L. ☉	Squash Gourd.	-	-	lut.	foliis cordatis obtusis sub-quinquelobis denticulatis pomis depresso-nodosis.	-	flor. Julio.
5 citrullus, C. L. ☉	Water-melon.	-	-	lut.	foliis quinquelobis, lobis sinuato-pinnatifidis obtusis.	-	flor. Julio.
404 CUCUMIS, - - -	CUCUMBER, - - -	Idem.	5-dent.	5-part.	-	pomum 3-loc. sem. ovat. acut.	
1 melo, C. L. ☉	melon; Musk-melon.	-	-	lut.	foliorum angulis rotundatis.	-	
2 sativus, C. - L. ☉	common,	-	-	lut.	foliorum angulis rectis.	-	

CLASSIS XXII.—DIOECIA.

ORDO I.—DIANDRIA.

405 VALLISNERIA, - - -	VALLISNERIA, - - -	Monocoty.	Hydrocharitides.	spath.	-	caps. cylindr. 1-loc.	flor. Augusto
Americana, Mich. 2/	American; Tape-grass.	-	-	-	foliis longissimis linearibus; pedunculis obsolete spiralibus.	-	
406 SALIX, - - - 1/2	WILLOW, - - -	Dicotyl.	Amentaceae.	squam.	-	caps. 1-loc. 2-val. sem. papp.	
1 vitellina, Cic. L.	yellow, - - -	-	-	O.	foliis serratis ovato-lanceolatis; ramis flavis.	-	flor. Aprili.
2 Babylonica, Cic. L.	weeping, - - -	-	-	-	foliis serratis, glabris, linearilanceolatis, ramis pendulis.	-	flor. Aprili.
3 longirostris, Mich. } S. humilis, Marsh. } S. alpina? Walt. }	dwarf American,	-	-	-	foliis subsessilibus, longiuscule lanceolatis, subcuneatis.	-	flor. Aprili.
4 eriocephala, Mich. } conifera, Muhl. }	cone-bearing, swamp,	-	-	-	foliis oblongo-ovalibus; ramulis minutim tomentosis	-	flor. Aprili.

ORDO III.—PENTANDRIA.

Systematic Names.	English, Vulgar, and Vernacular Names.	Natural Families of Jussieu.	Calix.	Corolla.	Form of the Leaves, &c.	Fruit.	Time of Flowering.
407 SPINACIA, - - -	SPINACH, or SPINAGE,	-	mas. 5-part.	O.	-	sem. 1-intra-cal. induratum.	-
oleracea, C. - L. ☉	common,	-	-	-	fructibus sessilibus.	-	-
408 ACNIDA, - - -	ACNIDA,	-	mas. 6-fid. fem. 2-fid.	O.	-	sem. 1, rotund. compress.	-
1 cannabina, - L. ☉	smooth-fruited,	-	-	-	foliis lanceolatis; fructibus glabris.	-	flo. Julio.
2 rusocarpa, Mich. ☉	rough-fruited,	-	-	-	foliis ovali-lanceolatis; fructibus rugosis.	-	flo. Julio.
409 HUMULUS, - - -	HOP,	-	mas. 5-ph. fem. 1-ph.	O.	-	sem. subtund.	-
lupulus, - Hort. L. ♀	common,	-	-	-	-	-	flo. Augusto
410 ILEX, - - -	HOLLY,	-	4-dent.	rotata.	-	bacca 4-loc. 4-sperm.	-
opaca,* Mich. et Ait. ♀	American, thick-leaved, spine leaved,	-	-	alb.	foliis ovalibus rigide dentato-spinosis.	-	flo. Maio.
411 CANNABIS, - - -	HEMP,	-	mas. 5-part. fem. 5-ph.	O.	-	nux 2-val.	-
sativa, C.? - L. ☉	common,	-	-	-	foliis digitatis.	-	flo. Julio.

ORDO IV.—HEXANDRIA.

412 SMILAX, - - -	ROUGH-BINDWEED,	-	5-6-ph.	O.	-	bac. globos. 3-loc.	-
1 rotundifolia, Walt. ♀	round-leaved; Green-briar.	-	-	-	foliis subrotundatim cordato-ovalibus acutis, glaberrimis: ramis angulosis.	-	flo. Junio.
5 caduca, - Willd.	deciduous,	-	-	-	caule aculeato tereti, foliis ovatis mucronatis quinque-nerviis.	-	flo. Junio.
3 peduncularis, Willd. ♀ [et Muhl.]	long-flower-stalked,	-	-	-	caule hermi tereti, foliis subrotundo-ovatis cordatis acuminatis novemnerviis; pedunculis longis-imis.	-	flo. Maio.
S. pulverulenta, Mich. S. herbacea, Walt.?	-	-	-	-	foliis quasi cordato-ovalibus, acuminatis glabris: ramis subteretibus.	-	-
4 glauca, - Walt. ♀	glaucous,	-	-	-	-	-	-

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calx.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
413 DIOSCOREA, villosa, L. 24 D. paniculata, Mich. D. <i>quaternata</i> et <i>quimata</i> , (incl. et Walt.) var. β . glabra, - 24	YAM-ROOT, hairy, smooth-leaved,	Dicotyl.	Asparagi.	6-part.	O.	caps. 3-ah- gul. 3-loc. 3-val.	fl. Junio. fl. Julio.
ORDO V—OCTANDRIA.							
414 POPULUS, - β	POPLAR,	Idem.	Amentaceae.	squam.	O.	caps. ovat. 2-val. sem. papp.	fl. April.
1 dilatata, Cic.	Lombardy,	-	-	-	-	-	-
2 candicans, Hort. Ait.	heart-leaved Balsam; Athenian Poplar.	-	-	-	foliis cordatis.	-	-
ORDO VIII—MONADELPHIA.							
415 JUNIPERUS, -	JUNIPER,	Idem.	Coniferae.	mas. squam. mas. O. fem. 3-part	-	bacca.	fl. Maio
Virginiana, - Mich. β	Virginian; Red-cedar.	-	-	-	foliis vetulis terribus, subulato- spinescentibus.	-	-
CLASSIS XXIII.—POLYGAMIA.							
ORDO I—MONOECIA.							
416 VERATRUM, viride, - Ait. 24 V. album, Mich. nec L. }	HELLEBORE, green-flowered, swamp; Poke-root; Indian-poke.	Monocoty.	Junci.	O.	6-pet.	caps. 3, obl. 1-loc. 1-val.	fl. Maio.
417 ACER, -	MAPLE,	Dicotyl.	Acera.	5-fid.	5-pet.	caps. basi coarctae alat.	-
rubrum, - L. β	red-flowered, scarlet, white, red, soft, swamp.	-	-	-	cocc.	-	fl. April.
ORDO II.—DIOECIA.							
418 GLEDITSIA, - β	LOCUST; GLEDITSIA.	Idem.	Leguminosae.	her. 4-fid. fem. 3-ph.	her. 4-pet. mas. 3-pet.	leg. disse- pim. trans- vers.	fl. Maio.
1 triacanthos, L. } G. spinosa, Marsh. }	sweet, honey, triple-thorned,	-	-	-	alb.	ramis spinosis, spinis tripli- cibus, leguminibus poly- spermis.	-

<i>Systematic Names.</i>	<i>English, Vulgar, and Vernacular Names.</i>	<i>Natural Families of Jussieu.</i>	<i>Calix.</i>	<i>Corolla.</i>	<i>Form of the Leaves, &c.</i>	<i>Fruit.</i>	<i>Time of Flowering.</i>
3 monosperma, Hort. [Walt. Marsh.]	one-seeded, water,	-	-	virid.	ramis subspinosis; leguminibus monospermis.	-	fl. Maio.
G. aquatica,	-	-	-	-	-	-	-
419 PRAXINUS, } Americana, Mich. f. h ₂ } F. discolor, Muhl. }	ASH, - - - - - white, - - - - -	Dicoty.	4-part.	4-pet. v. O.	- - - - - foliis integerrimis longe acuminatis, petiolatis.	caps. ovat. oblong.	fl. Maio.
420 DIOSPYROS, - - - Virginiana, - h ₂	PERSIMON, - - - - - common, - - - - -	Idem.	4-fid.	4-fid.	- - - - -	bac. globos. 8-loc.	fl. Junio.
421 NYSSA, - - - h ₂ 1 aquatica, L. et Mich. f. } N. biflora, Mich. }	TUPELO, - - - - - large; Gum-tree; Sour-gum; Pepperidge.	Idem.	5-part.	O.	- - - - -	drupa, -	-
2 sylvatica, Mich. f. } N. villosa, Mich. } N. montana, Hort. }	Gum; Black-gum; Sour-gum; Swamp Hornbeam.	-	-	-	foliis ovalibus, integerrimis; petiolo nervoque, margineque villosis.	-	fl. Maio.
422 PANAX, - - - trifolium, - Mich. 2/	GINSENG, - - - - - three-leaved,	Idem.	-	5-pet.	- - - - -	bac. cordata 2-loc.	fl. Aprili.

ORDO III.—TRIOECIA.

423 FICUS, - - -	FIG-TREE, - - -	Idem.	mas. 3-spat. fem. 5-spat.	O.	- - - - -	fructus utriculus 1-sperm.	-
carica, C. - L. h ₂	common, - - - - -	-	-	-	foliis cordatis triquinque-lobisve.	-	-

CLASSIS XXIV.—CRYPTOGAMIA.

FILICES—(Natural Family Filices.)

424 POLYPODIUM, 1 Virginicum, var. vulgare, 2 hexagonopterum,	- - L. Mich.	POLYPODY, Virginian, common, hexagonal,
425 ASPIDIUM, 1 acrostichoides, [choides, Mich.] 2 marginale, <i>Polypodium marginale</i> , L. <i>Nephrodium marginale</i> , [Mich.] 3 intermedium, 4 noveboracense, 5 asplenoides, 6 bulbiferum,	- Muhl. [Mich.] Swa. L. [Mich.] Muhl. -	SHIELD-FERN, terminal, marginal, New-York, dark, bulb-bearing,
426 ASPLENIUM, 1 rhyzophyllum, 2 ebenum, <i>Asplenium trichoma-</i> [noides, Mich.] 3 melanocaulon, <i>Asplenium trichomanes</i> , [Mich.] 427 PTERIS, 1 atropurpurea, 2 aquilina,	- L. Ait. [Mich.] Muhl. [Mich.] - L. L.	SPLEENWORT, rooting-leaved, ebony, dwarf, BRAKE, dark-purple, common,

ADDENDA.

- 448 PROSERPINACA palustris, to be inserted before *Mollugo*, p. 24.
 449 AIRA præcox and AIRA pallens, to be inserted after *Trichodium*, p. 21.
 AVENA { glumosa, Mich. } to be inserted under the genus AVENA, p. 23.
 { spicata, L. et Muhl. }
 PANICUM anceps, to be inserted under the genus *Panicum*, p. 20.
 450 AMMANIA humilis,* to be inserted between *Ludwigia* and *Isnardia*, p. 26.

428 ONOCLEA, sensibillis, 429 ADIANTUM, pedatum, 430 DICKSONIA, pilosiuscula, <i>Nephrodium punctulo-</i> [sum, Mich.] 431 OSMUNDA, 1 interrupta, O. Claytonia, 2 cinnamomea, 3 regalis, O. spectabilis, 431 BOTRYPTIS, Virginicus, <i>Osmunda Virginica</i> , L. <i>Botrychium Virginicum</i> , [Muhl.] 433 LYCOPODIUM, 1 lucidulum, 2 dendroideum? 3 clavatum, 4 complanatum, 5 rupestre, 434 EQUISETUM, 1 sylvaticum, 2 arvense, 3 hyemale,	- L. - L. - Willd. [sum, Mich.] - Mich. - L. L. Muhl. Mich. Mich. L. [Muhl.] - Mich. Mich. L. L. L. L. L. L. L. L.	ONOCLEA, sensitive; Sensitive-Fern. MAIDEN-HAIR; Maiden-Hair, common, DICKSONIA, small-fruited, OSMUNDA, interrupted, tall, royal, BOTRYPTIS, Virginian, CLUB-MOSS, shining, common, flat, HORSE-TAIL, wood, field, rough, Sour-grass; Scour- ring-rush.
--	---	--

CORRIGENDA.

- Add "Hort." after *Blitum virgatum*, p. 13; also after *Cornus Canadensis*, p. 26.
 First line of the observation to GLYCINE parabolica, p. 71, for *rescui* read
 "crescit."
 Page 90, last line of ZIZANIA aquatica, (383,) for "*Z. clavulosa?* Muhl." read
 "*Z. clavulosa*, Mich. et Muhl."

INDEX.

N. B. The words of the Index in italics are synonymes, and are only to be found under other generic terms.

A.	Page.		Page.		Page.	G.	Page.
<i>ANTHOXANTHUM</i>	18	Bromus	22	<i>Clinopodium</i>	62	Gratiola	14
<i>Arundo</i>	19	Beta	36	<i>Cnula</i>	63	Gonolobus	34
<i>Alopecurus</i>	20	Berberis	44	<i>Chelone</i>	65	Gentiana	36
<i>Andropogon</i>	21	<i>Baptisia</i>	48	<i>Chelone</i>	65	Gaura	46
<i>Agrostis</i>	21	Brachystemum	62	<i>Cochlearia</i>	67	Gaultheria	49
<i>Avena</i>	23	Bartsia	64	Cardamine	67	Geum	57
<i>Aristida</i>	23	Bignonia	66	<i>Cardamine</i>	67	Glechoma	62
<i>Arundo</i>	23	Bucknera	66	Corydalis	70	Gerardia	65
<i>Anychia</i>	24	Brassica	68	Crotalaria	70	<i>Gratiola</i>	66
<i>Anagallis</i>	29	<i>Bicucullata</i>	70	Cichorium	76	Geranium	69
<i>Azalea</i>	29	Bidens	77	Cinara	76	Glycine	71
<i>Ampelopsis</i>	34	<i>Betula</i>	88	Cnicus	76	Galega	72
<i>Apocynum</i>	34	Buxus	89	<i>Chrysocoma</i>	76 & 77	Gnapbaliun	79
<i>Asclepias</i>	44	Boehmeria	89	<i>Coreopsis</i>	77	Gleditsia	96
<i>Atriplex</i>	35	<i>Betula</i>	92	Cacalia	77		
<i>Ammi</i>	37	Botrypus	98	Conyza	79	H.	
<i>Angelica</i>	37			Chrysanthemum	83	Heteranthera	16
<i>Anethum</i>	38	Callitriche	13	Coreopsis	84	Holcus	21
<i>Anisum</i>	39	Cinna	13	Centaurea	84	Hordeum	23
<i>Apium</i>	39	Circaea	13	Calendula	86	Houstonia	24
<i>Alsine</i>	40	Cunila	15	Cymbidium	86	Hamamelis	26
<i>Aralia</i>	40	Collinsonia	15	Cypripedium	87	Hydrophyllum	28
<i>Allium</i>	41	<i>Commelina</i>	16	Carex	88	Hedera	34
<i>Asparagus</i>	42	Cyperus	17	Comptonia	88	Heuchera	36
<i>Aletris</i>	43	Cenchrus	19	Castanea	91	Hydrocotyle	36
<i>Acorus</i>	43	<i>Cinna</i>	21	Carpinus	91	Heracleum	37
<i>Alisma</i>	45	<i>Cornucopia</i>	21	Corylus	92	<i>Holosteum</i>	40
<i>Æsculus</i>	45	<i>Cynosurus</i>	22	Calla	93	<i>Hypericum</i>	40
<i>Andromeda</i>	49	Cephalanthus	24	Cupressus	93	Hypoxis	42
<i>Arenaria</i>	51	Centaurella	25	Cucurbita	94	Hyacinthus	43
<i>Agrostemma</i>	52	Cornus	26	Cucumis	94	Helonias	44
<i>Asarum</i>	53	Cuscuta	27	Cannabis	95	Helianthemum	58
<i>Agrimonia</i>	53	Cynoglossum	28			Hydrastis	61
<i>Amygdalus</i>	54	Convolvulus	29	D.		Hyssopus	61
<i>Aronia</i>	55	<i>Convolvulus</i>	30	<i>Dianthera</i>	14	Hedecoma	63
<i>Actæa</i>	57	Campanula	30	<i>Dilepyrum</i>	19	Hibiscus	69
<i>Aquilegia</i>	58	Caprifolium	31	Dactylis	22	Hedysarum	72
<i>Annona</i>	59	Chironia	32	Dipsacus	24	Hypericum	73
<i>Anemone</i>	59	Ceanothus	32	<i>Dracontium</i>	26	Hieracium	75
<i>Antirrhinum</i>	65	Capsicum	32	Datura	31	Hyosceris	75
<i>Arabis</i>	68	Celastrus	32	Daucus	37	<i>Hyosceris</i>	76
<i>Althæa</i>	69	<i>Cissus</i>	34	Drosera	41	Helenium	83
<i>Arachis</i>	72	Claytonia	34	Dianthus	51	<i>Hottonia</i>	88
<i>Ascyrum</i>	74	<i>Cynanchum</i>	34	Draba	66	Helioipsis	83
<i>Arctium</i>	76	Chenopodium	35	Dentaria	67	<i>Helianthus</i>	84
<i>Artemesia</i>	78	<i>Cortusa</i>	36	<i>Diclytra</i>	70	Humulus	95
<i>Aster</i>	79	Conium	37	Dioscorea	96		
<i>Aster</i>	80	Cærophylum	37	Diospyros	97	I.	
<i>Anthemis</i>	83	Cicuta	38	Dicksonia	98	Justicia	14
<i>Achillea</i>	83	<i>Cærophylum</i>	38			Iris	16
<i>Arethusa</i>	86	Carum	39	E.		Isnardia	26
<i>Aristolochia</i>	87	Caulophyllum	42	<i>Eriophorum</i>	18	Ipomea	30
<i>Alnus</i>	88	Convallaria	43	Eriophorum	18	Itea	33
<i>Ambrosia</i>	89	<i>Convallaria</i>	43	Elusine	22	Impatiens	33
<i>Amaranthus</i>	89	Cercis	48	Evonymus	32	Juncus	43
<i>Arum</i>	92	Cassia	49	Eryngium	36	Inula	83
<i>Arum</i>	93	Clethra	50	Erythronium	42	Juglans	91
<i>Acalypha</i>	93	Chrysosplenium	50	Epilobium	46	Ilex	95
<i>Acnida</i>	95	Cucubalus	51	Epigæa	49	Juniperus	96
<i>Acer</i>	96	Cerastium	52	Euphorbia	53		
<i>Aspidium</i>	98	Cerasus	54	Erysimum	67	K.	
<i>Asplenium</i>	98	Cratægus	54	Eupatorium	77	Kalmia	49
<i>Adiantum</i>	98	<i>Cratægus</i>	55	<i>Elodia</i>	88	Krigia	76
<i>Aira</i>	98	<i>Cydonia</i>	55	Equisetum	98	L.	
<i>Ammania</i>	98	Calycanthus	57			Ligusticum	13
		Chelidonium	57	F.		Lycopus	14
		<i>Cistus</i>	58	Fedia	16	<i>Leptanthus</i>	16
B.		<i>Cyanus</i>	59	Festuca	22	Leptanthus	16
<i>Blitum</i>	13	Clematis	60	Fragaria	56	Leersia	19
<i>Bartonia</i>	16	Caltha	61	Fumaria	70	Lolium	23
		Clinopodium	62	Fagus	90	Lechea	24
<i>Briza</i>	22			Fraxinus	97	Ludwigia	26
				Ficus	97		

	Page.		Page.		Page.		Page.
<i>Luthwigia</i>	26	<i>Neottia</i>	85	<i>Polypodium</i>	98	<i>Senecio</i>	79
<i>Lithospermum</i>	27	<i>Nyssa</i>	97	<i>Pteris</i>	98	<i>Solidago</i>	82
<i>Lithospermum</i>	28			<i>Proserpinaca</i>	98	<i>Silphium</i>	83
<i>Lysimachia</i>	28					<i>Sayurium</i>	85
<i>Lobelia</i>	30	O.				<i>Sparganium</i>	87
<i>Lonicera</i>	31	<i>Onosmodium</i>	28	<i>Queria</i>	24	<i>Serpicula</i>	88
<i>Lonicera</i>	31	<i>Ornithogalum</i>	42	<i>Quercus</i>	91	<i>Sagittaria</i>	90
<i>Lagusticum</i>	38	<i>Orontium</i>	43			<i>Salix</i>	94
<i>Linum</i>	41	<i>Enothera</i>	46	R.		<i>Spinacia</i>	95
<i>Lilium</i>	42	<i>Oxalis</i>	52	<i>Rosmarinus</i>	15	<i>Smilax</i>	95
<i>Leonice</i>	42	<i>Orchidocarpum</i>	59	<i>Rhynchosphora</i>	17		
<i>Laurula</i>	43	<i>Origanum</i>	62	<i>Ribes</i>	33	T.	
<i>Laurus</i>	48	<i>Origanum</i>	63	<i>Rhus</i>	39	<i>Trichophorum</i>	18
<i>Lythrum</i>	53	<i>Ocymum</i>	63	<i>Rumex</i>	44	<i>Trichodium</i>	21
<i>Liriodendron</i>	59	<i>Orobanche</i>	66	<i>Rhexia</i>	46	<i>Triticum</i>	23
<i>Lavandula</i>	61	<i>Obolaria</i>	66	<i>Rosa</i>	56	<i>Triosteum</i>	31
<i>Lamium</i>	62	<i>Orchis</i>	85	<i>Rubus</i>	56	<i>Thesium</i>	34
<i>Leonurus</i>	62	<i>Ophrys</i>	85, 86 & 87	<i>Ranunculus</i>	60	<i>Thapsia</i>	38
<i>Linaria</i>	65	<i>Onoclea</i>	98	<i>Raphanus</i>	68	<i>Tradescantia</i>	41
<i>Lindernia</i>	66	<i>Osmunda</i>	98	<i>Rudbeckia</i>	83	<i>Trillium</i>	45
<i>Lepidium</i>	67			<i>Rudbeckia</i>	84	<i>Tropæolum</i>	45
<i>Lupinus</i>	70	P.		<i>Ricinus</i>	93	<i>Tilia</i>	58
<i>Lespedeza</i>	72	<i>Phalaris</i>	19	S.		<i>Thalictrum</i>	60
<i>Lactuca</i>	75	<i>Phalaris</i>	19	<i>Syringa</i>	13	<i>Teucrium</i>	61
<i>Leontodon</i>	75	<i>Paspalum</i>	19	<i>Salvia</i>	15	<i>Thymus</i>	63
<i>Limodorum</i>	85 & 86	<i>Panicum</i>	20	<i>Schoenus</i>	17	<i>Thymus</i>	63
<i>Lemna</i>	87	<i>Panicum</i>	20	<i>Scirpus</i>	17	<i>Trichostema</i>	63
<i>Liquidambar</i>	92	<i>Phleum</i>	20	<i>Scirpus</i>	18	<i>Thlaspi</i>	67
<i>Lycopodium</i>	98	<i>Poa</i>	21	<i>Syntherisma</i>	20	<i>Turritis</i>	68
		<i>Poa</i>	22	<i>Stipa</i>	23	<i>Trifolium</i>	72
M.		<i>Plantago</i>	25	<i>Secale</i>	23	<i>Trifolium</i>	73
<i>Monarda</i>	15	<i>Pothos</i>	26	<i>Syringa</i>	25	<i>Tragopogon</i>	74
<i>Mariscus</i>	18	<i>Potamogeton</i>	27	<i>Symphytum</i>	28	<i>Tanacetum</i>	78
<i>Muhlenbergia</i>	19	<i>Pulmonaria</i>	28	<i>Solanum</i>	32	<i>Tussilago</i>	79
<i>Mollugo</i>	24	<i>Phlox</i>	30	<i>Salsola</i>	35	<i>Typha</i>	87
<i>Mitchella</i>	25	<i>Polemonium</i>	39	<i>Sison</i>	36	<i>Thuya</i>	93
<i>Myosotis</i>	27	<i>Physalis</i>	31	<i>Sanicula</i>	36		
<i>Menyanthes</i>	28	<i>Pastinaca</i>	38	<i>Sium</i>	37	U.	
<i>Myrrhis</i>	37	<i>Pimpinella</i>	39	<i>Sison</i>	37	<i>Utricularia</i>	14
<i>Maianthemum</i>	43	<i>Parnassia</i>	40	<i>Scandix</i>	38	<i>Ulmus</i>	36
<i>Muscari</i>	43	<i>Pontederia</i>	41	<i>Smyrniun</i>	38	<i>Uvularia</i>	42
<i>Melanthium</i>	44	<i>Prinos</i>	44	<i>Sambucus</i>	40	<i>Urtica</i>	89
<i>Medeola</i>	44	<i>Pavia</i>	45	<i>Stellaria</i>	40	V.	
<i>Melanthium</i>	44	<i>Polygonum</i>	47	<i>Sarothra</i>	40	<i>Veronica</i>	13
<i>Monotropa</i>	49	<i>Podalyria</i>	48	<i>Saururus</i>	45	<i>Valeriana</i>	16
<i>Mitella</i>	50	<i>Pyrola</i>	50	<i>Sophora</i>	48	<i>Vicum</i>	28
<i>Mespilus</i>	54	<i>Penthorum</i>	52	<i>Saxifraga</i>	50	<i>Verbascum</i>	31
<i>Mesilpus</i>	55	<i>Phytolaca</i>	52	<i>Scleranthus</i>	50	<i>Viola</i>	33
<i>Malus</i>	55	<i>Portulaca</i>	53	<i>Saponaria</i>	51	<i>Vitis</i>	34
<i>Magnolia</i>	59	<i>Philadelphus</i>	54	<i>Silene</i>	51	<i>Vitis</i>	34
<i>Mentha</i>	62	<i>Prunus</i>	54	<i>Silene</i>	51	<i>Vincetoxicum</i>	34
<i>Marrubium</i>	62	<i>Pyrus</i>	55	<i>Stellaria</i>	51	<i>Viburnum</i>	39
<i>Melissa</i>	63	<i>Podophyllum</i>	57	<i>Spergula</i>	52	<i>Veratrum</i>	44
<i>Melampyrum</i>	64	<i>Porcella</i>	59	<i>Spiræa</i>	55	<i>Vaccinium</i>	46
<i>Mimulus</i>	66	<i>Populago</i>	61	<i>Sanguinaria</i>	57	<i>Verbena</i>	64
<i>Malva</i>	69	<i>Pycnanthemum</i>	62	<i>Sarracenia</i>	57	<i>Vicia</i>	72
<i>Mikania</i>	77	<i>Pycnanthemum</i>	63	<i>Satureja</i>	61	<i>Vernonia</i>	76
<i>Malaxis</i>	86	<i>Prunella</i>	64	<i>Stachys</i>	62	<i>Verbesina</i>	84
<i>Morus</i>	89	<i>Phryma</i>	64	<i>Scutellaria</i>	63	<i>Vallisneria</i>	94
<i>Myriophyllum</i>	90	<i>Pedicularis</i>	65	<i>Schwalbea</i>	65	<i>Veratrum</i>	96
		<i>Penstemon</i>	65	<i>Serophularia</i>	65		
N.		<i>Polygala</i>	70	<i>Sisymbrium</i>	67	W.	
<i>Nicotiana</i>	31	<i>Phaseolus</i>	71	<i>Sinapis</i>	68	<i>Warnera</i>	61
<i>Nymphæa</i>	57	<i>Pisum</i>	71	<i>Sisyrinchium</i>	69	X.	
<i>Nuphar</i>	58	<i>Prenanthes</i>	75	<i>Sida</i>	69	<i>Xyris</i>	17
<i>Nymphæa</i>	58	<i>Platanus</i>	91	<i>Spartium</i>	71	<i>Xanthium</i>	89
<i>Nelumbium</i>	59	<i>Poterium</i>	92	<i>Stylosanthes</i>	72		
<i>Nymphæa</i>	59	<i>Pinus</i>	93	<i>Sonchus</i>	74	Z.	
<i>Nidumbo</i>	59	<i>Populus</i>	96	<i>Serratula</i>	76 & 77	<i>Zea</i>	88
<i>Nepeta</i>	61	<i>Panax</i>	97	<i>Suprago</i>	77	<i>Zizania</i>	90

DUPLICATE RELEASED
BY N.S.P. 1984

LAST

Mod Hist
WZ
270
B283f
181.5
C.1

